

## HEALTH MONITORING REPORT (Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION: Atsugi Breeding Center

Items	Strain Genotype Area Test Date	(Rats)			
		Crj:WI	Crj:CD(SD)	Crj:ZUC-Lep <sup>+/+</sup> A-25 10/27	Crj:DON A-25 10/27
Sendai Virus	○	0/10	0/20	0/5	0/5
MHV (SDAV)	○	0/10	0/20	0/5	0/5
<i>Mycoplasma pneumoniae</i>	○	0/10	0/20	0/5	0/5
<i>Clostridium piliforme</i>	○	0/10	0/20	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/10	0/20	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/10	0/20	0/5	0/5
<i>Salmonella</i> spp.	◎	0/10	0/20	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/10	0/20	0/5	0/5
<i>Syphacia</i> spp.	●	0/10	0/20	0/5	0/5
<i>Pseudomonas</i> * <i>aeruginosa</i>	△	0/10	0/20	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen

日本チャールズリバー株式会社  
代表取締役社長 西尾悦雄



Charles River Laboratories Japan, Inc.

Eiichi Morimura, D.V.M.

Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION: Atsugi Breeding Center

Items	Strain Genotype Area Test Date	(Rats)			
		F344/DuCrIcIj A-21 10/27	SHR/NCrIcIj A-21 10/27	WKY/NCrIcIj A-21 10/27	ZDF/CrIcIj- <i>Lepr</i> <sup>fa</sup> A-21 10/27
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV (SDAV)	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen



日本手ヤニル久・リバー株式会社  
代表取締役社長 西尾悦雄

Charles River Laboratories Japan, Inc.

Eichi Morimura, D.V.M.

Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Atsugi Breeding Center

Items	Strain Area Test Date	(Mice)					Cri:CD1(ICR) A-11 10/21
		SIL/OrtCri A-11 10/21	NC/NgaTndCri A-11 10/21	CBA/JNCri A-11 10/21	STR/OrtCri A-11 10/21	0/5	
Sendai Virus	○	0/5	0/5	0/5	0/5	0/5	
MHV	○	0/5	0/5	0/5	0/5	0/5	
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5	0/5	
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5	0/5	
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/5	
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/5	
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/5	
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/5	
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/5	
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/5	
<i>Pseudomonas aeruginosa</i> *	△	0/5	0/5	0/5	0/5	0/5	

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



*Eiichi Morimura*  
 Eiichi Morimura, D.V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT (Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION: Atsugi Breeding Center

Items	Strain Area Test Date	(Mice)			
		C57BL/6NChCrlj A-13 10/21	DBA/2NChCrlj A-13 10/21	BALB/cAnNCrlj A-23 10/21	DBA/2NChCrlj A-23 10/21
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : B6D2F1/Crlj mice were judged by the results of C57BL/6NChCrlj mice and DBA/2NChCrlj mice.

3 : CD2F1/Crlj mice were judged by the results of BALB/cAnNCrlj mice and DBA/2NChCrlj mice.

4 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チヤールリウス・リバ一株式会社  
代表取締役社長 西尾悦雄
  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Atsugi Breeding Center

Items	Strain Genotype Area Test Date test	(Immunodeficient Mice)								
		CAnN.Cg-Foxn1 <sup>nu</sup> /CrjCrlj nu/nu		nu/+ A-12 10/20		Crj:CD1-Foxn1 <sup>nu</sup> nu/nu A-12 10/20		CAnN.Cg-Foxn1 <sup>nu</sup> /CrjCrlj nu/nu A-24 10/20		nu/+ A-24 10/20
Sendai Virus	○	NT <sup>2</sup>	0/5	NT	0/5	NT	0/5	NT	0/10	0/10
MHV	○	NT	0/5	NT	0/5	NT	0/5	NT	0/10	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/5	NT	0/5	NT	0/5	NT	0/10	0/10
<i>Clostridium piliforme</i>	○	NT	0/5	NT	0/5	NT	0/5	NT	0/10	0/10
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10
<i>Pasteurella pneumotopica</i>	△	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/5	0/5	0/10	0/10	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\*2 : Not tested

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



Charles River Laboratories Japan, Inc.

Eiichi Morinura, V.M.

Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Atsugi Breeding Center

Items	Strain Genotype Area Test Date test	(Immunodeficient Mice)	
		CB17/1cr- <i>Prkdc</i> <sup>scid</sup> / <i>ClCrJ</i> * <sup>1</sup> <i>scid/scid</i> A-80 10/20	C57BL/6N <i>ClCrJ</i> * <sup>1</sup> ※ A-80 10/20
Sendai Virus	○	NT* <sup>2</sup>	0/3
MHV	○	NT	0/3
<i>Mycoplasma pulmonis</i>	○	NT	0/3
<i>Clostridium piliforme</i>	○	NT	0/3
<i>Corynebacterium kutscheri</i>	◎	0/12	0/3
<i>Bordetella bronchiseptica</i>	◎	0/12	0/3
<i>Salmonella</i> spp.	◎	0/12	0/3
<i>Pasteurella pneumotropica</i>	△	0/12	0/3
<i>Staphylococcus aureus</i>	△	0/12	0/3
<i>Citrobacter rodentium</i>	△	0/12	0/3
<i>Pseudomonas aeruginosa</i>	△	0/12	0/3
<i>Syphacia</i> spp.	●	0/12	0/3

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

※ : Animals were tested as sentinels.

\*1 : Tested animals were all retired breeders.

\*2 : Not tested

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



Charles River Laboratories Japan, Inc.

Enichi Morimura, D.V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT (Second Report, October 2008)

November 7, 2008  
 Tested by Charles River Laboratories Japan, Inc.  
 LOCATION:Hino Breeding Center

Items	Strain Area Test Date	(Mice)				
		Crlj:CD1(ICR) H-12 10/22	C57BL/6NCrlCrlj H-12 10/22	C3H/HeNCrlCrlj H-12 10/22	BALB/cAnNCrlCrlj H-23 10/22	DBA/1JNCrlj H-23 10/22
Sendai Virus	○	0/5	0/5	0/5	0/10	0/5
MHV	○	0/5	0/5	0/5	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : B6C3F1/Crlj mice were judged by the results of C57BL/6NCrlCrlj mice and C3H/HeNCrlCrlj mice.

3 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



*Quality Assurance Director*  
 Eiichi Morimura, D.V.M.  
 Quality Assurance Director

# HEALTH MONITORING REPORT

(Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION:Hino Breeding Center

8/11

Items	Strain Area Test Date	(Rats)				
		CH:CD(SD) H-11 10/22	CH:CD(SD) H-22 10/22	F344/DuChCrlj H-13 10/22	LEW/ChCrlj H-13 10/22	BN/ChCrlj H-13 10/22
Sendai Virus	○	0/15	0/15	0/5	0/5	0/5
MHV (SDAV)	○	0/15	0/15	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/15	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/15	0/15	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/15	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/15	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/15	0/15	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/15	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/15	0/15	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/15	0/15	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen

日本チャールズ河川株式会社  
代表取締役社長 西尾悦雄



Charles River Laboratories Japan, Inc.

*Eiichi Morimura*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Tsukuba Breeding Center

Items	Strain Area Test Date	(Rats)		
		Crj:CD(SD) T-21 10/28	Crj:WI T-11 10/28	LEW/CHCrj T-11 10/28
Sendai Virus	○	0/15	0/10	0/5
MHV (SDAV)	○	0/15	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/10	0/5
<i>Clostridium piliforme</i>	○	0/15	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/10	0/5
<i>Salmonella</i> spp.	◎	0/15	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/10	0/5
<i>Syphacia</i> spp.	●	0/15	0/10	0/5
<i>Pseudomonas</i> * <i>aeruginosa</i>	△	0/15	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



Hiichi Morimura, D. V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, October 2008)

November 7, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Tsukuba Breeding Center

Items	Strain	(Mice)		
		JAX <sup>®</sup> Mice Strain	JAX <sup>®</sup> Mice Strain	JAX <sup>®</sup> Mice Strain
Sendai Virus	○	0/15	0/5	0/5
MHV	○	0/15	0/5	0/5
Mycoplasma pulmonis	○	0/15	0/5	0/5
Clostridium piliforme	○	0/15	0/5	0/5
Corynebacterium kutscheri	◎	0/15	0/5	0/5
Bordetella bronchiseptica	◎	0/15	0/5	0/5
Salmonella spp.	◎	0/15	0/5	0/5
Pasteurella pneumotropica	△	0/15	0/5	0/5
Citrobacter rodentium	△	0/15	0/5	0/5
Syphacia spp.	●	0/15	0/5	0/5
Pseudomonas* aeruginosa	△	0/15	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\* : non-specific pathogen

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

Charles River Laboratories Japan, Inc.

日本子ヤシロウ・ラボラー株式会社  
 代表取締役社長 西尾悦雄



*Hiichi Morimura*  
 Hiichi Morimura, D.V.M.  
 Quality Assurance Director

# HEALTH MONITORING REPORT (Second Report, October 2008)

November 7, 2008

11/11

Tested by Charles River Laboratories Japan, Inc.  
LOCATION: Tsukuba Breeding Center

Items	Strain Genotype Area Test Date	(Immunodeficient Mice)	
		CAN.N.Cg-Foxn1 <sup>tm</sup> /CrICrlj nu/nu T-23 10/28	nu/+ T-23 10/28
Sendai Virus	○	NT*2	0/10
MHV	○	NT	0/10
Mycoplasma pneumoniae	○	NT	0/10
Clostridium piliforme	○	NT	0/10
Corynebacterium kutscheri	◎	0/10	0/10
Bordetella bronchiseptica	◎	0/10	0/10
Salmonella spp.	◎	0/10	0/10
Pasteurella pneumotropica	△	0/10	0/10
Staphylococcus aureus	△	0/10	0/10
Citrobacter rodentium	△	0/10	0/10
Pseudomonas aeruginosa	△	0/10	0/10
Syphacia spp.	●	0/10	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10weeks old.

\*2 : Not tested



日本チャールズリバー株式会社  
代表取締役社長 西尾悦雄

Charles River Laboratories Japan, Inc.

*Hiichi Morimura*  
Hiichi Morimura, D.V.M.  
Quality Assurance Director

LABORATORY REPORT

REPORT DATE : October 31, 2008  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-maintained Immunodeficient Mice

ITEM

JAX<sup>®</sup> Mice Strain  
NOD.CB17-Prkdc<sup>scid</sup>/J

*P. carinii*


0/8

Remarks : Mouse lungs were examined histopathologically.

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.  
JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory  
and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

SHIPMENT DATE : October 8, 2008  
APPROVAL DATE : October 20 & 22, 2008  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT

REPORT DATE : October 31, 2008  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-maintained Immunodeficient Mice


ITEM	C57BL/6NClCrj*	ITEM	C57BL/6NClCrj*
SEND	0/16	<i>B. bronchiseptica</i>	0/16
PVM	0/16	<i>C. kutscheri</i>	0/16
MHV	0/16	<i>C. rodentium</i>	0/16
MVM	0/16	<i>H. hepaticus</i>	0/16
GD-VII	0/16	<i>H. bilis</i>	0/16
REO	0/16	<i>Helicobacter</i> spp.	0/16
EDIM	0/16	<i>M. pulmonis</i>	0/16
MAV	0/16	<i>Salmonella</i> spp.	0/16
POLY	0/16	<i>S. moniliformis</i>	0/16
K	0/16	<i>S. pneumoniae</i>	0/16
MCMV	0/16	<i>P. pneumotropica</i>	0/16
MTLV	0/16	$\beta$ - Hemolytic Strep. spp.	0/16
LCMV	0/16	<i>S. aureus</i>	0/16
HANT	0/16	<i>P. aeruginosa</i>	0/16
ECTRO	0/16		
ECUN	0/16	<i>C. piliforme</i> (Histopathology)	0/16
CARB	0/16		
MPV	0/16	Parasitology	
MPUL	0/16	Ectoparasites	0/16
		Endoparasites	0/16
		Enteric Protozoa	0/16

Gross Pathology : No significant lesions consistent with an active infectious disease.

\* : C57BL/6NClCrj mice were tested as sentinels for JAX® Mice Strain NOD.CB17-Prkdc<sup>scid</sup>/J.

Note: JAX® is a registered trademark of The Jackson Laboratory. All rights reserved.  
Only JAX® Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.  
JAX® Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX® Mice Genetic Quality Program.

SHIPMENT DATE : October 8, 2008  
APPROVAL DATE : October 14,16,20,22,24 & 28, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT

REPORT DATE : October 31, 2008  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-maintained Immunodeficient Mice

JAX® Mice Strain  
NOD.CB17-Prkdc<sup>scid</sup> / J

ITEM	JAX® Mice Strain
<i>B. bronchiseptica</i>	0/8
<i>C. katuschi</i>	0/8
<i>C. rodentium</i>	0/8
<i>H. hepaticus</i>	0/8
<i>H. bilis</i>	0/8
<i>Helicobacter</i> spp.	0/8
<i>M. pulmonis</i>	0/8
<i>Salmonella</i> spp.	0/8
<i>S. montiformis</i>	0/8
<i>S. pneumoniae</i>	0/8
<i>P. pneumotropica</i>	0/8
$\beta$ -Hemolytic <i>Strep.</i> spp.	0/8
<i>S. aureus</i>	0/8
<i>P. aeruginosa</i>	0/8
<i>C. piliforme</i> (Histopathology)	0/8
Parasitology	
Ectoparasites	0/8
Endoparasites	0/8
Enteric Protozoa	0/8

Gross Pathology : No significant lesions consistent with an active infectious disease.

Note: JAX® is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX® Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.  
JAX® Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX® Mice Genetic Quality Program.

SHIPMENT DATE : October 8, 2008  
APPROVAL DATE : October 14,16,20,22,24 & 28, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT

REPORT DATE : October 30, 2008  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-maintained Immunodeficient Mice

ITEM	C57BL/6NCh1Cr1j*	ITEM	C57BL/6NCh1Cr1j*
SEND	0/10	<i>B. bronchiseptica</i>	0/10
PVM	0/10	<i>C. katuscheri</i>	0/10
MHV	0/10	<i>C. rodentium</i>	0/10
MVM	0/10	<i>H. hepaticus</i>	0/10
GD-VII	0/10	<i>H. bilis</i>	0/10
REO	0/10	<i>Helicobacter</i> spp.	0/10
EDIM	0/10	<i>M. pulmonis</i>	0/10
MAV	0/10	<i>Salmonella</i> spp.	0/10
POLY	0/10	<i>S. moniliformis</i>	0/10
K	0/10	<i>S. pneumoniae</i>	0/10
MCMV	0/10	<i>P. pneumotropa</i>	0/10
MTLV	0/10	$\beta$ · Hemolytic Strep. spp.	0/10
LCMV	0/10	<i>S. aureus</i>	0/10
HANT	0/10	<i>P. aeruginosa</i>	0/10
ECTRO	0/10		
ECUN	0/10	<i>C. piliforme</i> (Histopathology)	0/10
CARB	0/10		
MPV	0/10	Parasitology	
MPUL	0/10	Ectoparasites	0/10
		Endoparasites	0/10
		Enteric Protozoa	0/10

Gross Pathology : No significant lesions consistent with an active infectious disease.

\*:C57BL/6NCh1Cr1j mice were tested as sentinels for CB17/1cr-Prkdc<sup>scid</sup>/Ch1Cr1j scid/scid mice.

SHIPMENT DATE : October 8, 2008

APPROVAL DATE : October 14, 16, 17, 20, 22, 23 & 28, 2008

Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT

REPORT DATE : October 30, 2008  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-maintained Immunodeficient Mice

ITEM CB17/1cr-Prkdc<sup>scid</sup>/CrClj  
scid/scid


CB17/1cr-Prkdc<sup>scid</sup>/CrClj  
scid/scid

<i>B. bronchiseptica</i>	0/5		
<i>C. kutscheri</i>	0/5		
<i>C. rodentium</i>	0/5		
<i>H. hepaticus</i>	0/5		
<i>H. bilis</i>	0/5		
<i>Helicobacter</i> spp.	0/5		
<i>M. pulmonis</i>	0/5		
<i>Salmonella</i> spp.	0/5		
<i>S. montiformis</i>	0/5		
<i>S. pneumoniae</i>	0/5		
<i>P. pneumotropica</i>	0/5		
$\beta$ -Hemolytic <i>Strep.</i> spp.	0/5		
<i>S. aureus</i>	0/5		
<i>P. aeruginosa</i>	0/5		
<i>C. piliforme</i> (Histopathology)	0/5		
Parasitology			
Ectoparasites	0/5		
Endoparasites	0/5		
Enteric Protozoa	0/5		

*P. carinii* 0/5

Gross Pathology : No significant lesions consistent with an active infectious disease.  
Remarks : Mouse lungs were examined histopathologically.

SHIPMENT DATE : October 8, 2008  
APPROVAL DATE : October 14, 16, 17, 20, 22, 23 & 28, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.