

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Atsugi Breeding Center

Items	Strain Genotype Area Test Date test	(Rats)		
		Crj:CD(SD)	Crj:ZUC- <i>Lep<sup>rJa</sup></i> 2/+	Crj:DON
Sendai Virus	○	0/20	0/5	0/5
MHV (SDAV)	○	0/20	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/20	0/5	0/5
<i>Clostridium piliforme</i>	○	0/20	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/20	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/20	0/5	0/5
<i>Salmonella</i> spp.	◎	0/20	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/20	0/5	0/5
<i>Syphacia</i> spp.	●	0/20	0/5	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/20	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



*Quality Assurance*  
 Eiichi Morimura, D.V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATON: Atsugi Breeding Center

Items	Strain Genotype Area Test Date test	(Rats)			
		F344/DuCh1Crlj A-21 12/16	SHR/NCh1Crlj A-21 12/16	WKY/NCh1Crlj A-21 12/16	ZDF/Ch1Crlj-Lep <sup>rJa</sup> ?/+ A-21 12/16
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV (SDAV)	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT (Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Atsugi Breeding Center

Items	Strain Area Test Date	(Mice)					
		SJL/JOHCrCrlj A-11 12/16	NC/NgaTndCrlj A-11 12/16	CBA/JNcrlj A-11 12/16	STR/Orcrlj A-11 12/16	Crlj:CD1(ICR) A-11 12/16	
Sendai Virus	○	0/5	0/5	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/5	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/5	0/5	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
 代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.  
 Quality Assurance Director

# HEALTH MONITORING REPORT (Second Report, December 2008)

4/11

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION: Aisugi Breeding Center

Items	Strain Area Test Date	(Mice)			
		C57BL/6NChCrlj A-13 12/15	DBA/2NChCrlj A-13 12/15	BALB/cAnNCrlj A-23 12/15	DBA/2NChCrlj A-23 12/15
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all 8~10 weeks old.

3 : B6D2F1/Crlj mice were judged by the results of C57BL/6NChCrlj mice and DBA/2NChCrlj mice.

4 : CD2F1/Crlj mice were judged by the results of BALB/cAnNCrlj mice and DBA/2NChCrlj mice.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.



*Etichi Morimura, D.V.M.*  
Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION: Aisugi Breeding Center

Items	Strain Genotype Area Test Date	(Immunodeficient Mice)							
		CaN.N.Cg-Foxn1 <sup>nu</sup> /Ch1Crlj nu/nu A-12 12/15	nu/+ A-12 12/15	Ch1j:CD1-Foxn1 <sup>nu</sup> nu/nu A-12 12/15	nu/+ A-12 12/15	CaN.N.Cg-Foxn1 <sup>nu</sup> /Ch1Crlj nu/nu A-24 12/15	nu/+ A-24 12/15		
Sendai Virus	○	NT*2	0/5	NT	0/5	NT	0/10		
MHV	○	NT	0/5	NT	0/5	NT	0/10		
<i>Mycoplasma pulmonis</i>	○	NT	0/5	NT	0/5	NT	0/10		
<i>Clostridium piliforme</i>	○	NT	0/5	NT	0/5	NT	0/10		
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10		
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10		
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/10	0/10		
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/10	0/10		
<i>Staphylococcus aureus</i>	△	0/5	0/5	0/5	0/5	0/10	0/10		
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/10	0/10		
<i>Pseudomonas aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/10	0/10		
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/10	0/10		

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\*2 : Not tested

日本チャールズリバー株式会社  
代表取締役社長 西尾悦雄

Charles River Laboratories Japan, Inc.

Eiichi Morimata, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Atsugi Breeding Center

Items	Strain Genotype Area Test Date test	(Immunodeficient Mice)	
		CB17/ICr-Prkdc <sup>scid</sup> /Ch1Cr1j scid/scid A-80 12/15	C57BL/6NCh1Cr1j <sup>*</sup> A-80 12/15
Sendai Virus	○	NT <sup>*2</sup>	0/3
MHV	○	NT	0/3
<i>Mycoplasma pulmonis</i>	○	NT	0/3
<i>Clostridium piliforme</i>	○	NT	0/3
<i>Corynebacterium kutscheri</i>	◎	0/12	0/3
<i>Bordetella bronchiseptica</i>	◎	0/12	0/3
<i>Salmonella</i> spp.	◎	0/12	0/3
<i>Pasteurella pneumotropicalis</i>	△	0/12	0/3
<i>Staphylococcus aureus</i>	△	0/12	0/3
<i>Citrobacter rodentium</i>	△	0/12	0/3
<i>Pseudomonas aeruginosa</i>	△	0/12	0/3
<i>Syphacia</i> spp.	●	0/12	0/3

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

\* : Animals were tested as sentinels.

\*2 : Not tested

Charles River Laboratories Japan, Inc.

日本チヤリバール・リバー株式会社  
 代表取締役社長 西尾悦雄



*Michio Morimura*  
 Eichi Morimura, D.V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION:Hino Breeding Center

Items	Strain Area Test Date	(Mice)				
		Crlj:CD1(ICR) H-12 12/17	C57BL/6NChCrlj H-12 12/17	C3H/HeNChCrlj H-12 12/17	BALB/cAmNChCrlj H-23 12/17	DBA/1JNChCrlj H-23 12/17
Sendai Virus	○	0/5	0/5	0/5	0/10	0/5
MHV	○	0/5	0/5	0/5	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

3 : B6C3F1/Crlj mice were judged by the results of C57BL/6NChCrlj mice and C3H/HeNChCrlj mice.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄
  
Eichi Morinuma, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION:Hino Breeding Center

Items	Strain Area Test Date	(Rats)				
		Ch:CD(SD) H-11 12/17	Ch:CD(SD) H-21 12/17	Ch:CD(SD) H-22 12/17	LEW/ChCrIj H-13 12/17	BN/ChCrIj H-13 12/17
Sendai Virus	○	0/15	0/15	0/15	0/10	0/5
MHV (SDAV)	○	0/15	0/15	0/15	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/15	0/15	0/10	0/5
<i>Clostridium piliforme</i>	○	0/15	0/15	0/15	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/15	0/15	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/15	0/15	0/10	0/5
<i>Salmonella</i> spp.	◎	0/15	0/15	0/15	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/15	0/15	0/10	0/5
<i>Syphacia</i> spp.	●	0/15	0/15	0/15	0/10	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/15	0/15	0/15	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

\* : non-specific pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社  
 代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Tsukuba Breeding Center

Items	Strain Area Test Date	(Rats)		
		Cl:CD(SD) T-21 12/18	Clj:WI T-11 12/18	LEW/ClClj T-11 12/18
Sendai Virus	○	0/15	0/10	0/5
MHV (SDAV)	○	0/15	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/10	0/5
<i>Clostridium piliforme</i>	○	0/15	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/10	0/5
<i>Salmonella</i> spp.	◎	0/15	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/10	0/5
<i>Syphacia</i> spp.	●	0/15	0/10	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/15	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all 8~10 weeks old.

\* : non-specific pathogen

日本チャールズ・リバー株式会社  
 代表取締役社長 西尾悦雄



Charles River Laboratories Japan, Inc.

  
 Eiichi Morimura, D.V.M.  
 Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
LOCATION: Tsukuba Breeding Center

Items	Strain	(Mice)		
		JAX <sup>®</sup> Mice Strain	JAX <sup>®</sup> Mice Strain	JAX <sup>®</sup> Mice Strain
	Genotype Area Test Date	C57BL/6J T-12 12/18	B6.V-Lep <sup>ob</sup> /J ob/ob T-22 12/18	BKS.Cg-m +/+ Lep <sup>db</sup> /J db/db T-22 12/18
Sendai Virus	○	0/15	0/5	0/5
MHV	○	0/15	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/5	0/5
<i>Clostridium piliforme</i>	○	0/15	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/5	0/5
<i>Salmonella</i> spp.	◎	0/15	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/15	0/5	0/5
<i>Syphacia</i> spp.	●	0/15	0/5	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/15	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : non-specific pathogen

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory  
JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory  
and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄
  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT (Second Report, December 2008)

December 26, 2008

Tested by Charles River Laboratories Japan, Inc.  
 LOCATION: Tsukuba Breeding Center

Items	Strain Genotype Area Test Date	(Immunodeficient Mice)	
		CA <sup>h</sup> N.Cg-Foxn1 <sup>nu</sup> /Ch1Crlj nu/nu T-23 12/18	nu/+ T-23 12/18
Sendai Virus	○	NT* <sup>2</sup>	0/10
MHV	○	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/10	0/10
<i>Salmonella</i> spp.	◎	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/10	0/10
<i>Syphacia</i> spp.	●	0/10	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\*2 : Not tested

日本チャールズ・リバー株式会社  
 代表取締役社長 西尾悦雄



Charles River Laboratories Japan, Inc.

Eiichi Morimura, D. V. M.

Quality Assurance Director

LABORATORY REPORT  
SEROLOGY

REPORT DATE : December 11, 2008  
LOCATION : Atsugi Breeding Center

SPECIES	ITEM	AREA 11	AREA 13	AREA 23
MICE	SEND	0/10	0/10	0/10
	PVM	0/10	0/10	0/10
	MHV	0/10	0/10	0/10
	MVM	0/10	0/10	0/10
	TMEV	0/10	0/10	0/10
	REO	0/10	0/10	0/10
	MPUL	0/10	0/10	0/10
	MPV	0/10	0/10	0/10
	EDIM	0/10	0/10	0/10

Strain	SJL/JOrICrlj NC/NgaTndCrlj CBA/JNCrlj STR/OrtCrlj Crlj:CD1(ICR)	C57BL/6NCrlj DBA/2NCrlj B6D2F1/Crlj	BALB/cAnNCrlj DBA/2NCrlj CD2F1/Crlj
--------	---	---	---

SAMPLING DATE : November 4,5,10,11,12,17, 2008  
APPROVAL DATE : December 4, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT  
SEROLOGY

REPORT DATE : December 11, 2008  
LOCATION : Atsugi Breeding Center

SPECIES : Immunodeficient Mice

ITEM	AREA 12	AREA 24	AREA 80
SEND	0/10	0/10	0/5
PVM	0/10	0/10	0/5
MHV	0/10	0/10	0/5
MVM	0/10	0/10	0/5
TMEV	0/10	0/10	0/5
RBO	0/10	0/10	0/5
MPUL	0/10	0/10	0/5
MPV	0/10	0/10	0/5
EDIM	0/10	0/10	0/5

Strain	CAnN.Cg- <i>Foxn1</i> <sup>tm</sup> /Ch1Cr1j	CAnN.Cg- <i>Foxn1</i> <sup>tm</sup> /Ch1Cr1j	CB17/1cr- <i>Prkdc</i> <sup>scid</sup> /Ch1Cr1j
	Cr1j;CD1- <i>Foxn1</i> <sup>tm</sup>		C57BL/6NCh1Cr1j*

\* : C57BL/6NCh1Cr1j mice were tested as sentinels for CB17/1cr-*Prkdc*<sup>scid</sup>/Ch1Cr1j mice.

SAMPLING DATE : November 4,5,10,11,12,17, 2008  
APPROVAL DATE : December 4, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


LABORATORY REPORT  
SEROLOGY

REPORT DATE : December 11, 2008  
LOCATION : Atsugi Breeding Center

SPECIES	ITEM	AREA 15	AREA 21	AREA 22	AREA 25
RATS	SEND	0/10	0/10	0/10	0/10
	PVM	0/10	0/10	0/10	0/10
	SDAV	0/10	0/10	0/10	0/10
	KRV	0/10	0/10	0/10	0/10
	H-1	0/10	0/10	0/10	0/10
	REO	0/10	0/10	0/10	0/10
RATS	MPUL	0/10	0/10	0/10	0/10
	RPV	0/10	0/10	0/10	0/10
	RMV	0/10	0/10	0/10	0/10

Strain	Crtj:W1	CtI:CD(SD)	Crtj:ZUC- <i>Lepr<sup>fa</sup></i> Crtj:DON
	F344/DuChIcrtj SHR/NChIcrtj WKY/NChIcrtj ZDF/ChIcrtj- <i>Lepr<sup>fa</sup></i>		

SAMPLING DATE : November 4,5,10,11,12,17, 2008  
APPROVAL DATE : December 4, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


LABORATORY REPORT  
SEROLOGY

REPORT DATE : December 11, 2008  
LOCATION : Hino Breeding Center

SPECIES	ITEM	AREA 12	AREA 23
MICE	SEND	0/10	0/10
	PVM	0/10	0/10
	MHV	0/10	0/10
	MVM	0/10	0/10
	TMEV	0/10	0/10
	REO	0/10	0/10
	MPUL	0/10	0/10
	MPV	0/10	0/10
	EDIM	0/10	0/10

Strain	Strain
Crlj:CD1(ICR)	BALB/cAnNCrlj
C57BL/6NCrlj	DBA/1JNCrlj
C3H/HeNCrlj	
B6C3F1/Crlj	

SAMPLING DATE : November 4,5,10,11,12,17, 2008  
APPROVAL DATE : December 4, 2008  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.



LABORATORY REPORT  
SEROLOGY


REPORT DATE : December 11, 2008  
LOCATION : Tsukuba Breeding Center

SPECIES	ITEM	AREA 12	AREA 22
MICE	SEND	0/10	0/10
	PVM	0/10	0/10
	MHV	0/10	0/10
	MVM	0/10	0/10
	TMEV	0/10	0/10
	REO	0/10	0/10
	MPUL	0/10	0/10
	MPV	0/10	0/10
	EDIM	0/10	0/10

Strain	JAX <sup>®</sup> Mice Strain	JAX <sup>®</sup> Mice Strain
	C57BL/6J	B6.V-Lep <sup>ob</sup> /J
		BKS.Cg-m +/- Lep <sup>db</sup> /J

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.  
Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.  
JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

SAMPLING DATE : November 4,5,10,11,12,17, 2008  
APPROVAL DATE : December 4, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.



LABORATORY REPORT  
SEROLOGY


REPORT DATE : December 11, 2008  
LOCATION : Tsukuba Breeding Center

SPECIES : Immunodeficient Mice

ITEM	AREA 23
SEND	0/10
PVM	0/10
MHV	0/10
MVM	0/10
TMEV	0/10
REO	0/10
MPUL	0/10
MPV	0/10
EDIM	0/10

Strain CAN.N.Cg-Foxn1<sup>tm</sup>/CrIcrIj

SAMPLING DATE : November 4,5,10,11,12,17, 2008  
APPROVAL DATE : December 4, 2008  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


LABORATORY REPORT  
SEROLOGY

REPORT DATE : December 11, 2008  
LOCATON : Tsukuba Breeding Center

SPECIES	ITEM	AREA 11	AREA 21
RATS	SEND	0/10	0/10
	PVM	0/10	0/10
	SDAV	0/10	0/10
	KRY	0/10	0/10
	H-1	0/10	0/10
	REO	0/10	0/10
	MPUL	0/10	0/10
RPV	0/10	0/10	
RMV	0/10	0/10	

Strain  
Crlj:WI  
LEW/CrljCrlj  
Crl:CD(SD)

SAMPLING DATE : November 4,5,10,11,12,17, 2008  
APPROVAL DATE : December 4, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

