

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Rats)		
		Crj:CD(SD) A-22 1/13	Crj:ZUC- <i>Lepr</i> <sup>fa</sup> ?/+ A-25 1/13	Crj:DON A-25 1/13
Sendai Virus	○	0/20	0/5	0/5
MHV (SDAV)	○	0/20	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/20	0/5	0/5
<i>Clostridium piliforme</i>	○	0/20	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/20	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/20	0/5	0/5
<i>Salmonella</i> spp.	◎	0/20	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/20	0/5	0/5
<i>Syphacia</i> spp.	●	0/20	0/5	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/20	0/5	0/5


Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Rats)			
		F344/DuCrjCrj A-21 1/13	SHR/NCrjCrj A-21 1/13	WKY/NCrjCrj A-21 1/13	ZDF/CrjCrj- <i>Lepr</i> <sup>fa</sup> ?/+ A-21 1/13
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV (SDAV)	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas</i> * <i>aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all retired breeders.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.



日本チャールス・リバー株式会社  
代表取締役社長 西尾 悦雄



Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Area Test Date Test	(Mice)				
		SJL/JOriCrIcrIj	NC/NgaTndCrIj	CBA/JNcrIj	STR/OriCrIj	CrIj:CD1(ICR)
		A-11 1/7	A-11 1/7	A-11 1/7	A-11 1/7	A-11 1/7
Sendai Virus	○	0/5	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/5


Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Area Test Date Test	(Mice)			
		C57BL/6NCrCrIj A-13 1/7	DBA/2NCrCrIj A-13 1/7	BALB/cAnNCrCrIj A-23 1/7	DBA/2NCrCrIj A-23 1/7
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1: ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2: Tested animals were all retired breeders.


3: B6D2F1/Crlj mice were judged by the results of C57BL/6NCrCrIj mice and DBA/2NCrCrIj mice.

4: CD2F1/Crlj mice were judged by the results of BALB/cAnNCrCrIj mice and DBA/2NCrCrIj mice.

\*: Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールス・リバー株式会社  
代表取締役社長 西尾悦雄

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT (First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)					
		CAnN.Cg-Foxn1 <sup>nu/nu</sup> /CrjCrj		Crj:CD1-Foxn1 <sup>nu/nu</sup>		CAnN.Cg-Foxn1 <sup>nu/nu</sup> /CrjCrj	
		<i>nu/nu</i>	<i>nu/+</i>	<i>nu/nu</i>	<i>nu/+</i>	<i>nu/nu</i>	<i>nu/+</i>
		A-12	A-12	A-12	A-12	A-24	A-24
		1/5	1/5	1/5	1/5	1/5	1/5
Sendai Virus	○	NT <sup>2</sup>	0/5	NT	0/5	NT	0/10
MHV	○	NT	0/5	NT	0/5	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/10	0/10


Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

<sup>2</sup>: Not tested

Charles River Laboratories Japan, Inc.

日本チャールス・リバー株式会社  
代表取締役社長 西尾悦雄

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

# HEALTH MONITORING REPORT (First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)	
		CB17/Icr-Prkdc <sup>scid</sup> /CrjCrj	C57BL/6NCrjCrj*
		<i>scid/scid</i> A-80 1/5	A-80 1/5
Sendai Virus	○	NT <sup>2</sup>	0/2
MHV	○	NT	0/2
<i>Mycoplasma pulmonis</i>	○	NT	0/2
<i>Clostridium piliforme</i>	○	NT	0/2
<i>Corynebacterium kutscheri</i>	◎	0/8	0/2
<i>Bordetella bronchiseptica</i>	◎	0/8	0/2
<i>Salmonella</i> spp.	◎	0/8	0/2
<i>Pasteurella pneumotropica</i>	△	0/8	0/2
<i>Staphylococcus aureus</i>	△	0/8	0/2
<i>Citrobacter rodentium</i>	△	0/8	0/2
<i>Pseudomonas aeruginosa</i>	△	0/8	0/2
<i>Syphacia</i> spp.	●	0/8	0/2

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

\* : Animals were tested as sentinels.

<sup>2</sup> : Not tested

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄

*Eiichi Morimura*  
Eiichi Morimura, D.V.M.

Quality Assurance Director

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Mice)				
		Crj:CD1(ICR) H-12 1/14	C57BL/6NCrCrj H-12 1/14	C3H/HeNCrCrj H-12 1/14	BALB/cAnNCrCrj H-23 1/14	DBA/1JNCrj H-23 1/14
Sendai Virus	○	0/5	0/5	0/5	0/10	0/5
MHV	○	0/5	0/5	0/5	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all retired breeders.

3 : B6C3F1/Crj mice were judged by the results of C57BL/6NCrCrj mice and C3H/HeNCrCrj mice.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールス・リバー株式会社  
代表取締役社長 西尾悦雄

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Rats)				
		CrI:CD(SD)	CrI:CD(SD)	CrI:CD(SD)	LEW/CrICrIj	BN/CrICrIj
		H-11 1/14	H-21 1/14	H-22 1/14	H-13 1/14	H-13 1/14
Sendai Virus	○	0/15	0/15	0/15	0/10	0/5
MHV (SDAV)	○	0/15	0/15	0/15	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/15	0/15	0/10	0/5
<i>Clostridium piliforme</i>	○	0/15	0/15	0/15	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/15	0/15	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/15	0/15	0/10	0/5
<i>Salmonella</i> spp.	◎	0/15	0/15	0/15	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/15	0/15	0/10	0/5
<i>Syphacia</i> spp.	●	0/15	0/15	0/15	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/15	0/15	0/15	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all retired breeders.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.



日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Area Test Date Test	(Rats)		
		CrI:CD(SD)	CrIj:WI	LEW/CrICrIj
		T-21 1/6	T-11 1/6	T-11 1/6
Sendai Virus	○	0/15	0/10	0/5
MHV (SDAV)	○	0/15	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/10	0/5
<i>Clostridium piliforme</i>	○	0/15	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/10	0/5
<i>Salmonella</i> spp.	◎	0/15	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/10	0/5
<i>Syphacia</i> spp.	●	0/15	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/15	0/10	0/5


Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Genotype Area Test Date Test	(Mice)		
		JAX <sup>®</sup> Mice Strain C57BL/6J T-12 1/6	JAX <sup>®</sup> Mice Strain B6.V- <i>Lep</i> <sup>ob</sup> /J ?/+ T-22 1/6	JAX <sup>®</sup> Mice Strain BKS.Cg-m +/+ <i>Lepr</i> <sup>db</sup> /J +/db T-22 1/6
Sendai Virus	○	0/15	0/5	0/5
MHV	○	0/15	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/5	0/5
<i>Clostridium piliforme</i>	○	0/15	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/5	0/5
<i>Salmonella</i> spp.	◎	0/15	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/15	0/5	0/5
<i>Syphacia</i> spp.	●	0/15	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/15	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

\* : Non-Specific Pathogen

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratoryand maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

日本チャールス・リバー株式会社  
代表取締役社長 西尾悦雄

Charles River Laboratories Japan, Inc.



Eiichi Morimura, D.V.M.

Quality Assurance Director

## HEALTH MONITORING REPORT (First Report, January 2009)

January 23, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)	
		CAnN.Cg-Foxn1 <sup>nu</sup> /CrjCrj nu/nu T-23 1/6	nu/+ T-23 1/6
Sendai Virus	○	NT <sup>2</sup>	0/10
MHV	○	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/10	0/10
<i>Salmonella</i> spp.	◎	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/10	0/10
<i>Syphacia</i> spp.	●	0/10	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all retired breeders.

<sup>2</sup>: Not tested

Charles River Laboratories Japan, Inc.



日本チャールズ・リバー株式会社  
代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.  
Quality Assurance Director



LABORATORY REPORT

REPORT DATE : January 16, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

ITEM

JAX<sup>®</sup> Mice Strain  
NOD.CB17-Prkdc<sup>scid</sup>/J scid/scid

*P. carinii*

0/16

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory

and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

SAMPLING DATE : December 8 , 2008

APPROVAL DATE : January 9, 2009

Tested by Charles River Diagnostics in U.S.A.

Eiichi Morimura, D.V.M.

Quality Assurance Director

Charles River Laboratories Japan, Inc.



LABORATORY REPORT

REPORT DATE : January 16, 2009  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

CB17/Icr-Prkdc<sup>scid</sup>/CrjCrj scid/scid

ITEM

*P. carinii*

0/5

SAMPLING DATE : December 8, 2008  
APPROVAL DATE : January 9, 2009  
Tested by Charles River Diagnostics in U.S.A.

A handwritten signature in black ink, appearing to read "Eiichi Morimura", is written over a horizontal line.

Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


SPECIES	ITEM	AREA 11 STR/OrtCrj	AREA 13 C57BL/6NCrj	AREA 23 DBA/2NCrj
MICE	Serology	SEND	0/15	0/15
		PVM	0/15	0/15
		MHV	0/15	0/15
		MVM	0/15	0/15
		TMEV(GD-VII)	0/15	0/15
		REO	0/15	0/15
		EDIM	0/15	0/15
		MAV	0/15	0/15
		POLY	0/15	0/15
		K	0/15	0/15
		MCMV	0/15	0/15
		MTLV	0/15	0/15
		LCMV	0/15	0/15
		HANT	0/15	0/15
		ECTRO	0/15	0/15
ECUN	0/15	0/15		
CARB	0/15	0/15		
MPV	0/15	0/15		
MPUL	0/15	0/15		
MICE	Bacteriology	<i>B. bronchiseptica</i>	0/15	0/15
		<i>C. kutscheri</i>	0/15	0/15
		<i>C. rodentium</i>	0/15	0/15
		<i>H. hepaticus</i>	0/15	0/15
		<i>H. bilis</i>	0/15	0/15
		<i>Helicobacter</i> spp.	0/15	0/15
		<i>M. pulmonis</i>	0/15	0/15
		<i>Salmonella</i> spp.	0/15	0/15
		<i>S. moniliformis</i>	0/15	0/15
		<i>S. pneumoniae</i>	0/15	0/15
		<i>P. pneumotropica</i>	0/15	0/15
		<i>C. piliforme</i> (Histopathology)	0/15	0/15
		MICE	Parasitology	Ectoparasites
Endoparasites	0/15			0/15
Enteric Protozoa	0/15			0/15

Gross Pathology : No significant lesions consistent with an active infectious disease.

SHIPMENT DATE : December 3, 2008

APPROVAL DATE : December 5,9,10,12,16,17&18, 2008

Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


SPECIES : Immunodeficient Mice -1

ITEM	AREA 12 Crj:CD1-Foxn1 <sup>nu</sup> nu/+	AREA 24 CAnN.Cg-Foxn1 <sup>nu</sup> /CrjCrj nu/+	AREA 80 CB17/Icr-Prkdc <sup>scid</sup> /CrjCrj scid/scid C57BL/6NCrjCrj*
Bacteriology			
<i>B. bronchiseptica</i>	0/15	0/15	0/15
<i>C. kutscheri</i>	0/15	0/15	0/15
<i>C. rodentium</i>	0/15	0/15	0/15
<i>H. hepaticus</i>	0/15	0/15	0/15
<i>H. bilis</i>	0/15	0/15	0/15
<i>Helicobacter</i> spp.	0/15	0/15	0/15
<i>M. pulmonis</i>	0/15	0/15	0/15
<i>Salmonella</i> spp.	0/15	0/15	0/15
<i>S. moniliformis</i>	0/15	0/15	0/15
<i>S. pneumoniae</i>	0/15	0/15	0/15
<i>P. pneumotropica</i>	0/15	0/15	0/15
$\beta$ · Hemolytic <i>Strep.</i> spp.	0/15	0/15	0/15
<i>S. aureus</i>	0/15	0/15	0/15
<i>P. aeruginosa</i>	0/15	0/15	0/15
<i>C. piliforme</i> (Histopathology)	0/15	0/15	0/15
Parasitology			
Ectoparasites	0/15	0/15	0/15
Endoparasites	0/15	0/15	0/15
Enteric Protozoa	0/15	0/15	0/15

Gross Pathology : No significant lesions consistent with an active infectious disease.

\*:C57BL/6NCrjCrj mice were tested as sentinels for CB17/Icr-Prkdc<sup>scid</sup>/CrjCrj mice.

SHIPMENT DATE : December 3, 2008  
 APPROVAL DATE : December 4,5,9,12,17&18, 2008  
 Tested by Charles River Diagnostics in U.S.A.

  
 Eiichi Morimura, D.V.M.  
 Quality Assurance Director  
 Charles River Laboratories Japan, Inc.

SPECIES : Immunodeficient Mice -2


ITEM	AREA 12 CrIj:CD1-Foxn1 <sup>nu</sup> nu/+	AREA 24 CAnN.Cg-Foxn1 <sup>nu</sup> /CrIcrIj nu/+	AREA 80 C57BL/6NCrIcrIj*
SEND	0/15	0/15	0/5
PVM	0/15	0/15	0/5
MHV	0/15	0/15	0/5
MVM	0/15	0/15	0/5
TMEV(GD-VII)	0/15	0/15	0/5
REO	0/15	0/15	0/5
Serology EDIM	0/15	0/15	0/5
MAV	0/15	0/15	0/5
POLY	0/15	0/15	0/5
K	0/15	0/15	0/5
MCMV	0/15	0/15	0/5
MTLV	0/15	0/15	0/5
LCMV	0/15	0/15	0/5
HANT	0/15	0/15	0/5
ECTRO	0/15	0/15	0/5
ECUN	0/15	0/15	0/5
CARB	0/15	0/15	0/5
MPV	0/15	0/15	0/5
MPUL	0/15	0/15	0/5

\*:C57BL/6NCrIcrIj mice were tested as sentinels for CB17/Icr-Prkdc<sup>scid</sup>/CrIcrIj mice.

SHIPMENT DATE : December 3, 2008

APPROVAL DATE : December 4,5,9,12,17&18, 2008

Tested by Charles River Diagnostics in U.S.A.



Etichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT


REPORT DATE : January 16, 2009  
LOCATION : Atsugi Breeding Center

SPECIES : Immunodeficient Mice -3

ITEM	AREA 12 Crlj:CD1-Foxn1 <sup>nu/nu</sup> nu/nu	AREA 24 CAnN.Cg-Foxn1 <sup>nu/nu</sup> /CrlCrlj nu/nu	AREA 80 CB17/Icr-Prkdc <sup>scid</sup> /CrlCrlj scid/scid
<i>P. carinii</i>	0/5	0/5	0/10

Remarks : Mouse lungs were examined pathologically.

SHIPMENT DATE : December 3, 2008  
APPROVAL DATE : December 5,9&17, 2008  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


LABORATORY REPORT

REPORT DATE : January 16, 2009  
LOCATION : Atsugi Breeding Center

SPECIES	ITEM	AREA 15 CrIj:WI	AREA 21 SHR/NCrIjCrIj	AREA 22 CrI:CD(SD)	AREA 25 CrIj:DON	
Serology	SEND	0/15	0/15	0/15	0/15	
	PVM	0/15	0/15	0/15	0/15	
	SDAV	0/15	0/15	0/15	0/15	
	KRV	0/15	0/15	0/15	0/15	
	H1	0/15	0/15	0/15	0/15	
	RPV	0/15	0/15	0/15	0/15	
	REO	0/15	0/15	0/15	0/15	
	RMV	0/15	0/15	0/15	0/15	
	LCMV	0/15	0/15	0/15	0/15	
	HANT	0/15	0/15	0/15	0/15	
RATS	MAV	0/15	0/15	0/15	0/15	
	ECUN	0/15	0/15	0/15	0/15	
	CARB	0/15	0/15	0/15	0/15	
	MPUL	0/15	0/15	0/15	0/15	
	Bacteriology	<i>B. bronchiseptica</i>	0/15	0/15	0/15	0/15
		<i>C. kutscheri</i>	0/15	0/15	0/15	0/15
<i>H. hepaticus</i>		0/15	0/15	0/15	0/15	
<i>H. bilis</i>		0/15	0/15	0/15	0/15	
<i>Helicobacter</i> spp.		0/15	0/15	0/15	0/15	
<i>M. pulmonis</i>		0/15	0/15	0/15	0/15	
<i>Salmonella</i> spp.		0/15	0/15	0/15	0/15	
<i>S. moniliformis</i>		0/15	0/15	0/15	0/15	
<i>S. pneumoniae</i>		0/15	0/15	0/15	0/15	
<i>P. pneumotropica</i>		0/15	0/15	0/15	0/15	
<i>C. piliforme</i> (Histopathology)		0/15	0/15	0/15	0/15	
Parasitology	Ectoparasites	0/15	0/15	0/15	0/15	
	Endoparasites	0/15	0/15	0/15	0/15	
	Enteric Protozoa	0/15	0/15	0/15	0/15	

Gross Pathology : No significant lesions consistent with an active infectious disease.

SHIPMENT DATE : December 3, 2008  
APPROVAL DATE : December 5,9,11,12,15,16&17, 2008  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT

REPORT DATE : January 16, 2009  
LOCATION : Hino Breeding Center


SPECIES	ITEM	AREA 12 CrIj:CD1(ICR)	AREA 23 BALB/cAnNCrICrIj
	SEND	0/15	0/15
	PVM	0/15	0/15
	MHV	0/15	0/15
	MVM	0/15	0/15
	TMEV(GD-VII)	0/15	0/15
	REO	0/15	0/15
Serology	EDIM	0/15	0/15
	MAV	0/15	0/15
	POLY	0/15	0/15
	K	0/15	0/15
	MCMV	0/15	0/15
	MTLV	0/15	0/15
MICE	LCMV	0/15	0/15
	HANT	0/15	0/15
	ECTRO	0/15	0/15
	ECUN	0/15	0/15
	CARB	0/15	0/15
	MPV	0/15	0/15
	MPUL	0/15	0/15
	<i>B. bronchiseptica</i>	0/15	0/15
	<i>C. kutscheri</i>	0/15	0/15
	<i>C. rodentium</i>	0/15	0/15
Bacteriology	<i>H. hepaticus</i>	0/15	0/15
	<i>H. bilis</i>	0/15	0/15
	<i>Helicobacter</i> spp.	0/15	0/15
	<i>M. pulmonis</i>	0/15	0/15
	<i>Salmonella</i> spp.	0/15	0/15
	<i>S. moniliformis</i>	0/15	0/15
	<i>S. pneumoniae</i>	0/15	0/15
	<i>P. pneumotropica</i>	0/15	0/15
	<i>C. piliforme</i> (Histopathology)	0/15	0/15
Parasitology	Ectoparasites	0/15	0/15
	Endoparasites	0/15	0/15
	Enteric Protozoa	0/15	0/15

Gross Pathology : No significant lesions consistent with an active infectious disease.

SHIPMENT DATE : December 11, 2008

APPROVAL DATE : December 16,17,19,29,30, 2008 & January 7, 2009

Tested by Charles River Diagnostics in U.S.A.




Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

SPECIES	ITEM	AREA 11 Crl:CD(SD)	AREA 13 BN/CrlCrlj	AREA 21 Crl:CD(SD)	AREA 22 Crl:CD(SD)
Serology	SEND	0/15	0/15	0/15	0/15
	PVM	0/15	0/15	0/15	0/15
	SDAV	0/15	0/15	0/15	0/15
	KRV	0/15	0/15	0/15	0/15
	H1	0/15	0/15	0/15	0/15
	RPV	0/15	0/15	0/15	0/15
	REO	0/15	0/15	0/15	0/15
	RMV	0/15	0/15	0/15	0/15
	LCMV	0/15	0/15	0/15	0/15
	HANT	0/15	0/15	0/15	0/15
	MAV	0/15	0/15	0/15	0/15
	ECUN	0/15	0/15	0/15	0/15
	CARB	0/15	0/15	0/15	0/15
	MPUL	0/15	0/15	0/15	0/15
Bacteriology	<i>B. bronchiseptica</i>	0/15	0/15	0/15	0/15
	<i>C. kutscheri</i>	0/15	0/15	0/15	0/15
	<i>H. hepaticus</i>	0/15	0/15	0/15	0/15
	<i>H. bilis</i>	0/15	0/15	0/15	0/15
	<i>Helicobacter</i> spp.	0/15	0/15	0/15	0/15
	<i>M. pulmonis</i>	0/15	0/15	0/15	0/15
	<i>Salmonella</i> spp.	0/15	0/15	0/15	0/15
	<i>S. moniliformis</i>	0/15	0/15	0/15	0/15
	<i>S. pneumoniae</i>	0/15	0/15	0/15	0/15
	<i>P. pneumotropica</i>	0/15	0/15	0/15	0/15
Parasitology	<i>C. piliforme</i> (Histopathology)	0/15	0/15	0/15	0/15
	Ectoparasites	0/15	0/15	0/15	0/15
	Endoparasites	0/15	0/15	0/15	0/15
	Enteric Protozoa	0/15	0/15	0/15	0/15

Gross Pathology : No significant lesions consistent with an active infectious disease.

SHIPMENT DATE : December 11, 2008  
APPROVAL DATE : December 15,16,17,18,19,22,29, 2008 & January 7, 2009  
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

LABORATORY REPORT

REPORT DATE : January 16, 2009  
LOCATION : Tsukuba Breeding Center

SPECIES	ITEM	AREA 12	AREA 22
		JAX <sup>®</sup> Mice Strain C57BL/6J	JAX <sup>®</sup> Mice Strain BKS. Cg-m +/+Lepr <sup>db</sup> /J +/db
MICE	Serology	SEND	0/15
		PVM	0/15
		MHV	0/15
		MVM	0/15
		TMEV(GD-VII)	0/15
		REO	0/15
		EDIM	0/15
		MAV	0/15
		POLY	0/15
		K	0/15
		MCMV	0/15
		MTLV	0/15
		LCMV	0/15
		HANT	0/15
		ECTRO	0/15
		ECUN	0/15
		CARB	0/15
		MPV	0/15
		MPUL	0/15
MICE	Bacteriology	<i>B. bronchiseptica</i>	0/15
		<i>C. kutscheri</i>	0/15
		<i>C. rodentium</i>	0/15
		<i>H. hepaticus</i>	0/15
		<i>H. bilis</i>	0/15
		<i>Helicobacter</i> spp.	0/15
		<i>M. pulmonis</i>	0/15
		<i>Salmonella</i> spp.	0/15
		<i>S. moniliformis</i>	0/15
		<i>S. pneumoniae</i>	0/15
		<i>P. pneumotropica</i>	0/15
		<i>C. piliforme</i> (Histopathology)	0/15
		MICE	Parasitology
Endoparasites	0/15		
Enteric Protozoa	0/15		

Gross Pathology : No significant lesions consistent with an active infectious disease.

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.


JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory

and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

SHIPMENT DATE : December 11, 2008

APPROVAL DATE : December 16,17,19,29, 2008 & January 2,7, 2009

Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


REPORT DATE : January 16, 2009  
LOCATION : Tsukuba Breeding Center

SPECIES : Immunodeficient Mice -1

ITEM	AREA 23 CAnN.Cg-Foxn1 <sup>tm</sup> /CrjCrj nu/+
Bacteriology	
<i>B. bronchiseptica</i>	0/15
<i>C. kutscheri</i>	0/15
<i>C. rodentium</i>	0/15
<i>H. hepaticus</i>	0/15
<i>H. bilis</i>	0/15
<i>Helicobacter</i> spp.	0/15
<i>M. pulmonis</i>	0/15
<i>Salmonella</i> spp.	0/15
<i>S. moniliformis</i>	0/15
<i>S. pneumoniae</i>	0/15
<i>P. pneumotropica</i>	0/15
$\beta$ - Hemolytic <i>Strep.</i> spp.	0/15
<i>S. aureus</i>	0/15
<i>P. aeruginosa</i>	0/15
<i>C. piliforme</i> (Histopathology)	0/15
Parasitology	
Ectoparasites	0/15
Endoparasites	0/15
Enteric Protozoa	0/15

Gross Pathology : No significant lesions consistent with an active infectious disease.

SHIPMENT DATE : December 11, 2008  
APPROVAL DATE : December 16,17,19, 2008 & January 7, 2009  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

REPORT DATE : January 16, 2009

LOCATION : Tsukuba Breeding Center

SPECIES : Immunodeficient Mice -2

ITEM	AREA 23
	CAnN.Cg-Foxn1 <sup>nu</sup> /CrjCrj nu/+
SEND	0/15
PVM	0/15
MHV	0/15
MVM	0/15
TMEV(GD-VII)	0/15
REO	0/15
Serology EDIM	0/15
MAV	0/15
POLY	0/15
K	0/15
MCMV	0/15
MTLV	0/15
LCMV	0/15
HANT	0/15
ECTRO	0/15
ECUN	0/15
CARB	0/15
MPV	0/15
MPUL	0/15

SHIPMENT DATE : December 11, 2008

APPROVAL DATE : December 16,17,19, 2008 & January 7, 2009

Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.

Quality Assurance Director

Charles River Laboratories Japan, Inc.

LABORATORY REPORT


REPORT DATE : January 16, 2009  
LOCATION : Tsukuba Breeding Center

SPECIES : Immunodeficient Mice -3

ITEM	AREA 23
<i>P. carinii</i>	CAnN.Cg-Foxn1 <sup>tm</sup> /CrjCrj nu/nu 0/5

Remarks : Mouse lungs were examined pathologically.

SHIPMENT DATE : December 11, 2008  
APPROVAL DATE : December 12, 2008 & January 5, 2009  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.


LABORATORY REPORT

REPORT DATE : January 16, 2009  
 LOCATION : Tsukuba Breeding Center

SPECIES	ITEM	AREA 11 Crlj:WI	AREA 21 Crl:CD(SD)
Serology	SEND	0/15	0/15
	PVM	0/15	0/15
	SDAV	0/15	0/15
	KRV	0/15	0/15
	H1	0/15	0/15
	RPV	0/15	0/15
	REO	0/15	0/15
	RMV	0/15	0/15
	LCMV	0/15	0/15
	HANT	0/15	0/15
RATS	MAV	0/15	0/15
	ECUN	0/15	0/15
	CARB	0/15	0/15
	MPUL	0/15	0/15
Bacteriology	<i>B. bronchiseptica</i>	0/15	0/15
	<i>C. kutscheri</i>	0/15	0/15
	<i>H. hepaticus</i>	0/15	0/15
	<i>H. bilis</i>	0/15	0/15
	<i>Helicobacter</i> spp.	0/15	0/15
	<i>M. pulmonis</i>	0/15	0/15
	<i>Salmonella</i> spp.	0/15	0/15
	<i>S. moniliformis</i>	0/15	0/15
	<i>S. pneumoniae</i>	0/15	0/15
	<i>P. pneumotropica</i>	0/15	0/15
Parasitology	<i>C. piliforme</i> (Histopathology)	0/15	0/15
	Ectoparasites	0/15	0/15
	Endoparasites	0/15	0/15
	Enteric Protozoa	0/15	0/15

Gross Pathology : No significant lesions consistent with an active infectious disease.

SHIPMENT DATE : December 11, 2008  
 APPROVAL DATE : December 16,17,19,29, 2008 & January 7, 2009  
 Tested by Charles River Diagnostics in U.S.A.

  
 Eiichi Morimura, D.V.M.  
 Quality Assurance Director  
 Charles River Laboratories Japan, Inc.



LABORATORY REPORT  
SEROLOGY

REPORT DATE : January 16, 2009  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

ITEM

SEND	0/8
PVM	0/8
MHV	0/8
MVM	0/8
TMEV(GD-VII)	0/8
REO	0/8
MPUL	0/8
MPV	0/8
EDIM	0/8

---

Strain

JAX<sup>®</sup> Mice Strain NOD.CB17-Prkdc<sup>scid</sup>/J  
C57BL/6NCr1Cr1j \*


Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

\* : C57BL/6NCr1Cr1j mice were tested as sentinels for JAX<sup>®</sup> Mice Strain NOD.CB17-Prkdc<sup>scid</sup>/J mice.

SAMPLING DATE : December 8 , 2008  
APPROVAL DATE : December 24 , 2008  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, B.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.



LABORATORY REPORT  
SEROLOGY

REPORT DATE : January 16, 2009  
LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

ITEM

SEND	0/5
PVM	0/5
MHV	0/5
MVM	0/5
TMEV(GD-VII)	0/5
REO	0/5
MPUL	0/5
MPV	0/5
EDIM	0/5


---

Strain

CB17/1cr-Prkdc<sup>scid</sup>/Cr1Cr1j  
C57BL/6NCr1Cr1j \*

\* : C57BL/6NCr1Cr1j mice were tested as sentinels for CB17/1cr-Prkdc<sup>scid</sup>/Cr1Cr1j mice.

SAMPLING DATE : December 8 , 2008  
APPROVAL DATE : December 24 , 2008  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

# マウス病原微生物モニタリング結果報告書

報告日：2008年12月26日

日本チャールス・リバー株式会社 厚木飼育センター 御中


第：08012-3997-M01-1

検査項目	系統名	CrIj:CD1(ICR)	CrIj:CD1(ICR)	C57BL/6NCrICrIj	C57BL/6NCrICrIj	BALB/cAnNCrICrIj	BALB/cAnNCrICrIj
	遺伝子型 飼育室 性別 週齢(W) 動物受領日	A-11 ♂ RB 12/17	A-11 ♂ 8 12/17	A-13 ♂ RB 12/17	A-13 ♂ 8 12/17	A-23 ♂ RB 12/17	A-23 ♂ 8 12/17
<i>Pasteurella pneumotropica</i>	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Citrobacter rodentium</i>	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
Mouse hepatitis virus	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8	0/7	0/8	0/7	0/8
<i>Spironucleus muris</i>	B	0/7	0/8	0/7	0/8	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8	0/7	0/8	0/7	0/8

備考：A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果：陽性数/検体数

(株)メルファングルテック  
 神奈川県藤沢市菅原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# マウス病原微生物モニタリング結果報告書

## 免疫不全動物

報告日: 2008年12月26日

日本チャールス・リバー株式会社 厚木飼育センター 御中


第: 0812-3997-M01-2

検査項目	系統名	CAnN.Cg-Foxn1 <sup>tm</sup> /Crj	CAnN.Cg-Foxn1 <sup>tm</sup> /Crj	CAnN.Cg-Foxn1 <sup>tm</sup> /Crj	CAnN.Cg-Foxn1 <sup>tm</sup> /Crj	C57BL/6NCrj
	遺伝子型	<i>nu/+</i>	<i>nu/+</i>	<i>nu/+</i>	<i>nu/+</i>	
	飼育室	A-12	A-12	A-24	A-24	A-80
	性別	♀	♀	♀	♀	♂
	週齢 (W)	RB	8	RB	8	RB
	動物受領日	12/17	12/17	12/17	12/17	12/17
<i>Pseudomonas aeruginosa</i>	A	0/7	0/8	0/7	0/8	0/5
<i>Pasteurella pneumotropica</i>	A	0/7	0/8	0/7	0/8	0/5
<i>Salmonella</i> spp.	A	0/7	0/8	0/7	0/8	0/5
<i>Citrobacter rodentium</i>	A	0/7	0/8	0/7	0/8	0/5
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8	0/7	0/8	0/5
<i>Clostridium piliforme</i>	C [2]	0/7	0/8	0/7	0/8	0/5
<i>Mycoplasma</i> spp.	A	0/7	0/8	0/7	0/8	0/5
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8	0/7	0/8	0/5
Sendai virus (HVJ)	C [2]	0/7	0/8	0/7	0/8	0/5
Mouse hepatitis virus	C [2]	0/7	0/8	0/7	0/8	0/5
<i>Giardia muris</i>	B	0/7	0/8	0/7	0/8	0/5
<i>Spiroplasma muris</i>	B	0/7	0/8	0/7	0/8	0/5
<i>Syphacia</i> spp.	B	0/7	0/8	0/7	0/8	0/5
<i>Staphylococcus aureus</i>	A	0/7	0/8	0/7	0/8	0/5

備考: A=培養、B=鏡検、C=血清反応 ([1]:Agg.、[2]:ELISA)

結果:陽性数/検体数

(株)メルケンテクノロジーズ  
 神奈川県藤沢市宮原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# ラット病原微生物モニタリング結果報告書

報告日: 2008年12月26日

日本チャールス・リバー株式会社 厚木飼育センター 御中

第: 0812-3997-R01-1

検査項目	系統名	Crlj:WI	Crlj:WI	F344/DuCrlCrlj	F344/DuCrlCrlj	Crl:CD(SD)	Crl:CD(SD)
	遺伝子型 飼育室 性別 週齢(W) 動物受領日	A-15 ♂ RB 12/17	A-15 ♂ 8 12/17	A-21 ♂ RB 12/17	A-21 ♂ 8 12/17	A-22 ♂ RB 12/17	A-22 ♂ 8 12/17
<i>Pasteurella pneumotropica</i>	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Bordetella bronchiseptica</i>	A, C [1]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Streptococcus pneumoniae</i>	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
Sialodacryoadenitis virus	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8	0/7	0/8	0/7	0/8
<i>Spiroucleus muris</i>	B	0/7	0/8	0/7	0/8	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8	0/7	0/8	0/7	0/8

備考: A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果:陽性数/検体数

(株)メルケンクリスタック  
 神奈川県藤原市富原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# ラット病原微生物モニタリング結果報告書

報告日: 2008年12月26日

日本チャールス・リバー株式会社 厚木飼育センター 御中



第: 0812-3997-R01-2

検査項目	系統名	Crlj:ZUC-Lepr <sup>fa</sup>	Crlj:ZUC-Lepr <sup>fa</sup>
	遺伝子型	?/+	?/+
	飼育室	A-25	A-25
	性別	♂	♂
	週齢(W)	RB	8
	動物受領日	12/17	12/17
<i>Pasteurella pneumotropica</i>	A	0/7	0/8
<i>Bordetella bronchiseptica</i>	A, C [1]	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8
<i>Streptococcus pneumoniae</i>	A	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8
Sialodacryoadenitis virus	C [2]	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8
<i>Spiroplasma muris</i>	B	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8

備考: A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果:陽性数/検体数

(株)メルファテック  
 神奈川県藤沢市宮原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# マウス病原微生物モニタリング結果報告書

日本チャールス・リバー株式会社 日野飼育センター 御中

報告日：2008年12月22日


第：0812-3975-M01-1

検査項目	系統名	Crlj:CD1(ICR)	Crlj:CD1(ICR)	BALB/cAnNCrICrlj	BALB/cAnNCrICrlj
	遺伝子型 飼育室 性別 週齢(W) 動物受領日	H-12 ♂ RB 12/10	H-12 ♂ 8 12/10	H-23 ♂ RB 12/10	H-23 ♂ 8 12/10
<i>Pasteurella pneumotropica</i>	A	0/7	0/8	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8	0/7	0/8
<i>Citrobacter rodentium</i>	A	0/7	0/8	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8	0/7	0/8
Mouse hepatitis virus	C [2]	0/7	0/8	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8	0/7	0/8
<i>Spironucleus muris</i>	B	0/7	0/8	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8	0/7	0/8

備考：A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果：陽性数/検体数

(株)メルシャルクリニック  
 神奈川県藤沢市宮原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# ラット病原微生物モニタリング結果報告書

報告日: 2008年12月22日

日本チャールス・リバー株式会社 日野飼育センター 御中


第: 0812-3975-R01-1

検査項目	系統名	Crl:CD(SD)	Crl:CD(SD)	LEW/CrlCrlj	LEW/CrlCrlj	Crl:CD(SD)	Crl:CD(SD)
	遺伝子型 飼育室 性別 週齢(W) 動物受領日	H-11 ♂ RB 12/10	H-11 ♂ 8 12/10	H-13 ♂ RB 12/10	H-13 ♂ 8 12/10	H-21 ♂ RB 12/10	H-21 ♂ 11 12/10
<i>Pasteurella pneumotropica</i>	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Bordetella bronchiseptica</i>	A, C [1]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Streptococcus pneumoniae</i>	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8	0/7	0/8	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
Sialodacryoadenitis virus	C [2]	0/7	0/8	0/7	0/8	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8	0/7	0/8	0/7	0/8
<i>Spiroplasma muris</i>	B	0/7	0/8	0/7	0/8	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8	0/7	0/8	0/7	0/8

備考: A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果:陽性数/検体数

(株)メルケンクリエテック  
 神奈川県藤沢市宮原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# ラット病原微生物モニタリング結果報告書

報告日: 2008年12月22日

日本チャールス・リバー株式会社 日野飼育センター 御中


第: 0812-3975-R01-2

検査項目	系統名	Crl:CD(SD)	Crl:CD(SD)
	遺伝子型		
	飼育室	H-22	H-22
	性別	♂	♂
	週齢(W)	RB	8
	動物受領日	12/10	12/10
<i>Pasteurella pneumotropica</i>	A	0/7	0/8
<i>Bordetella bronchiseptica</i>	A, C [1]	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8
<i>Streptococcus pneumoniae</i>	A	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8
Sialodacryoadenitis virus	C [2]	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8
<i>Spiroplasma muris</i>	B	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8

備考: A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果:陽性数/検体数

(株)メルジエ・ピエール・テック  
 神奈川県藤沢市荏原3585  
 TEL 0466-49-5125 FAX 0466-48-6804



# マウス病原微生物モニタリング結果報告書

報告日：2008年12月22日

日本チャールス・リバー株式会社 筑波飼育センター 御中


第：0812-3975-M01-2

検査項目	系統名	C57BL/6J	C57BL/6J	B6.V- <i>Lep<sup>ob</sup></i> /J	B6.V- <i>Lep<sup>ob</sup></i> /J
	遺伝子型			(?/+)	(?/+)
	飼育室	T-12	T-12	T-22	T-22
	性別	♂	♂	♂	♂
	週齢(W)	RB	8	RB	8
	動物受領日	12/10	12/10	12/10	12/10
<i>Pasteurella pneumotropica</i>	A	0/7	0/8	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8	0/7	0/8
<i>Citrobacter rodentium</i>	A	0/7	0/8	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8	0/7	0/8
Mouse hepatitis virus	C [2]	0/7	0/8	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8	0/7	0/8
<i>Spiroplasma muris</i>	B	0/7	0/8	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8	0/7	0/8

備考： A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果：陽性数/検体数

(株)メルケン・ラボラトリー  
 神奈川県藤沢市宮原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# マウス病原微生物モニタリング結果報告書

## 免疫不全動物

報告日：2008年12月22日

日本チャールス・リバー株式会社 筑波飼育センター 御中

第：0812-3975-M01-3

検査項目	系統名	CAnN.Cg-Foxn1 <sup>nu</sup> /Crj	CAnN.Cg-Foxn1 <sup>nu</sup> /Crj
	遺伝子型	nu/+	nu/+
	飼育室	T-23	T-23
	性別	♀	♀
	週齢(W)	RB	8
	動物受領日	12/10	12/10
<i>Pseudomonas aeruginosa</i>	A	0/7	0/8
<i>Pasteurella pneumotropica</i>	A	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8
<i>Citrobacter rodentium</i>	A	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8
Mouse hepatitis virus	C [2]	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8
<i>Spiroplasma muris</i>	B	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8
<i>Staphylococcus aureus</i>	A	0/7	0/8

備考：A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果：陽性数/検体数

(株)メルケンクリンテック  
 神奈川県藤沢市宮原3585  
 TEL 0466-49-6125 FAX 0466-48-6804



# ラット病原微生物モニタリング結果報告書

報告日：2008年12月22日

日本チャールス・リバー株式会社 筑波飼育センター 御中

第：0812-3975-R01-3

検査項目	系統名	Crlj:WI	Crlj:WI	Crl:CD(SD)	Crl:CD(SD)
	遺伝子型 飼育室 性別 週齢(W) 動物受領日	T-11 ♂ RB 12/10	T-11 ♂ 8 12/10	T-21 ♂ RB 12/10	T-21 ♂ 8 12/10
<i>Pasteurella pneumotropica</i>	A	0/7	0/8	0/7	0/8
<i>Bordetella bronchiseptica</i>	A, C [1]	0/7	0/8	0/7	0/8
<i>Salmonella</i> spp.	A	0/7	0/8	0/7	0/8
<i>Streptococcus pneumoniae</i>	A	0/7	0/8	0/7	0/8
<i>Corynebacterium kutscheri</i>	A, C [1]	0/7	0/8	0/7	0/8
<i>Clostridium piliforme</i>	C [2]	0/7	0/8	0/7	0/8
<i>Mycoplasma</i> spp.	A	0/7	0/8	0/7	0/8
<i>Mycoplasma pulmonis</i>	C [2]	0/7	0/8	0/7	0/8
Sendai virus (HVJ)	C [2]	0/7	0/8	0/7	0/8
Sialodacryoadenitis virus	C [2]	0/7	0/8	0/7	0/8
<i>Giardia muris</i>	B	0/7	0/8	0/7	0/8
<i>Spiroplasma muris</i>	B	0/7	0/8	0/7	0/8
<i>Syphacia</i> spp.	B	0/7	0/8	0/7	0/8

備考：A=培養、B=鏡検、C=血清反応([1]:Agg.、[2]:ELISA)

結果：陽性数/検体数

(株)メルシャン株式会社  
 神奈川県藤沢市宮原3585  
 TEL 0466-49-6125 FAX 0466-48-6804

