

# HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Rats)					
		F344/DuCrIcrlj A-21 3/23	SHR/NCrIcrlj A-21 3/23	WKY/NCrIcrlj A-21 3/23	ZDF- <i>Lepr<sup>fa</sup></i> /CrIcrlj ?/+ A-21 3/23	CrI:CD(SD) A-22 3/23	CrIj:ZUC- <i>Lepr<sup>fa</sup></i> ?/+ A-25 3/23
Sendai Virus	○	0/5	0/5	0/5	0/5	0/20	0/10
MHV (SDAV)	○	0/5	0/5	0/5	0/5	0/20	0/10
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5	0/20	0/10
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5	0/20	0/10
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/20	0/10
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/20	0/10
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/20	0/10
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/20	0/10
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/20	0/10
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/20	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ  
代表取締役社長



*Eiichi Morimura*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Area Test Date Test	(Mice)			
		SJL/JOrlCrjCrj	NC/NgaTndCrj	CBA/JNcrlj	Crj:CD1(ICR)
		A-11 3/18	A-11 3/18	A-11 3/18	A-11 3/18
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all 8~10 weeks old.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
代表取締役社長 西尾悦雄





Eiichi Morimura, D.V.M.  
Quality Assurance Director

# HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Area Test Date Test	(Mice)			
		C57BL/6NCrCrIj A-13 3/18	DBA/2NCrCrIj A-13 3/18	BALB/cAnNCrCrIj A-23 3/18	DBA/2NCrCrIj A-23 3/18
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all 8~10 weeks old.

3 : B6D2F1/Crlj mice were judged by the results of C57BL/6NCrCrIj mice and DBA/2NCrCrIj mice.

4 : CD2F1/Crlj mice were judged by the results of BALB/cAnNCrCrIj mice and DBA/2NCrCrIj mice.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.



*Eiichi Morimura*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

# HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)					
		CAnN.Cg-Foxn1 <sup>nu</sup> /CrjCrlj		Crlj:CD1-Foxn1 <sup>nu</sup>		CAnN.Cg-Foxn1 <sup>nu</sup> /CrjCrlj	
		nu/nu	nu/+	nu/nu	nu/+	nu/nu	nu/+
		A-12	A-12	A-12	A-12	A-24	A-24
		3/16	3/16	3/16	3/16	3/16	3/16
Sendai Virus	○	NT <sup>*2</sup>	0/5	NT	0/5	NT	0/10
MHV	○	NT	0/5	NT	0/5	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/10	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

<sup>\*2</sup>: Not tested

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
代表取締役社長 西尾悦雄

*Eilchi Morimura*  
Eilchi Morimura, D.V.M.  
Quality Assurance Director

## HEALTH MONITORING REPORT

(Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Mice)				
		Crj:CD1(ICR)	C57BL/6NCrCrj	C3H/HeNCrCrj	BALB/cAnNCrCrj	DBA/1JNCrj
		H-12 3/24	H-12 3/24	H-12 3/24	H-23 3/24	H-23 3/24
Sendai Virus	○	0/5	0/5	0/5	0/10	0/5
MHV	○	0/5	0/5	0/5	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

3 : B6C3F1/Crj mice were judged by the results of C57BL/6NCrCrj mice and C3H/HeNCrCrj mice.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールスリバー株式会社  
代表取締役社長 西尾悦雄



*Eiichi Morimura*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

# HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Rats)					
		Crl:CD(SD)	Crl:WI(Han)	LEW/CrlCrlj	BN/CrlCrlj	Crl:CD(SD)	Crl:CD(SD)
		H-11 3/24	H-11 3/24	H-13 3/24	H-13 3/24	H-21 3/24	H-22 3/24
Sendai Virus	○	0/10	0/5	0/10	0/5	0/15	0/15
MHV (SDAV)	○	0/10	0/5	0/10	0/5	0/15	0/15
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/10	0/5	0/15	0/15
<i>Clostridium piliforme</i>	○	0/10	0/5	0/10	0/5	0/15	0/15
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/10	0/5	0/15	0/15
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/10	0/5	0/15	0/15
<i>Salmonella</i> spp.	◎	0/10	0/5	0/10	0/5	0/15	0/15
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/10	0/5	0/15	0/15
<i>Syphacia</i> spp.	●	0/10	0/5	0/10	0/5	0/15	0/15
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/10	0/5	0/15	0/15

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
代表取締役社長 西尾悦雄



*Eiichi Morimura*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

# HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Area Test Date Test	(Rats)		
		CrIj:WI T-11 3/17	LEW/CrICrIj T-11 3/17	CrI:CD(SD) T-21 3/17
Sendai Virus	○	0/10	0/5	0/15
MHV (SDAV)	○	0/10	0/5	0/15
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/15
<i>Clostridium piliforme</i>	○	0/10	0/5	0/15
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/15
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/15
<i>Salmonella</i> spp.	◎	0/10	0/5	0/15
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/15
<i>Syphacia</i> spp.	●	0/10	0/5	0/15
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/15

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
代表取締役社長 西尾 悦 雄



*Eiichi Morimura*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

# HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Genotype Area Test Date Test	(Mice)		
		JAX <sup>®</sup> Mice Strain C57BL/6J T-12 3/17	JAX <sup>®</sup> Mice Strain B6.V- <i>Lep<sup>ob</sup>/J</i> <i>ob/ob</i> T-22 3/17	JAX <sup>®</sup> Mice Strain BKS.Cg- <i>m +/+ Lepr<sup>db</sup>/J</i> <i>db/db</i> T-22 3/17
Sendai Virus	○	0/15	0/5	0/5
MHV	○	0/15	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/5	0/5
<i>Clostridium piliforme</i>	○	0/15	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/5	0/5
<i>Salmonella</i> spp.	◎	0/15	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/15	0/5	0/5
<i>Syphacia</i> spp.	●	0/15	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/15	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory

and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

日本チャールス  
代表取締役社長



リバ株式会社  
西尾悦雄

Eiichi Morimura, D.V.M.

Quality Assurance Director

## HEALTH MONITORING REPORT (Second Report, March 2009)

April 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)	
		CAAn.Cg-Foxn1 <sup>nu</sup> /CrjCrj nu/nu T-23 3/17	nu/+ T-23 3/17
Sendai Virus	○	NT*2	0/10
MHV	○	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/10	0/10
<i>Salmonella</i> spp.	◎	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/10	0/10
<i>Syphacia</i> spp.	●	0/10	0/10


Remarks : 1 : ○ = Serology, ◎ = Serology &amp; Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~10 weeks old.

\*2 : Not tested

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社  
代表取締役社長 西尾悦雄

  
Eiichi Morimura, D.V.M.

Quality Assurance Director

REPORT DATE : April 3, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

ITEMS	JAX <sup>®</sup> Mice Strain
	NOD.CB17-Prkdc <sup>scid</sup> /J scid/scid
<i>P. carinii</i>	0/7

Remarks : Mouse lungs were examined pathologically.

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

SHIPMENT DATE : March 11, 2009

APPROVAL DATE : March 25 & 26, 2009

Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

REPORT DATE : April 3, 2009

LOCATION : Yokohama Breeding Center


SPECIES : Isolator-Maintained Immunodeficient Mice

ITEMS                      CB17/Icr-Prkdc<sup>scid</sup>/CrjCrj scid/scid

*P. carinii*    0/11

Remarks : Mouse lungs were examined pathologically.

SHIPMENT DATE : March 11, 2009  
APPROVAL DATE : March 25 & 26, 2009  
Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

REPORT DATE : April 3, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

	ITEMS	C57BL/6NCrCrIj*		ITEMS	C57BL/6NCrCrIj*
Serology	SEND	0/14	Bacteriology	<i>B. bronchiseptica</i>	0/14
	PVM	0/14		<i>C. kutscheri</i>	0/14
	MHV	0/14		<i>C. rodentium</i>	0/14
	MVM	0/14		<i>H. hepaticus</i>	0/14
	TMEV(GD-VII)	0/14		<i>H. bilis</i>	0/14
	REO	0/14		<i>Helicobacter</i> spp.	0/14
	EDIM	0/14		<i>M. pulmonis</i>	0/14
	MAV	0/14		<i>Salmonella</i> spp.	0/14
	POLY	0/14		<i>S. moniliformis</i>	0/14
	K	0/14		<i>S. pneumoniae</i>	0/14
	MCMV	0/14		<i>P. pneumotropica</i>	0/14
	MTLV	0/14		$\beta$ · <i>Hemolytic Strep.</i> spp.	0/14
	LCMV	0/14		<i>S. aureus</i>	0/14
	HANT	0/14		<i>P. aeruginosa</i>	0/14
	ECTRO	0/14		<i>C. piliforme</i> (Histopathology)	0/14
ECUN	0/14	Parasitology	Ectoparasites	0/14	
CARB	0/14		Endoparasites	0/14	
MPV	0/14		Enteric Protozoa	0/14	
MPUL	0/14				

Gross Pathology : No significant lesions consistent with an active infectious disease.

\* : C57BL/6NCrCrIj mice were tested as sentinels for JAX<sup>®</sup> Mice Strain NOD.CB17-*Prkdc*<sup>scid</sup>/J.

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.


JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory

and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

SHIPMENT DATE : March 11, 2009

APPROVAL DATE : March 17,19,20,25 & 26, 2009

Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.

REPORT DATE : April 3, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

		JAX <sup>®</sup> Mice Strain
		NOD.CB17-Prkdc <sup>scid</sup> /J scid/scid
	ITEMS	
Bacteriology	<i>B. bronchiseptica</i>	0/7
	<i>C. kutscheri</i>	0/7
	<i>C. rodentium</i>	0/7
	<i>H. hepaticus</i>	0/7
	<i>H. bilis</i>	0/7
	<i>Helicobacter</i> spp.	0/7
	<i>M. pulmonis</i>	0/7
	<i>Salmonella</i> spp.	0/7
	<i>S. moniliformis</i>	0/7
	<i>S. pneumoniae</i>	0/7
	<i>P. pneumotropica</i>	0/7
	$\beta$ - Hemolytic <i>Strep.</i> spp.	0/7
	<i>S. aureus</i>	0/7
	<i>P. aeruginosa</i>	0/7
	<i>C.piliforme</i> (Histopathology)	0/7
Parasitology	Ectoparasites	0/7
	Endoparasites	0/7
	Enteric Protozoa	0/7

Gross Pathology : No significant lesions consistent with an active infectious disease.

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX<sup>®</sup> Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX<sup>®</sup> Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory

and maintained in accordance with JAX<sup>®</sup> Mice Genetic Quality Program.

SHIPMENT DATE : March 11, 2009

APPROVAL DATE : March 17,19,20,25 & 26, 2009

Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.

Quality Assurance Director

Charles River Laboratories Japan, Inc.

REPORT DATE : April 3, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

	ITEMS	C57BL/6NCrIcrlj*
Serology	SEND	0/20
	PVM	0/20
	MHV	0/20
	MVM	0/20
	TMEV(GD-VII)	0/20
	REO	0/20
	EDIM	0/20
	MAV	0/20
	POLY	0/20
	K	0/20
	MCMV	0/20
	MTLV	0/20
	LCMV	0/20
	HANT	0/20
	ECTRO	0/20
	ECUN	0/20
	CARB	0/20
MPV	0/20	
MPUL	0/20	

	ITEMS	C57BL/6NCrIcrlj*
Bacteriology	<i>B. bronchiseptica</i>	0/20
	<i>C. kutscheri</i>	0/20
	<i>C. rodentium</i>	0/20
	<i>H. hepaticus</i>	0/20
	<i>H. bilis</i>	0/20
	<i>Helicobacter</i> spp.	0/20
	<i>M. pulmonis</i>	0/20
	<i>Salmonella</i> spp.	0/20
	<i>S. moniliformis</i>	0/20
	<i>S. pneumoniae</i>	0/20
Parasitology	<i>P. pneumotropica</i>	0/20
	$\beta$ · <i>Hemolytic Strep.</i> spp.	0/20
	<i>S. aureus</i>	0/20
	<i>P. aeruginosa</i>	0/20
	<i>C. piliforme</i> (Histopathology)	0/20
	Ectoparasites	0/20
	Endoparasites	0/20
	Enteric Protozoa	0/20


Gross Pathology : No significant lesions consistent with an active infectious disease.

\* : C57BL/6NCrIcrlj mice were tested as sentinels for CB17/Icr-*Prkdc*<sup>scid</sup>/CrIcrlj.

SHIPMENT DATE : March 11, 2009

APPROVAL DATE : March 17,19,20,25 & 26, 2009

Tested by Charles River Diagnostics in U.S.A.

  
 Eiichi Morimura, D.V.M.  
 Quality Assurance Director  
 Charles River Laboratories Japan, Inc.

REPORT DATE : April 3, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice


	ITEMS	CB17/Icr-Prkdc <sup>scid</sup> /CrICrlj scid/scid
	<i>B. bronchiseptica</i>	0/11
	<i>C. kutscheri</i>	0/11
	<i>C. rodentium</i>	0/11
	<i>H. hepaticus</i>	0/11
	<i>H. bilis</i>	0/11
	<i>Helicobacter</i> spp.	0/11
Bacteriology	<i>M. pulmonis</i>	0/11
	<i>Salmonella</i> spp.	0/11
	<i>S. moniliformis</i>	0/11
	<i>S. pneumoniae</i>	0/11
	<i>P. pneumotropica</i>	0/11
	$\beta$ · Hemolytic <i>Strep.</i> spp.	0/11
	<i>S. aureus</i>	0/11
	<i>P. aeruginosa</i>	0/11
	<i>C. piliforme</i> (Histopathology)	0/11
Parasitology	Ectoparasites	0/11
	Endoparasites	0/11
	Enteric Protozoa	0/11

Gross Pathology : No significant lesions consistent with an active infectious disease.

SHIPMENT DATE : March 11, 2009

APPROVAL DATE : March 17,19,20,25 & 26, 2009

Tested by Charles River Diagnostics in U.S.A.

  
Eiichi Morimura, D.V.M.  
Quality Assurance Director  
Charles River Laboratories Japan, Inc.