

HEALTH MONITORING REPORT

(First Report, June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Rats)						
		F344/DuCrjCrj A-15 6/8	F344/DuCrjCrj A-21 6/8	SHR/NCrjCrj A-21 6/8	WKY/NCrjCrj A-21 6/8	ZDF- <i>Lep^{fa}</i> /CrjCrj ?/+ A-21 6/8	Crj:CD(SD) A-22 6/8	Crj:ZUC- <i>Lep^{fa}</i> ?/+ A-25 6/8
Sendai Virus	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
MHV (SDAV)	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Clostridium piliforme</i>	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Salmonella</i> spp.	◎	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Syphacia</i> spp.	●	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/5	0/5	0/5	0/20	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社
代表取締役社長 西尾 祝雄



Eiichi Morimura, D.V.M.

Quality Assurance Director

HEALTH MONITORING REPORT (First Report, June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Area Test Date Test	(Mice)			
		SJL/JOrlCrjCrj	NC/NgaTndCrj	CBA/JNcrj	Crj:CD1(ICR)
		A-11 6/3	A-11 6/3	A-11 6/3	A-11 6/3
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社
代表取締役社長 (西尾悦雄)



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (First Report, June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Area Test Date Test	(Mice)			
		C57BL/6NCrCrIj A-13 6/3	DBA/2NCrCrIj A-13 6/3	BALB/cAnNCrCrIj A-23 6/3	DBA/2NCrCrIj A-23 6/3
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

3 : B6D2F1/CrIj mice were judged by the results of C57BL/6NCrCrIj mice and DBA/2NCrCrIj mice.

4 : CD2F1/CrIj mice were judged by the results of BALB/cAnNCrCrIj mice and DBA/2NCrCrIj mice.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社
代表取締役社長 西尾悦雄




Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (First Report, June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)					
		CAnN.Cg-Foxn1 ^{nu/nu} /CrjCrlj		Crlj:CD1-Foxn1 ^{nu/nu}		CAnN.Cg-Foxn1 ^{nu/nu} /CrjCrlj	
		nu/nu A-12 6/1	nu/+ A-12 6/1	nu/nu A-12 6/1	nu/+ A-12 6/1	nu/nu A-24 6/1	nu/+ A-24 6/1
Sendai Virus	○	NT ^{*2}	0/5	NT	0/5	NT	0/10
MHV	○	NT	0/5	NT	0/5	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/10	0/10


Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

*2 : Not tested

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (First Report, June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Mice)				
		Crlj:CD1(ICR)	C57BL/6NCrCrlj	C3H/HeNCrCrlj	BALB/cAnNCrCrlj	DBA/1JNCrCrlj
		H-12 6/9	H-12 6/9	H-12 6/9	H-23 6/9	H-23 6/9
Sendai Virus	○	0/5	0/5	0/5	0/10	0/5
MHV	○	0/5	0/5	0/5	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/10	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology


2 : Tested animals were all retired breeders.

3 : B6C3F1/Crlj mice were judged by the results of C57BL/6NCrCrlj mice and C3H/HeNCrCrlj mice.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾 悦雄



Eiichi Morimura, D.V.M.

Quality Assurance Director

HEALTH MONITORING REPORT (First Report, June 2009)

June 19, 2009
 Tested by Charles River Laboratories Japan, Inc.
 LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Rats)				
		Crl:CD(SD)	Crl:WI(Han)	LEW/CrlCrlj	BN/CrlCrlj	Crl:CD(SD)
		H-11 6/9	H-11 6/9	H-13 6/9	H-13 6/9	H-21 6/9
Sendai Virus	○	0/10	0/5	0/10	0/5	0/15
MHV (SDAV)	○	0/10	0/5	0/10	0/5	0/15
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/10	0/5	0/15
<i>Clostridium piliforme</i>	○	0/10	0/5	0/10	0/5	0/15
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/10	0/5	0/15
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/10	0/5	0/15
<i>Salmonella</i> spp.	◎	0/10	0/5	0/10	0/5	0/15
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/10	0/5	0/15
<i>Syphacia</i> spp.	●	0/10	0/5	0/10	0/5	0/15
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/10	0/5	0/15

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology
 2 : Tested animals were all retired breeders.
 * : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社
 代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.
 Quality Assurance Director

HEALTH MONITORING REPORT (First Report, June 2009)

June 19, 2009
 Tested by Charles River Laboratories Japan, Inc.
 LOCATION : Tsukuba Breeding Center

Items	Strain Area Test Date Test	(Rats)		
		Crj:WI T-11 6/2	LEW/CrjCrj T-11 6/2	Crj:CD(SD) T-21 6/2
Sendai Virus	○	0/10	0/5	0/15
MHV (SDAV)	○	0/10	0/5	0/15
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/15
<i>Clostridium piliforme</i>	○	0/10	0/5	0/15
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/15
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/15
<i>Salmonella</i> spp.	◎	0/10	0/5	0/15
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/15
<i>Syphacia</i> spp.	●	0/10	0/5	0/15
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/15

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology
 2 : Tested animals were all retired breeders.
 * : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
 代表取締役社長 西尾悦雄



Eiichi Morimura
 Eiichi Morimura, D.V.M.
 Quality Assurance Director

HEALTH MONITORING REPORT

(First Report, June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain	(Mice)		
		JAX [®] Mice Strain C57BL/6J	JAX [®] Mice Strain B6.V-Lep ^{ob} /J ?/+	JAX [®] Mice Strain BKS.Cg-Dock7 ^m +/+ Lepr ^{db} /J +/db
	Genotype Area Test Date Test	T-12 6/2	T-22 6/2	T-22 6/2
Sendai Virus	○	0/15	0/5	0/5
MHV	○	0/15	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/5	0/5
<i>Clostridium piliforme</i>	○	0/15	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/5	0/5
<i>Salmonella</i> spp.	◎	0/15	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/15	0/5	0/5
<i>Syphacia</i> spp.	●	0/15	0/5	0/5
<i>Pseudomonas aeruginosa</i> *	△	0/15	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.


* : Non-Specific Pathogen

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.Only JAX[®] Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.JAX[®] Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratoryand maintained in accordance with JAX[®] Mice Genetic Quality Program.

Charles River Laboratories Japan, Inc.



日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.

Quality Assurance Director

HEALTH MONITORING REPORT (First Report, June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)	
		CAnN.Cg-Foxn1 ^{nu} /CrjCrlj	
		nu/nu T-23 6/2	nu/+ T-23 6/2
Sendai Virus	○	NT*2	0/10
MHV	○	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/10	0/10
<i>Salmonella</i> spp.	◎	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/10	0/10
<i>Syphacia</i> spp.	●	0/10	0/10


Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.

*2 : Not tested

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT

(June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.
LOCATION : Yokohama Breeding Center

Items	Strain	(Isolator-Maintained Immunodeficient Mice)	
		JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J scid/scid 6/10	C57BL/6NCrCrj* [®] 6/10
Sendai Virus	○	NT ²	0/9
MHV	○	NT	0/9
<i>Mycoplasma pulmonis</i>	○	NT	0/9
<i>Clostridium piliforme</i>	○	NT	0/9
<i>Corynebacterium kutscheri</i>	◎	0/18	0/9
<i>Bordetella bronchiseptica</i>	◎	0/18	0/9
<i>Salmonella</i> spp.	◎	0/18	0/9
<i>Pasteurella pneumotropica</i>	△	0/18	0/9
<i>Staphylococcus aureus</i>	△	0/18	0/9
<i>Citrobacter rodentium</i>	△	0/18	0/9
<i>Pseudomonas aeruginosa</i>	△	0/18	0/9
<i>Syphacia</i> spp.	●	0/18	0/9

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.


※ : C57BL/6NCrCrj mice were tested as sentinels for JAX[®] Mice Strain NOD.CB17-Prkdc^{scid}/J mice.

*2 : Not tested

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.Only JAX[®] Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.JAX[®] Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratoryand maintained in accordance with JAX[®] Mice Genetic Quality Program.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄

Charles River Laboratories Japan, Inc.



Eiichi Morimura, D.V.M.

Quality Assurance Director

HEALTH MONITORING REPORT

(June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Yokohama Breeding Center

Items	Strain Genotype Test Date Test	(Isolator-Maintained Immunodeficient Mice)	
		CB17/Icr-Prkdc ^{scid} /Crj scid/scid 6/10	C57BL/6NCrjCrj ^{scid} ^{scid} [*] 6/10
Sendai Virus	○	NT ²	0/12
MHV	○	NT	0/12
<i>Mycoplasma pulmonis</i>	○	NT	0/12
<i>Clostridium piliforme</i>	○	NT	0/12
<i>Corynebacterium kutscheri</i>	◎	0/24	0/12
<i>Bordetella bronchiseptica</i>	◎	0/24	0/12
<i>Salmonella</i> spp.	◎	0/24	0/12
<i>Pasteurella pneumotropica</i>	△	0/24	0/12
<i>Staphylococcus aureus</i>	△	0/24	0/12
<i>Citrobacter rodentium</i>	△	0/24	0/12
<i>Pseudomonas aeruginosa</i>	△	0/24	0/12
<i>Syphacia</i> spp.	●	0/24	0/12

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all retired breeders.


※: C57BL/6NCrjCrj mice were tested as sentinels for CB17/Icr-Prkdc^{scid}/Crj mice.

*2: Not tested

Charles River Laboratories Japan, Inc.



日本チャールズリバー株式会社
代表取締役社長 西尾 悦雄



Eiichi Morimura, D.V.M.
Quality Assurance Director

BACTERIOLOGY RESULTS REPORT (June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Yokohama Breeding Center

【Fecal Culture】

Items	Strain	Genotype	Test Date	(Isolator-Maintained Immunodeficient Mice)
				JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J <i>scid/scid</i> 6/10
<i>Bordetella bronchiseptica</i>				0/22
<i>Salmonella</i> spp.				0/22
<i>Staphylococcus aureus</i>				0/22
<i>Citrobacter rodentium</i>				0/22
<i>Pseudomonas aeruginosa</i>				0/22


Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.


Only JAX[®] Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX[®] Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX[®] Mice Genetic Quality Program.

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄




Eiichi Morimura, D.V.M.
Quality Assurance Director

BACTERIOLOGY RESULTS REPORT (June 2009)

June 19, 2009

Tested by Charles River Laboratories Japan, Inc.


LOCATION : Yokohama Breeding Center

【Fecal Culture】

Items	Strain Genotype Test Date	(Isolator-Maintained Immunodeficient Mice) CB17/Icr-Prkdc ^{scid} /CrjCrj scid/scid 6/10
<i>Bordetella bronchiseptica</i>		0/28
<i>Salmonella</i> spp.		0/28
<i>Staphylococcus aureus</i>		0/28
<i>Citrobacter rodentium</i>		0/28
<i>Pseudomonas aeruginosa</i>		0/28

Charles River Laboratories Japan, Inc.

日本チャールズリバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director



LABORATORY REPORT
SEROLOGY


REPORT DATE : June 19, 2009
LOCATION : Atsugi Breeding Center

SPECIES : Mice

ITEMS	AREA 11	AREA 13	AREA 23
SEND	0/10	0/10	0/10
PVM	0/10	0/10	0/10
MHV	0/10	0/10	0/10
MVM	0/10	0/10	0/10
TMEV(GD-VII)	0/10	0/10	0/10
REO	0/10	0/10	0/10
MPUL	0/10	0/10	0/10
MPV	0/10	0/10	0/10
EDIM	0/10	0/10	0/10

STRAIN	SJL/JOrlCrjCrj NC/NgaTndCrj CBA/JNcrj Crj:CD1(ICR)	C57BL/6NCrjCrj DBA/2NCrjCrj B6D2F1/Crj	BALB/cAnNCrjCrj DBA/2NCrjCrj CD2F1/Crj
--------	---	--	--

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009
APPROVAL DATE : June 11, 2009
Tested by Charles River Diagnostics in U.S.A.


Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.

LABORATORY REPORT
SEROLOGY

REPORT DATE : June 19, 2009
LOCATION : Atsugi Breeding Center

SPECIES : Immunodeficient Mice

ITEMS	AREA 12	AREA 24
SEND	0/10	0/10
PVM	0/10	0/10
MHV	0/10	0/10
MVM	0/10	0/10
TMEV(GD-VII)	0/10	0/10
REO	0/10	0/10
MPUL	0/10	0/10
MPV	0/10	0/10
EDIM	0/10	0/10

STRAIN


CAnN.Cg-Foxn1tm/CrlCrlj
Crlj:CD1-Foxn1tm

CAnN.Cg-Foxn1tm/CrlCrlj

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009

APPROVAL DATE : June 11, 2009

Tested by Charles River Diagnostics in U.S.A.




Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.

SPECIES : Rats

ITEMS	AREA 15	AREA 21	AREA 22	AREA 25
SEND	0/10	0/10	0/10	0/10
PVM	0/10	0/10	0/10	0/10
SDAV	0/10	0/10	0/10	0/10
KRV	0/10	0/10	0/10	0/10
H-1	0/10	0/10	0/10	0/10
REO	0/10	0/10	0/10	0/10
MPUL	0/10	0/10	0/10	0/10
RPV	0/10	0/10	0/10	0/10
RMV	0/10	0/10	0/10	0/10

STRAIN	F344/DuCrIcrIj	F344/DuCrIcrIj SHR/NCrIcrIj WKY/NCrIcrIj ZDF- <i>Lepr^{fa}</i> /CrIcrIj	CrI:CD(SD)	CrIj:ZUC- <i>Lepr^{fa}</i>
--------	----------------	--	------------	------------------------------------

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009
APPROVAL DATE : June 11, 2009
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.

LABORATORY REPORT
SEROLOGY

REPORT DATE : June 19, 2009
LOCATION : Hino Breeding Center

SPECIES : Mice


ITEMS	AREA 12	AREA 23
SEND	0/10	0/10
PVM	0/10	0/10
MHV	0/10	0/10
MVM	0/10	0/10
TMEV(GD-VII)	0/10	0/10
REO	0/10	0/10
MPUL	0/10	0/10
MPV	0/10	0/10
EDIM	0/10	0/10

STRAIN

Crj:CD1(ICR)
C57BL/6NCrCrj
C3H/HeNCrCrj
B6C3F1/Crj

BALB/cAnNCrCrj
DBA/1JNCrj

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009
APPROVAL DATE : June 11, 2009
Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.



LABORATORY REPORT
SEROLOGY


REPORT DATE : June 19, 2009
LOCATION : Hino Breeding Center

SPECIES : Rats

ITEMS	AREA 11	AREA 13	AREA 21
SEND	0/10	0/10	0/10
PVM	0/10	0/10	0/10
SDAV	0/10	0/10	0/10
KRV	0/10	0/10	0/10
H-1	0/10	0/10	0/10
REO	0/10	0/10	0/10
MPUL	0/10	0/10	0/10
RPV	0/10	0/10	0/10
RMV	0/10	0/10	0/10

STRAIN	Cr:CD(SD) Cr:WI(Han)	LEW/CrICrlj BN/CrICrlj	Cr:CD(SD)
--------	-------------------------	---------------------------	-----------

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009
APPROVAL DATE : June 11, 2009
Tested by Charles River Diagnostics in U.S.A.


Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.

LABORATORY REPORT
SEROLOGY

REPORT DATE : June 19, 2009
LOCATION : Tsukuba Breeding Center

SPECIES : Mice

ITEMS	AREA 12	AREA 22
SEND	0/10	0/10
PVM	0/10	0/10
MHV	0/10	0/10
MVM	0/10	0/10
TMEV(GD-VII)	0/10	0/10
REO	0/10	0/10
MPUL	0/10	0/10
MPV	0/10	0/10
EDIM	0/10	0/10

STRAIN

JAX[®] Mice Strain
C57BL/6J

JAX[®] Mice Strain
B6.V-Lep^{ob} /J
BKS.Cg-Dock7^m +/+ Lepr^{db} /J

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.


Only JAX[®] Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX[®] Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX[®] Mice Genetic Quality Program.

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009

APPROVAL DATE : June 11, 2009

Tested by Charles River Diagnostics in U.S.A.



Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.



LABORATORY REPORT
SEROLOGY

REPORT DATE : June 19, 2009
LOCATION : Tsukuba Breeding Center


SPECIES : Immunodeficient Mice

ITEMS	AREA 23
SEND	0/10
PVM	0/10
MHV	0/10
MVM	0/10
TMEV(GD-VII)	0/10
REO	0/10
MPUL	0/10
MPV	0/10
EDIM	0/10

STRAIN

CAnN.Cg-Foxn1tm/CrjCrj

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009
APPROVAL DATE : June 11, 2009
Tested by Charles River Diagnostics in U.S.A.


Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.



LABORATORY REPORT
SEROLOGY

8/8

REPORT DATE : June 19, 2009
LOCATION : Tsukuba Breeding Center

SPECIES : Rats


ITEMS	AREA 11	AREA 21
SEND	0/10	0/10
PVM	0/10	0/10
SDAV	0/10	0/10
KRV	0/10	0/10
H-1	0/10	0/10
REO	0/10	0/10
MPUL	0/10	0/10
RPV	0/10	0/10
RMV	0/10	0/10

STRAIN

CrIj:WI
LEW/CrICrIj

CrI:CD(SD)

SAMPLING DATE : May 6,11,12,13,18,19,20,25 & 26, 2009
APPROVAL DATE : June 11, 2009
Tested by Charles River Diagnostics in U.S.A.


Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.