

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Rats)						
		F344/DuCrIcrlj	F344/DuCrIcrlj	SHR/NCrIcrlj	WKY/NCrIcrlj	ZDF- <i>Lepr^{fa}</i> /CrIcrlj	CrI:CD(SD)	CrIj:ZUC- <i>Lepr^{fa}</i>
		A-15 6/22	A-21 6/22	A-21 6/22	A-21 6/22	?/+ A-21 6/22	A-22 6/22	?/+ A-25 6/22
Sendai Virus	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
MHV (SDAV)	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Clostridium piliforme</i>	○	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Salmonella</i> spp.	◎	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Syphacia</i> spp.	●	0/10	0/5	0/5	0/5	0/5	0/20	0/10
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/5	0/5	0/5	0/20	0/10


Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.
LOCATION : Atsugi Breeding Center


Items	Strain Area Test Date Test	(Mice)			
		SJL/JOrICrCrIj	NC/NgaTndCrIj	CBA/JNCrIj	CrIj:CD1(ICR)
		A-11 6/17	A-11 6/17	A-11 6/17	A-11 6/17
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄

 Eiichi Morimura, D.V.M.
 Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.


LOCATION : Atsugi Breeding Center

Items	Strain Area Test Date Test	(Mice)			
		C57BL/6NCrCrIj	DBA/2NCrCrIj	BALB/cAnNCrCrIj	DBA/2NCrCrIj
		A-13 6/17	A-13 6/17	A-23 6/17	A-23 6/17
Sendai Virus	○	0/5	0/5	0/5	0/5
MHV	○	0/5	0/5	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/5

- Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology
 2 : Tested animals were all 8~12 weeks old.
 3 : B6D2F1/CrIj mice were judged by the results of C57BL/6NCrCrIj mice and DBA/2NCrCrIj mice.
 4 : CD2F1/CrIj mice were judged by the results of BALB/cAnNCrCrIj mice and DBA/2NCrCrIj mice.
 * : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールス・リバー株式会社
 代表取締役社長 西尾悦雄


 Eiichi Morimura, D.V.M.
 Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Atsugi Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)					
		CAnN.Cg-Foxn1 ^{nu/nu} /CrjCrj		Crj:CD1-Foxn1 ^{nu/nu}		CAnN.Cg-Foxn1 ^{nu/nu} /CrjCrj	
		nu/nu	nu/+	nu/nu	nu/+	nu/nu	nu/+
		A-12	A-12	A-12	A-12	A-24	A-24
		6/15	6/15	6/15	6/15	6/15	6/15
Sendai Virus	○	NT ^{*2}	0/5	NT	0/5	NT	0/10
MHV	○	NT	0/5	NT	0/5	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/5	NT	0/5	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/5	0/5	0/5	0/5	0/10	0/10
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/5	0/10	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

*2 : Not tested

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄

Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Mice)				
		Crlj:CD1(ICR)	C57BL/6NCrIcrlj	C3H/HeNCrIcrlj	BALB/cAnNCrIcrlj	DBA/1JNCrIcrlj
		H-12 6/23	H-12 6/23	H-12 6/23	H-23 6/23	H-23 6/23
Sendai Virus	○	0/5	0/5	0/5	0/10	0/5
MHV	○	0/5	0/5	0/5	0/10	0/5
<i>Mycoplasma pulmonis</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Clostridium piliforme</i>	○	0/5	0/5	0/5	0/10	0/5
<i>Corynebacterium kutscheri</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Bordetella bronchiseptica</i>	◎	0/5	0/5	0/5	0/10	0/5
<i>Salmonella</i> spp.	◎	0/5	0/5	0/5	0/10	0/5
<i>Pasteurella pneumotropica</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Citrobacter rodentium</i>	△	0/5	0/5	0/5	0/10	0/5
<i>Syphacia</i> spp.	●	0/5	0/5	0/5	0/10	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/5	0/5	0/5	0/10	0/5

Remarks : 1: ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology


2: Tested animals were all 8~12 weeks old.

3: B6C3F1/Crlj mice were judged by the results of C57BL/6NCrIcrlj mice and C3H/HeNCrIcrlj mice.

*: Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールス・リバー株式会社
代表取締役社長 西尾悦雄


Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Hino Breeding Center

Items	Strain Area Test Date Test	(Rats)				
		Cri:CD(SD)	Cri:WI(Han)	LEW/CriCrIj	BN/CriCrIj	Cri:CD(SD)
		H-11 6/23	H-11 6/23	H-13 6/23	H-13 6/23	H-21 6/23
Sendai Virus	○	0/10	0/5	0/10	0/5	0/15
MHV (SDAV)	○	0/10	0/5	0/10	0/5	0/15
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/10	0/5	0/15
<i>Clostridium piliforme</i>	○	0/10	0/5	0/10	0/5	0/15
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/10	0/5	0/15
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/10	0/5	0/15
<i>Salmonella</i> spp.	◎	0/10	0/5	0/10	0/5	0/15
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/10	0/5	0/15
<i>Syphacia</i> spp.	●	0/10	0/5	0/10	0/5	0/15
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/10	0/5	0/15

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Area Test Date Test	(Rats)		
		Crlj:WI T-11 6/16	LEW/CrlCrlj T-11 6/16	Crl:CD(SD) T-21 6/16
Sendai Virus	○	0/10	0/5	0/15
MHV (SDAV)	○	0/10	0/5	0/15
<i>Mycoplasma pulmonis</i>	○	0/10	0/5	0/15
<i>Clostridium piliforme</i>	○	0/10	0/5	0/15
<i>Corynebacterium kutscheri</i>	◎	0/10	0/5	0/15
<i>Bordetella bronchiseptica</i>	◎	0/10	0/5	0/15
<i>Salmonella</i> spp.	◎	0/10	0/5	0/15
<i>Pasteurella pneumotropica</i>	△	0/10	0/5	0/15
<i>Syphacia</i> spp.	●	0/10	0/5	0/15
<i>Pseudomonas* aeruginosa</i>	△	0/10	0/5	0/15


Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain	(Mice)		
		JAX [®] Mice Strain C57BL/6J	JAX [®] Mice Strain B6.V- <i>Lep^{ob}/J</i> ?/+	JAX [®] Mice Strain BKS.Cg- <i>Dock7^m +/+ Lepr^{ab}/J</i> +/db
	Genotype Area	T-12	T-22	T-22
	Test Date	6/16	6/16	6/16
	Test			
Sendai Virus	○	0/15	0/5	0/5
MHV	○	0/15	0/5	0/5
<i>Mycoplasma pulmonis</i>	○	0/15	0/5	0/5
<i>Clostridium piliforme</i>	○	0/15	0/5	0/5
<i>Corynebacterium kutscheri</i>	◎	0/15	0/5	0/5
<i>Bordetella bronchiseptica</i>	◎	0/15	0/5	0/5
<i>Salmonella</i> spp.	◎	0/15	0/5	0/5
<i>Pasteurella pneumotropica</i>	△	0/15	0/5	0/5
<i>Citrobacter rodentium</i>	△	0/15	0/5	0/5
<i>Syphacia</i> spp.	●	0/15	0/5	0/5
<i>Pseudomonas* aeruginosa</i>	△	0/15	0/5	0/5

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

* : Non-Specific Pathogen

Charles River Laboratories Japan, Inc.

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX[®] Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX[®] Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory

and maintained in accordance with JAX[®] Mice Genetic Quality Program.

日本チャールス・リバー株式会社
代表取締役社長 西尾悦雄


Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (Second Report, June 2009)

July 3, 2009

Tested by Charles River Laboratories Japan, Inc.

LOCATION : Tsukuba Breeding Center

Items	Strain Genotype Area Test Date Test	(Immunodeficient Mice)	
		CAnN.Cg-Foxn1 tm /CrlCrIj nu/nu T-23 6/16	nu/+ T-23 6/16
Sendai Virus	○	NT ²	0/10
MHV	○	NT	0/10
<i>Mycoplasma pulmonis</i>	○	NT	0/10
<i>Clostridium piliforme</i>	○	NT	0/10
<i>Corynebacterium kutscheri</i>	◎	0/10	0/10
<i>Bordetella bronchiseptica</i>	◎	0/10	0/10
<i>Salmonella</i> spp.	◎	0/10	0/10
<i>Pasteurella pneumotropica</i>	△	0/10	0/10
<i>Staphylococcus aureus</i>	△	0/10	0/10
<i>Citrobacter rodentium</i>	△	0/10	0/10
<i>Pseudomonas aeruginosa</i>	△	0/10	0/10
<i>Syphacia</i> spp.	●	0/10	0/10

Remarks : 1 : ○ = Serology, ◎ = Serology & Bacteriology, △ = Bacteriology, ● = Parasitology

2 : Tested animals were all 8~12 weeks old.

*2: Not tested

Charles River Laboratories Japan, Inc.

日本チャールス・リバー株式会社
代表取締役社長 西尾悦雄

Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

SPECIES : Isolator-Maintained Immunodeficient Mice

ITEMS

SEND	0/9
PVM	0/9
MHV	0/9
MVM	0/9
TMEV(GD-VII)	0/9
REO	0/9
MPUL	0/9
MPV	0/9
EDIM	0/9

STRAIN


JAX[®] Mice Strain NOD.CB17-Prkdc^{scid} /J
C57BL/6NCrCrj *

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX[®] Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.
JAX[®] Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory
and maintained in accordance with JAX[®] Mice Genetic Quality Program.

* : C57BL/6NCrCrj mice were tested as sentinels for JAX[®] Mice Strain NOD.CB17-Prkdc^{scid} /J mice.

SAMPLING DATE : June 10, 2009
APPROVAL DATE : June 25, 2009
Tested by Charles River Diagnostics in U.S.A.


Eiichi Morimura, D.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.

SPECIES : Isolator-Maintained Immunodeficient Mice

ITEMS


SEND	0/12
PVM	0/12
MHV	0/12
MVM	0/12
TMEV(GD-VII)	0/12
REO	0/12
MPUL	0/12
MPV	0/12
EDIM	0/12

STRAIN

CB17/Icr-Prkdc^{scid}/CrICrlj
C57BL/6NCrICrlj *

* : C57BL/6NCrICrlj mice were tested as sentinels for CB17/Icr-Prkdc^{scid}/CrICrlj mice.

SAMPLING DATE : June 10, 2009
APPROVAL DATE : June 25, 2009
Tested by Charles River Diagnostics in U.S.A.


Eiichi Morimura, B.V.M.
Quality Assurance Director
Charles River Laboratories Japan, Inc.

LABORATORY REPORT

REPORT DATE : July 3, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

ITEMS

JAX[®] Mice Strain
NOD.CB17-Prkdc^{scid}/J scid/scid*P. carinii*

0/9

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

Only JAX[®] Mice strains bred by Charles River Laboratories in Europe and Japan are equivalent in genetic quality to those bred by The Jackson Laboratory.

JAX[®] Mice bred by Charles River Japan are derived from pedigreed foundation stock from The Jackson Laboratory and maintained in accordance with JAX[®] Mice Genetic Quality Program.

SAMPLING DATE : June 10, 2009

APPROVAL DATE : June 29, 2009

Tested by Charles River Diagnostics in U.S.A.

Eiichi Morimura, D.V.M.

Quality Assurance Director

Charles River Laboratories Japan, Inc.



LABORATORY REPORT

REPORT DATE : July 3, 2009

LOCATION : Yokohama Breeding Center

SPECIES : Isolator-Maintained Immunodeficient Mice

CB17/*lcr-Prkdc^{scid}*/Crj *scid/scid*

ITEMS

P. carinii

0/12

SAMPLING DATE : June 10, 2009

APPROVAL DATE : June 29, 2009

Tested by Charles River Diagnostics in U.S.A.

A handwritten signature in black ink, appearing to read "Eiichi Morimura", is written over a horizontal line.

Eiichi Morimura, D.V.M.

Quality Assurance Director

Charles River Laboratories Japan, Inc.



日本チャールス・リバー株式会社



受領 27.05.2009

分析報告書

サンプルコード: 257-2009-05000037 分析 27.05.2009 - 22.06.2009
 顧客コード: ベータチップ

分析	結果	単位	定量限界
J1003 ヒ素 (As として) ヒ素	<0.10	ppm	0.10
J1005 カドミウム カドミウム	0.10	ppm	0.01
J1013 鉛 鉛	0.11	ppm	0.05
J1018 水銀 水銀	<0.005	ppm	0.005
JJ006 アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
J7211 カビ カビ	<10	cfu/g	10
JJB01 一般細菌数 (生菌数) 好気性菌数 (30°C)	200	cfu/g	10
J9122 サルモネラ サルモネラ	陰性	/25 g	
JJB35 大腸菌 大腸菌	陰性	cfu/g	

報告結果の再生については分析所の許可が必要となります。報告結果は、分析したサンプルのみに適用されます。


J3246 乾燥減量
 含水量

7.4 % 0.1

SP001 ビレスロイドを含む有機塩素系農薬


γ-BHC (リンデン)	<0.001	ppm	0.001
DDT 及び代謝物 (総計)	<0.01	ppm	
DDT, p,p'-	<0.001	ppm	0.001
DDT, o,p'-	<0.001	ppm	0.001
DDE, p,p'-	<0.002	ppm	0.002
DDE, o,p'-	<0.002	ppm	0.002
DDD, p,p'-	<0.002	ppm	0.002
DDD, o,p'-	<0.002	ppm	0.002
エンドリン	<0.002	ppm	0.002
ディルドリン	<0.001	ppm	0.001
アルドリン	<0.001	ppm	0.001
ヘプタクロル	<0.001	ppm	0.001

SP004 有機リン系農薬

パラチオン	<0.01	ppm	0.01
ダイアジノン	<0.01	ppm	0.01
馬拉チオン (馬拉ソ)	<0.01	ppm	0.01
パラチオンメチル	<0.01	ppm	0.01

SP103 ボリ塩化 ビフェニル

7 PCB 測定総計	<0.07	ppm	
PCB IUPAC 28	<0.01	ppm	0.01
PCB IUPAC 52	<0.01	ppm	0.01
PCB IUPAC 101	<0.01	ppm	0.01
PCB IUPAC 118	<0.01	ppm	0.01
PCB IUPAC 138	<0.01	ppm	0.01
PCB IUPAC 153	<0.01	ppm	0.01
PCB IUPAC 180	<0.01	ppm	0.01



 Colin Granier
 Chemistry Customer Services Manager



日本ナマルス・リバー株式会社

受領 27.05.2009

分析報告書


サンプルコード: 257-2009-05000036 分析 27.05.2009 – 22.06.2009
 顧客コード: ホワイトフレーク

分析	結果	単位	定量限界
J1003 ヒ素 (As として) ヒ素	<0.10	ppm	0.10
J1005 カドミウム カドミウム	0.06	ppm	0.01
J1013 鉛 鉛	0.15	ppm	0.05
J1018 水銀 水銀	<0.005	ppm	0.005
JJ006 アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
J7211 カビ カビ	<10	cfu/g	10
JJB01 一般細菌数 (生菌数) 好気性菌数 (30°C)	<10	cfu/g	10
J9122 サルモネラ サルモネラ	陰性	/25 g	
JJB35 大腸菌 大腸菌	陰性	cfu/g	

報告結果の再生については分析所の許可が必要となります。報告結果は、分析したサンプルのみに適用されます。



J3246 乾燥減量			
含水量	7.52	%	0.1
SP001 ビレスロイドを含む有機塩素系農薬			
γ-BHC (リンデン)	<0.001	ppm	0.001
DDT 及び代謝物 (総計)	<0.01	ppm	
DDT, p,p'-	<0.001	ppm	0.001
DDT, o,p'-	<0.001	ppm	0.001
DDE, p,p'-	<0.002	ppm	0.002
DDE, o,p'-	<0.002	ppm	0.002
DDD, p,p'-	<0.002	ppm	0.002
DDD, o,p'-	<0.002	ppm	0.002
エンドリン	<0.002	ppm	0.002
ディルドリン	<0.001	ppm	0.001
アルドリン	<0.001	ppm	0.001
ヘプタクロル	<0.001	ppm	0.001
SP004 有機リン系農薬			
パラチオン	<0.01	ppm	0.01
ダイアジノン	<0.01	ppm	0.01
マラチオン (マラソン)	<0.01	ppm	0.01
パラチオンメチル	<0.01	ppm	0.01
SP103 ボリ塩化 ビフェニル			
7 PCB 測定総計	<0.07	ppm	
PCB IUPAC 28	<0.01	ppm	0.01
PCB IUPAC 52	<0.01	ppm	0.01
PCB IUPAC 101	<0.01	ppm	0.01
PCB IUPAC 118	<0.01	ppm	0.01
PCB IUPAC 138	<0.01	ppm	0.01
PCB IUPAC 153	<0.01	ppm	0.01
PCB IUPAC 180	<0.01	ppm	0.01



Colin Granier
Chemistry Customer Services Manager