

HEALTH MONITORING REPORT (August 2009, Second Report)

Printed date: September 07, 2009

Location: Atsugi Breeding Center

Species: MICE


Agents	Area	A11	A12	A13	A23	A24
	Strains & Stocks	SJL/ForCrCrj ³ CBA/JNCrj ³ Crj:CD1(ICR) NC/NgaTndCrj ³	CAnN.Cg-Foxn1 ^{nu} /CrjCrj ⁴ Crj:CD1-Foxn1 ^{nu} ³	C57BL/6NCrjCrj DBA/2NCrjCrj ³ B6D2F1/Crj ³	BALB/cAnNCrjCrj DBA/2NCrjCrj ³ CD2F1/Crj ³	CAnN.Cg-Foxn1 ^{nu} /CrjCrj ⁴
	Test period Technique	August 24 - 31	August 24 - 31	August 24 - 31	August 24 - 31	August 24 - 31
VIRUSES						
Sendai Virus ¹	ELISA	0/4	0/4	0/4	0/4	0/4
Mouse Hepatitis Virus ¹	ELISA	0/4	0/4	0/4	0/4	0/4
BACTERIA						
<i>Citrobacter rodentium</i>	Culture	0/4	0/4	0/4	0/4	0/4
<i>Pseudomonas aeruginosa</i> ²	Culture	0/4	0/4	0/4	0/4	0/4
<i>Pasteurella pneumotropica</i>	Culture	0/4	0/4	0/4	0/4	0/4
<i>Staphylococcus aureus</i> ²	Culture	-	0/4	-	-	0/4
<i>Bordetella bronchiseptica</i> ¹	Culture/MAG	0/4	0/4	0/4	0/4	0/4
<i>Corynebacterium kutscheri</i> ¹	Culture/MAG	0/4	0/4	0/4	0/4	0/4
<i>Salmonella</i> spp. ¹	Culture/MAG	0/4	0/4	0/4	0/4	0/4
<i>Mycoplasma pulmonis</i> ¹	ELISA	0/4	0/4	0/4	0/4	0/4
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	ELISA	0/4	0/4	0/4	0/4	0/4
PARASITES AND FUNGI						
<i>Syphacia muris</i>	Direct Examination	0/4	0/4	0/4	0/4	0/4
<i>Syphacia obvelata</i>	Direct Examination	0/4	0/4	0/4	0/4	0/4

MAG = Agglutination test

Tested by Charles River Laboratories Japan, Inc.

- Remarks : 1: Serology on immunocompetent animals from each colony
 2: Not considered as specific pathogens for immunocompetent strains
 3: Not tested strains or stocks; monitoring on parents or other strains in the area
 4: Monitoring on *nu/+* mice

日本チャールス・リバー株式会社
 代表取締役社長 西尾悦雄



Eiichi Morimura
 Eiichi Morimura, D.V.M.
 Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (August 2009, Second Report)


Agents	Area	A15	A21	A22	A25
	Strains & Stocks	F344/DuCrjCrj	SHR/NCrjCrj WKY/NCrjCrj ³ ZDF-Lepr ⁶ /CrjCrj ³	Crj:CD(SD)	Crj:ZUC-Lepr ⁶
	Test period Technique	August 24 - 31	August 24 - 31	August 24 - 31	August 24 - 31
VIRUSES					
Sendai Virus ¹	ELISA	0/4	0/4	0/4	0/4
Sialodacryoadenitis Virus ¹	ELISA	0/4	0/4	0/4	0/4
BACTERIA					
<i>Pseudomonas aeruginosa</i> ²	Culture	0/4	0/4	0/4	0/4
<i>Pasteurella pneumotropica</i>	Culture	0/4	0/4	0/4	0/4
<i>Bordetella bronchiseptica</i> ¹	Culture/MAG	0/4	0/4	0/4	0/4
<i>Corynebacterium kutschhari</i> ¹	Culture/MAG	0/4	0/4	0/4	0/4
<i>Salmonella</i> spp. ¹	Culture/MAG	0/4	0/4	0/4	0/4
<i>Mycoplasma pulmonis</i> ¹	ELISA	0/4	0/4	0/4	0/4
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	ELISA	0/4	0/4	0/4	0/4
PARASITES AND FUNGI					
<i>Syphacia muris</i>	Direct Examination	0/4	0/4	0/4	0/4
<i>Syphacia obvelata</i>	Direct Examination	0/4	0/4	0/4	0/4


MAG = Agglutination test

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not tested strains or stocks; monitoring on parents or other strains in the area

日本チャールズ・リバー株式会社
代表取締役社長 西尾 悦雄




Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (August 2009, Second Report)


Agents	Area	H12	H23
	Strains & Stocks	Crj:CD1(ICR) C57BL/6NHCrlj ³ C3H/HeNHCrlj ³ B6C3F1/Crlj ³	BALB/cAnNHCrlj DBA/1JNCrlj ³
	Test period Technique	August 26 - 31	August 26 - 31
VIRUSES			
Sendai Virus ¹	ELISA	0/4	0/4
Mouse Hepatitis Virus ¹	ELISA	0/4	0/4
BACTERIA			
<i>Citrobacter rodentium</i>	Culture	0/4	0/4
<i>Pseudomonas aeruginosa</i> ²	Culture	0/4	0/4
<i>Pasteurella pneumotropica</i>	Culture	0/4	0/4
<i>Bordetella bronchiseptica</i> ¹	Culture/MAG	0/4	0/4
<i>Corynebacterium kutscheri</i> ¹	Culture/MAG	0/4	0/4
<i>Salmonella</i> spp. ¹	Culture/MAG	0/4	0/4
<i>Mycoplasma pulmonis</i> ¹	ELISA	0/4	0/4
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	ELISA	0/4	0/4
PARASITES AND FUNGI			
<i>Syphacia muris</i>	Direct Examination	0/4	0/4
<i>Syphacia obvelata</i>	Direct Examination	0/4	0/4


MAG = Agglutination test

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not tested strains or stocks; monitoring on parents or other strains in the area

日本チャールス・リバー株式会社
代表取締役社長 西尾悦雄




Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (August 2009, Second Report)


Agents	Area	H11	H13	H21
	Strains & Stocks	Cr:CD(SD) Cr:WI(Han) ³	LEW/CrCrj BN/CrCrj ³	Cr:CD(SD)
	Test period Technique	August 26 - 31	August 26 - 31	August 26 - 31
VIRUSES				
Sendai Virus ¹	ELISA	0/4	0/4	0/4
Sialodacryoadenitis Virus ¹	ELISA	0/4	0/4	0/4
BACTERIA				
<i>Pseudomonas aeruginosa</i> ²	Culture	0/4	0/4	0/4
<i>Pasteurella pneumotropica</i>	Culture	0/4	0/4	0/4
<i>Bordetella bronchiseptica</i> ¹	Culture/MAG	0/4	0/4	0/4
<i>Corynebacterium kutscheri</i> ¹	Culture/MAG	0/4	0/4	0/4
<i>Salmonella</i> spp. ¹	Culture/MAG	0/4	0/4	0/4
<i>Mycoplasma pulmonis</i> ¹	ELISA	0/4	0/4	0/4
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	ELISA	0/4	0/4	0/4
PARASITES AND FUNGI				
<i>Syphacia muris</i>	Direct Examination	0/4	0/4	0/4
<i>Syphacia obvelata</i>	Direct Examination	0/4	0/4	0/4


Tested by Charles River Laboratories Japan, Inc.

MAG = Agglutination test

Remarks: 1: Serology on immunocompetent animals from each colony
 2: Not considered as specific pathogens for immunocompetent strains
 3: Not tested strains or stocks; monitoring on parents or other strains in the area

日本チャールス・リバー株式会社
 代表取締役社長 西尾悦雄




 Eiichi Morimura, D.V.M.
 Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (August 2009, Second Report)

Agents	Area	T12	T22	T23
	Strains & Stocks	JAX [®] Mice Strain C57BL/6J	JAX [®] Mice Strain B6.V-Lep ^{ob/1} JAX [®] Mice Strain BKS.Cg-Dock7 ^m +/+ Lep ^{ob/1} 3	CAAn.Cg-Foxn1 ^{tm1} /CrJ 4
	Test period Technique	August 25 - 31	August 25 - 31	August 25 - 31
VIRUSES				
Sendai Virus ¹	ELISA	0/4	0/4	0/4
Mouse Hepatitis Virus ¹	ELISA	0/4	0/4	0/4
BACTERIA				
<i>Citrobacter rodentium</i>	Culture	0/4	0/4	0/4
<i>Pseudomonas aeruginosa</i> ²	Culture	0/4	0/4	0/4
<i>Pasteurella pneumotropica</i>	Culture	0/4	0/4	0/4
<i>Staphylococcus aureus</i> ²	Culture	-	-	0/4
<i>Bordetella bronchiseptica</i> ¹	Culture/MAG	0/4	0/4	0/4
<i>Corynebacterium kutscheri</i> ¹	Culture/MAG	0/4	0/4	0/4
<i>Salmonella</i> spp. ¹	Culture/MAG	0/4	0/4	0/4
<i>Mycoplasma pulmonis</i> ¹	ELISA	0/4	0/4	0/4
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	ELISA	0/4	0/4	0/4
PARASITES AND FUNGI				
<i>Syphacia muris</i>	Direct Examination	0/4	0/4	0/4
<i>Syphacia obvelata</i>	Direct Examination	0/4	0/4	0/4

MAG = Agglutination test

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not tested strains or stocks; monitoring on parents or other strains in the area
4: Monitoring on *nu/nu* mice

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (August 2009, Second Report)


Agents	Area	T11	T21
	Strains & Stocks	Crj:W1 LEW/CrCrj ³	Cr:CD(SD)
	Test period Technique	August 25 - 31	August 25 - 31
VIRUSES			
Sendai Virus ¹	ELISA	0/4	0/4
Sialodacryoadenitis Virus ¹	ELISA	0/4	0/4
BACTERIA			
<i>Pseudomonas aeruginosa</i> ²	Culture	0/4	0/4
<i>Pasteurella pneumotropica</i>	Culture	0/4	0/4
<i>Bordetella bronchiseptica</i> ¹	Culture/MAG	0/4	0/4
<i>Corynebacterium kutscheri</i> ¹	Culture/MAG	0/4	0/4
<i>Salmonella</i> spp. ¹	Culture/MAG	0/4	0/4
<i>Mycoplasma pulmonis</i> ¹	ELISA	0/4	0/4
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	ELISA	0/4	0/4
PARASITES AND FUNGI			
<i>Syphacia muris</i>	Direct Examination	0/4	0/4
<i>Syphacia obvelata</i>	Direct Examination	0/4	0/4

Tested by Charles River Laboratories Japan, Inc.

MAG = Agglutination test

Remarks: 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not tested strains or stocks; monitoring on parents or other strains in the area

日本チャールス・リバー株式会社
代表取締役社長 西尾悦雄


Eiichi Morimura, D.V.M.
Quality Assurance Director