

Species: MICE

HEALTH MONITORING REPORT (August 2010)

Printed date: August 27, 2010

Location: Atsugi Breeding Center

| Agents | Area | A11 | A12 | A13 | A14 | A23 | A24 |
|--|--------------------------|---|--|--|------------------------------------|--|---|
| | Strains & Stocks | SJL/JOrlCrIcrIj CBA/JNcrIj CrIj:CD1(ICR) NC/NgaTndCrIj | CAnN.Cg-Foxn1 tm /CrIcrIj ⁴ CrIj:CD1-Foxn1 ^{nu} ⁴ | C57BL/6NcrIcrIj DBA/2NcrIcrIj JAX [®] Mice Strain CBA/J B6D2F1/CrIj ³ | JAX [®] Mice Strain SJL/J | BALB/cAnNcrIcrIj DBA/2NcrIcrIj CD2F1/CrIj ³ | CAnN.Cg-Foxn1 tm /CrIcrIj ⁴ |
| | Test period Technique | August 2 - 9 | August 2 - 9 | August 3 - 9 | August 3 - 9 | August 3 - 9 | August 2 - 9 |
| VIRUSES | | | | | | | |
| Sendai Virus ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Pneumonia Virus of Mice ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Mouse Hepatitis Virus ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Minute Virus of Mice ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Mouse Parvovirus (1 or 2) ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Murine Norovirus ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Theiler's Murine Encephalomyelitis Virus ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Reovirus ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| Epizootic Diarrhea of Infant Mice Virus ¹ (m) | MFIA | 0/16 | 0/8 | 0/16 | 0/16 | 0/16 | 0/8 |
| BACTERIA | | | | | | | |
| <i>Bordetella bronchiseptica</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Citrobacter rodentium</i> (m) | Culture | 0/8 | 0/8 | 0/8 | 0/8 | 0/8 | 0/8 |
| <i>Corynebacterium kutscheri</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Pasteurella pneumotropica</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Pseudomonas aeruginosa</i> ² (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Salmonella</i> spp. (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Staphylococcus aureus</i> ² (m) | Culture | - | 0/16 | - | - | - | 0/16 |
| <i>Streptococcus pneumoniae</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Mycoplasma pulmonis</i> ¹ (m) | PCR/MFIA | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m) | Lesions/MFIA | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| PARASITES AND FUNGI | | | | | | | |
| Ectoparasites (m) | Direct Examination | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| Pinworms (m) | Direct Examination | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 | 0/16 |
| Gastrointestinal protozoa (m) | Direct Examination | 0/8 | 0/8 | 0/8 | 0/8 | 0/8 | 0/8 |

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

- Remarks : 1: Serology on immunocompetent animals from each colony
 2: Not considered as specific pathogens for immunocompetent strains
 3: Not tested strains or stocks; monitoring on parents or other strains in the area
 4: Monitoring on both *nu/nu* and *nu/+* mice

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールズ・リバー株式会社
 代表取締役社長 西尾悦雄





 Eiichi Morimura, D.V.M.
 Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (August 2010)

| Agents | Area | A15 | A21 | A22 | A25 |
|--|--------------------------|---------------|--|---------------|-----------------------------------|
| | Strains & Stocks | F344/DuCrjCrj | ZDF- <i>Lepr</i> ^g /CrjCrj Crj:ZUC- <i>Lepr</i> ^g | Crj:CD(SD) | Crj:ZUC- <i>Lepr</i> ^g |
| | Test period Technique | August 5 - 22 | August 9 - 19 | August 9 - 19 | August 9 - 12 |
| VIRUSES | | | | | |
| Sendai Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Pneumonia Virus of Mice ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Sialodacryoadenitis Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Rat Minute Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Rat Parvovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Toolan's H-1 Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Kilham Rat Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Reovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| Rat Theilovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| BACTERIA | | | | | |
| <i>Bordetella bronchiseptica</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Corynebacterium kutscheri</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Pasteurella pneumotropica</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Pseudomonas aeruginosa</i> ² (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Salmonella</i> spp. (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Streptococcus pneumoniae</i> (m) | Culture | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Mycoplasma pulmonis</i> ¹ (m) | PCR/MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m) | Lesions/MFIA | 0/16 | 0/16 | 0/16 | 0/16 |
| PARASITES AND FUNGI | | | | | |
| Ectoparasites (m) | Direct Examination | 0/16 | 0/16 | 0/16 | 0/16 |
| Pinworms (m) | Direct Examination | 0/16 | 0/16 | 0/16 | 0/16 |
| Gastrointestinal protozoa (m) | Direct Examination | 0/8 | 0/8 | 0/8 | 0/8 |

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains

日本チャールス・リバー株式会社
代表取締役社長 西尾悦雄




Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (August 2010)

Printed date: August 27, 2010
Location: Hino Breeding Center

Species: MICE

| Agents | Area | H12 | H23 |
|--|--------------------------|--|-------------------------------|
| | Strains & Stocks | Crj:CD1(ICR) C57BL/6NCrjCrj C3H/HeNCrjCrj B6C3F1/Crj ³ | BALB/cAnNCrjCrj DBA/1JNCrj |
| | Test period Technique | August 10 - 19 | August 10 - 19 |
| VIRUSES | | | |
| Sendai Virus ¹ (m) | MFIA | 0/16 | 0/16 |
| Pneumonia Virus of Mice ¹ (m) | MFIA | 0/16 | 0/16 |
| Mouse Hepatitis Virus ¹ (m) | MFLA | 0/16 | 0/16 |
| Minute Virus of Mice ¹ (m) | MFLA | 0/16 | 0/16 |
| Mouse Parvovirus (1 or 2) ¹ (m) | MFIA | 0/16 | 0/16 |
| Murine Norovirus ¹ (m) | MFIA | 0/16 | 0/16 |
| Theiler's Murine Encephalomyelitis Virus ¹ (m) | MFIA | 0/16 | 0/16 |
| Reovirus ¹ (m) | MFLA | 0/16 | 0/16 |
| Epizootic Diarrhea of Infant Mice Virus ¹ (m) | MFLA | 0/16 | 0/16 |
| BACTERIA | | | |
| <i>Bordetella bronchiseptica</i> (m) | Culture | 0/16 | 0/16 |
| <i>Citrobacter rodentium</i> (m) | Culture | 0/8 | 0/8 |
| <i>Corynebacterium kutscheri</i> (m) | Culture | 0/16 | 0/16 |
| <i>Pasteurella pneumotropica</i> (m) | Culture | 0/16 | 0/16 |
| <i>Pseudomonas aeruginosa</i> ² (m) | Culture | 0/16 | 0/16 |
| <i>Salmonella</i> spp. (m) | Culture | 0/16 | 0/16 |
| <i>Streptococcus pneumoniae</i> (m) | Culture | 0/16 | 0/16 |
| <i>Mycoplasma pulmonis</i> ¹ (m) | PCR/MFIA | 0/16 | 0/16 |
| <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m) | Lesions/MFIA | 0/16 | 0/16 |
| PARASITES AND FUNGI | | | |
| Ectoparasites (m) | Direct Examination | 0/16 | 0/16 |
| Pinworms (m) | Direct Examination | 0/16 | 0/16 |
| Gastrointestinal protozoa (m) | Direct Examination | 0/8 | 0/8 |

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not tested strains or stocks; monitoring on parents or other strains in the area

日本チャールズリバー株式会社
代表取締役社長 西尾悦雄





Eichi Morimura, D.V.M.
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (August 2010)

| Agents | Area | H11 | H13 | H21 |
|--|--------------------------|---|-----------------------------|----------------|
| | Strains & Stocks | CrI:CD(SD) CrI:WI(Han) SHR/NCrI:CrIj WKY/NCrI:CrIj | LEW/CrI:CrIj BN/CrI:CrIj | CrI:CD(SD) |
| | Test period Technique | August 11 - 19 | August 11 - 19 | August 11 - 19 |
| VIRUSES | | | | |
| Sendai Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Pneumonia Virus of Mice ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Sialodacryoadenitis Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Rat Minute Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Rat Parvovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Toolan's H-1 Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Kilham Rat Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Reovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| Rat Theilovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/16 |
| BACTERIA | | | | |
| <i>Bordetella bronchiseptica</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Corynebacterium kutscheri</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Pasteurella pneumotropica</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Pseudomonas aeruginosa</i> ² (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Salmonella</i> spp. (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Streptococcus pneumoniae</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Mycoplasma pulmonis</i> ¹ (m) | PCR/MFIA | 0/16 | 0/16 | 0/16 |
| <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m) | Lesions/MFIA | 0/16 | 0/16 | 0/16 |
| PARASITES AND FUNGI | | | | |
| Ectoparasites (m) | Direct Examination | 0/16 | 0/16 | 0/16 |
| Pinworms (m) | Direct Examination | 0/16 | 0/16 | 0/16 |
| Gastrointestinal protozoa (m) | Direct Examination | 0/8 | 0/8 | 0/8 |


Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄





Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (August 2010)



| Agents | Area | T12 | T22 | T23 |
|--|--------------------------|---------------------------------------|---|--|
| | Strains & Stocks | JAX [®] Mice Strain C57BL/6J | JAX [®] Mice Strain B6.V-Lep ^{ab} /J JAX [®] Mice Strain BKS.Cg-Dock7 ^m +/+ Lep ^{ab} /J | CAnN.Cg-Foxn1 tm /CrJCrj ³ |
| | Test period Technique | August 4 - 12 | August 4 - 12 | August 4 - 19 |
| VIRUSES | | | | |
| Sendai Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Pneumonia Virus of Mice ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Mouse Hepatitis Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Minute Virus of Mice ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Mouse Parvovirus (1 or 2) ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Murine Norovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Theiler's Murine Encephalomyelitis Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Reovirus ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| Epizootic Diarrhea of Infant Mice Virus ¹ (m) | MFIA | 0/16 | 0/16 | 0/8 |
| BACTERIA | | | | |
| <i>Bordetella bronchiseptica</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Citrobacter rodentium</i> (m) | Culture | 0/8 | 0/8 | 0/8 |
| <i>Corynebacterium kutscheri</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Pasteurella pneumotropica</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Pseudomonas aeruginosa</i> ² (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Salmonella</i> spp. (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Staphylococcus aureus</i> ² (m) | Culture | - | - | 0/16 |
| <i>Streptococcus pneumoniae</i> (m) | Culture | 0/16 | 0/16 | 0/16 |
| <i>Mycoplasma pulmonis</i> ¹ (m) | PCR/MFIA | 0/16 | 0/16 | 0/16 |
| <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m) | Lesions/MFIA | 0/16 | 0/16 | 0/16 |
| PARASITES AND FUNGI | | | | |
| Ectoparasites (m) | Direct Examination | 0/16 | 0/16 | 0/16 |
| Pinworms (m) | Direct Examination | 0/16 | 0/16 | 0/16 |
| Gastrointestinal protozoa (m) | Direct Examination | 0/8 | 0/8 | 0/8 |

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Monitoring on both nu/nu and nu+/ mice
Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄

Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

HEALTH MONITORING REPORT (August 2010)

Printed date: August 27, 2010

Location: Tsukuba Breeding Center

Species: RATS

| Agents | Area | T11 | T21 |
|--|--------------------------|------------------------|---------------|
| | Strains & Stocks | Crij:WI LEW/Cr/Crij | Cr:CD(SD) |
| | Test period Technique | August 5 - 12 | August 5 - 19 |
| VIRUSES | | | |
| Sendai Virus ¹ (m) | MFIA | 0/16 | 0/16 |
| Pneumonia Virus of Mice ¹ (m) | MFIA | 0/16 | 0/16 |
| Sialodacryoadenitis Virus ¹ (m) | MFIA | 0/16 | 0/16 |
| Rat Minute Virus ¹ (m) | MFIA | 0/16 | 0/16 |
| Rat Parvovirus ¹ (m) | MFIA | 0/16 | 0/16 |
| Toolan's H-1 Virus ¹ (m) | MFIA | 0/16 | 0/16 |
| Kilham Rat Virus ¹ (m) | MFIA | 0/16 | 0/16 |
| Reovirus ¹ (m) | MFIA | 0/16 | 0/16 |
| Rat Theilovirus ¹ (m) | MFIA | 0/16 | 0/16 |
| BACTERIA | | | |
| <i>Bordetella bronchiseptica</i> (m) | Culture | 0/16 | 0/16 |
| <i>Corynebacterium kutscheri</i> (m) | Culture | 0/16 | 0/16 |
| <i>Pasteurella pneumotropica</i> (m) | Culture | 0/16 | 0/16 |
| <i>Pseudomonas aeruginosa</i> ² (m) | Culture | 0/16 | 0/16 |
| <i>Salmonella</i> spp. (m) | Culture | 0/16 | 0/16 |
| <i>Streptococcus pneumoniae</i> (m) | Culture | 0/16 | 0/16 |
| <i>Mycoplasma pulmonis</i> ¹ (m) | PCR/MFIA | 0/16 | 0/16 |
| <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m) | Lesions/MFIA | 0/16 | 0/16 |
| PARASITES AND FUNGI | | | |
| Ectoparasites (m) | Direct Examination | 0/16 | 0/16 |
| Pinworms (m) | Direct Examination | 0/16 | 0/16 |
| Gastrointestinal protozoa (m) | Direct Examination | 0/8 | 0/8 |

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (August 2010)

| Agents | Area | Isolator | Isolator | Isolator |
|--|--------------------------|--|---|--|
| | Strains & Stocks | CB17/Icr-Prkdc ^{scid} /CrjCrlj C57BL/6NCrjCrlj (Sentinels) | JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J C57BL/6NCrjCrlj (Sentinels) | Crj:SHO-Prkdc ^{scid} Hr ^{hr} C3H/HeNCrjCrlj (Sentinels) |
| | Test period Technique | August 17 - 22 | August 16 - 22 | August 16 - 22 |
| VIRUSES | | | | |
| Sendai Virus ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Pneumonia Virus of Mice ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Mouse Hepatitis Virus ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Minute Virus of Mice ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Mouse Parvovirus (1 or 2) ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Murine Norovirus ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Theiler's Murine Encephalomyelitis Virus ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Reovirus ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| Epizootic Diarrhea of Infant Mice Virus ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| BACTERIA | | | | |
| <i>Bordetella bronchiseptica</i> | Culture | 0/27 | 0/18 | 0/12 |
| <i>Citrobacter rodentium</i> | Culture | 0/18 | 0/12 | 0/8 |
| <i>Corynebacterium kutscheri</i> | Culture | 0/27 | 0/18 | 0/12 |
| <i>Pasteurella pneumotropica</i> | Culture | 0/27 | 0/18 | 0/12 |
| <i>Pseudomonas aeruginosa</i> | Culture | 0/27 | 0/18 | 0/12 |
| <i>Salmonella</i> spp. | Culture | 0/27 | 0/18 | 0/12 |
| <i>Staphylococcus aureus</i> | Culture | 0/27 | 0/18 | 0/12 |
| <i>Streptococcus pneumoniae</i> | Culture | 0/27 | 0/18 | 0/12 |
| <i>Mycoplasma pulmonis</i> ¹ | MFLA | 0/9 | 0/6 | 0/4 |
| <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ | Lesions/MFLA | 0/27 | 0/18 | 0/12 |
| PARASITES AND FUNGI | | | | |
| Ectoparasites | Direct Examination | 0/27 | 0/18 | 0/12 |
| Pinworms | Direct Examination | 0/27 | 0/18 | 0/12 |
| Gastrointestinal protozoa | Direct Examination | 0/18 | 0/12 | 0/8 |
| <i>Pneumocystis</i> spp. | PCR | 0/9 | 0/6 | 0/4 |

Testing frequency: Isolator-maintained animals are tested quarterly.

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールズリバー株式会社
代表取締役社長 西尾悦雄




Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE (Fecal Sample)

HEALTH MONITORING REPORT (August 2010)

| Agents | Area | Isolator | Isolator | Isolator |
|----------------------------------|--------------------------|--|---|--|
| | Strains & Stocks | CB17/Icr-Prkdc ^{scid} /CrIcrIj C57BL/6NCrIcrIj (Sentinels) | JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J C57BL/6NCrIcrIj (Sentinels) | CrIj:SHO-Prkdc ^{scid} H ^{hr} C3H/HeNCrIcrIj (Sentinels) |
| | Test period Technique | August 16 - 22 | August 16 - 22 | August 16 - 22 |
| BACTERIA | | | | |
| <i>Bordetella bronchiseptica</i> | Culture | 0/38 | 0/24 | 0/10 |
| <i>Citrobacter rodentium</i> | Culture | 0/38 | 0/24 | 0/10 |
| <i>Pseudomonas aeruginosa</i> | Culture | 0/38 | 0/24 | 0/10 |
| <i>Salmonella</i> spp. | Culture | 0/38 | 0/24 | 0/10 |
| <i>Staphylococcus aureus</i> | Culture | 0/38 | 0/24 | 0/10 |

Tested by Charles River Laboratories Japan, Inc.

Testing frequency: Fecal samples of isolator-maintained animals are tested monthly.

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールズ・リバー株式会社
代表取締役社長 西尾悦雄



Eiichi Morimura
Eiichi Morimura, D.V.M.
Quality Assurance Director