

Species: MICE

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Atsugi Breeding Center

Agents	Area	A11	A12	A13	A14	A23	A24
	Strains & Stocks	Chj:CD1 (CR) NC/NgaTndChj	CaN/Cg-Foxn1 tm /ChjChj ⁴ Chj:CD1-Foxn1 tm 4	C57BL/6NChjChj DBA/2NChjChj JAX [®] Mice Strain CBA/J B6D2F1/Chj 3	JAX [®] Mice Strain SJL/J Chj:CD1(CR) NC/NgaTndChj	BALB/cANChjChj DBA/2NChjChj CD2F1/Chj 3	CaN/Cg-Foxn1 tm /ChjChj ⁴
VIRUSES	Test period	February 7 - 16	February 7 - 16	February 10 - 21	February 10 - 21	February 10 - 21	February 7 - 16
	Technique	MRIA MRIA MRIA MRIA MRIA MRIA MRIA MRIA	MRIA MRIA MRIA MRIA MRIA MRIA MRIA MRIA	MRIA MRIA MRIA MRIA MRIA MRIA MRIA MRIA	MRIA MRIA MRIA MRIA MRIA MRIA MRIA MRIA	MRIA MRIA MRIA MRIA MRIA MRIA MRIA MRIA	MRIA MRIA MRIA MRIA MRIA MRIA MRIA MRIA
Sendai Virus ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Pneumonia Virus of Mice ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Mouse Hepatitis Virus ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Minute Virus of Mice ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Mouse Parvovirus (1 or 2) ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Murine Norovirus ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Reovirus ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (m)		0/16	0/8	0/16	0/16	0/16	0/8
BACTERIA							
<i>Bordetella bronchiseptica</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Citrobacter rodentium</i> (m)	Culture	0/8	0/8	0/8	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Pasteurella pneumotropica</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Salmonella</i> spp. (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Staphylococcus aureus</i> ² (m)	Culture	-	0/16	-	-	-	0/16
<i>Streptococcus pneumoniae</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MRIA	0/16	0/16	0/16	0/16	0/16	0/16
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MRIA	0/16	0/16	0/16	0/16	0/16	0/16
PARASITES AND FUNGI							
Ectoparasites (m)	Direct Examination	0/16	0/16	0/16	0/16	0/16	0/16
Pinworms (m)	Direct Examination	0/16	0/16	0/16	0/16	0/16	0/16
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

- Remarks :
- 1: Serology on immunocompetent animals from each colony
 - 2: Not considered as specific pathogens for immunocompetent strains
 - 3: Not tested strains or stocks; monitoring on parents or other strains in the area
 - 4: Monitoring on both *m/mix* and *m/+* mice

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.



日本チャールズ・リバー株式会社
代表取締役社長 池田卓也



Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Aisugi Breeding Center

Agents	Area	A15		A21		A22	
	Strains & Stocks	F344/DuChCrlj		ZDF-Lep ^{hr} /ChCrlj Crlj:ZUC-Lep ^{hr}		Ch:CD(SD)	
VIRUSES	Test period	February 1 - 8		February 1 - 8		February 1 - 8	
	Technique						
Sendai Virus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Pneumonia Virus of Mice ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Sialodactyodentis Virus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Rat Minute Virus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Rat Parvovirus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Toolar's H-1 Virus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Kilham Rat Virus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Reovirus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
Rat Theilovirus ¹ (m)	MEFA	0/16	0/16	0/16	0/16	0/16	0/16
BACTERIA							
<i>Bordetella bronchiseptica</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Corynebacterium kutscheri</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Pasteurella pneumotropica</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Salmonella</i> spp. (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Streptococcus pneumoniae</i> (m)	Culture	0/16	0/16	0/16	0/16	0/16	0/16
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MIFA	0/16	0/16	0/16	0/16	0/16	0/16
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MIFA	0/16	0/16	0/16	0/16	0/16	0/16
PARASITES AND FUNGI							
Ectoparasites (m)	Direct Examination	0/16	0/16	0/16	0/16	0/16	0/16
Pinworms (m)	Direct Examination	0/16	0/16	0/16	0/16	0/16	0/16
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains



日本チャールズリバー株式会社
代表取締役社長 池田卓也



Enichi Mortimura, D.V.M.
Enichi Mortimura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Hino Breeding Center

Agents	Area	H12	H23
	Strains & Stocks		
VIRUSES Sendai Virus ¹ (m) Pneumonia Virus of Mice ¹ (m) Mouse Hepatitis Virus ¹ (m) Minute Virus of Mice ¹ (m) Mouse Parvovirus (1 or 2) ¹ (m) Murine Norovirus ¹ (m) Theiler's Murine Encephalomyelitis Virus ¹ (m) Reovirus ¹ (m) Epizootic Diarrhea of Infant Mice Virus ¹ (m)	Test period	February 8 - 16	February 8 - 16
	Technique	February 8 - 16	February 8 - 16
BACTERIA <i>Bordetella bronchiseptica</i> (m) <i>Citrobacter rodentium</i> (m) <i>Corynebacterium kutscheri</i> (m) <i>Pasteurella pneumotropica</i> (m) <i>Pseudomonas aeruginosa</i> ² (m) <i>Salmonella</i> spp. (m) <i>Streptococcus pneumoniae</i> (m) <i>Mycoplasma pulmonis</i> ¹ (m) <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Culture	0/16	0/16
	Culture	0/8	0/8
	Culture	0/16	0/16
	Culture	0/16	0/16
	Culture	0/16	0/16
	Culture	0/16	0/16
	Culture	0/16	0/16
	PCR/MFIA	0/16	0/16
	Lesions/MFIA	0/16	0/16
	Direct Examination	0/16	0/16
	Direct Examination	0/16	0/16
	Direct Examination	0/8	0/8
PARASITES AND FUNGI Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m)	Direct Examination	0/16	0/16
	Direct Examination	0/16	0/16
	Direct Examination	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

- Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not tested strains or stocks; monitoring on parents or other strains in the area



池田卓也
代表取締役社長



池田卓也
Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Hino Breeding Center

Agents	Area		H11	H13	H21
	Strains & Stocks	Test period	Ch:CD(SD) Ch:W(Chan) SHR/NC/Chji WKY/NC/Chji	LEW/Ch/Chji BN/Ch/Chji	Ch:CD(SD)
VIRUSES		Technique	February 3 - 14	February 3 - 14	February 3 - 14
Sendai Virus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Pneumonia Virus of Mice ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Sendai Virus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Rat Minute Virus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Rat Parvovirus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Tooltan's H-1 Virus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Kilham Rat Virus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Reovirus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
Rat Theilovirus ¹ (m)	MFLA	0/16	0/16	0/16	0/16
BACTERIA					
<i>Bordetella bronchiseptica</i> (m)	Culture	0/16	0/16	0/16	0/16
<i>Corynebacterium kutscheri</i> (m)	Culture	0/16	0/16	0/16	0/16
<i>Pasteurella pneumotropica</i> (m)	Culture	0/16	0/16	0/16	0/16
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/16	0/16	0/16	0/16
<i>Salmonella</i> spp. (m)	Culture	0/16	0/16	0/16	0/16
<i>Streptococcus pneumoniae</i> (m)	Culture	0/16	0/16	0/16	0/16
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFLA	0/16	0/16	0/16	0/16
<i>Myxosporella piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFLA	0/16	0/16	0/16	0/16
PARASITES AND FUNGI					
Ectoparasites (m)	Direct Examination	0/16	0/16	0/16	0/16
Pintworms (m)	Direct Examination	0/16	0/16	0/16	0/16
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains



日本チャールズリバー株式会社
代表取締役社長 池田卓也



Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Tsukuba Breeding Center

Agents	Area		Strains & Stocks	Test period	Technique	T12	T22	T23
	JAX [®] Mice Strain C57BL/6J					JAX [®] Mice Strain BKS-Cg-Dock7 tm +/+ Lep rd /J		
VIRUSES						February 9 - 16	February 9 - 21	February 9 - 21
Sendai Virus ¹ (m)	MFLA	0/16						0/8
Pneumonia Virus of Mice ¹ (m)	MFLA	0/16						0/8
Mouse Hepatitis Virus ¹ (m)	MFLA	0/16						0/8
Minute Virus of Mice ¹ (m)	MFLA	0/16						0/8
Mouse Parvovirus (1 or 2) ¹ (m)	MFLA	0/16						0/8
Murine Norovirus ¹ (m)	MFLA	0/16						0/8
Theller's Murine Encephalomyelitis Virus ¹ (m)	MFLA	0/16						0/8
Reovirus ¹ (m)	MFLA	0/16						0/8
Epiczotic Diarrhea of Infant Mice Virus ¹ (m)	MFLA	0/16						0/8
BACTERIA								
<i>Bordetella bronchiseptica</i> (m)	Culture	0/16						0/16
<i>Citrobacter rodentium</i> (m)	Culture	0/8						0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/16						0/16
<i>Pasteurella pneumotropica</i> (m)	Culture	0/16						0/16
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/16						0/16
<i>Salmonella</i> spp. (m)	Culture	0/16						0/16
<i>Staphylococcus aureus</i> ² (m)	Culture	-						0/16
<i>Streptococcus pneumoniae</i> (m)	Culture	0/16						0/16
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFLA	0/16						0/16
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFLA	0/16						0/16
PARASITES AND FUNGI								
Ectoparasites (m)	Direct Examination	0/16						0/16
Pinworms (m)	Direct Examination	0/16						0/16
Gastrointestinal protozoa (m)	Direct Examination	0/8						0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1. Serology on immunocompetent animals from each colony

2. Not considered as specific pathogens for immunocompetent strains

3. Monitoring on both *m/m* and *m/+* mice

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.



池田卓也



Etichi Morimura, Ph.D.
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Tsukuba Breeding Center

Agents	Area	T11	T21
	Strains & Stocks		
VIRUSES Sendai Virus ¹ (m) Pneumonia Virus of Mice ¹ (m) Sialodactyoadentis Virus ¹ (m) Rat Minute Virus ¹ (m) Rat Parvovirus ¹ (m) Toxlan's H-1 Virus ¹ (m) Kihana Rat Virus ¹ (m) Reovirus ¹ (m) Rat Theilovirus ¹ (m) BACTERIA Bordetella bronchiseptica (m) Corynebacterium kutscheri (m) Pasteurella pneumotropica (m) Pseudomonas aeruginosa ² (m) Salmonella spp. (m) Streptococcus pneumoniae (m) Mycoplasma pulmonis ¹ (m) Clostridium piliforme (Tyzzer's Disease) ¹ (m)	Technique	February 2 - 8	February 2 - 8
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
	MFLA	0/16	0/16
PARASITES AND FUNGI Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m)	Direct Examination	0/16	0/16
	Direct Examination	0/16	0/16
	Direct Examination	0/8	0/8
	Direct Examination	0/8	0/8

Monitoring frequency: (m) monthly; (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains



代表取締役社長 池田卓也



Enichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Yokohama Breeding Center

Agents	Area		Isolator	Isolator	Isolator				
	Strains & Stocks	Test period							
VIRUSES Sendai Virus ¹ Pneumonia Virus of Mice ¹ Mouse Hepatitis Virus ¹ Minute Virus of Mice ¹ Mouse Parvovirus (1 or 2) ¹ Murine Norovirus ¹ Reovirus ¹ Theiler's Murine Encephalomyelitis Virus ¹ Epizootic Diarrhea of Infant Mice Virus ¹	Technique	February 15 - 22	C317/1cr-Prkdc ^{scid} /ChCrlj C3H/HeNChCrlj (Sentinels)	February 14 - 21	C3H/HeNChCrlj C3H/HeNChCrlj (Sentinels)				
						MEDIA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						MFLA	0/16	0/10	0/5
						BACTERIA <i>Bordetella bronchiseptica</i> <i>Citrobacter rodentium</i> <i>Corynebacterium kutscheri</i> <i>Pasteurella pneumotropica</i> <i>Pseudomonas aeruginosa</i> <i>Salmonella</i> spp. <i>Staphylococcus aureus</i> <i>Streptococcus pneumoniae</i> <i>Mycoplasma pulmonis</i> ¹ <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	Lesions/MFLA	0/48	0/30
Culture	0/48	0/10	0/15						
Culture	0/32	0/20	0/10						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
Culture	0/48	0/30	0/15						
PARASITES AND FUNGI Ectoparasites Pinworms Gastrointestinal protozoa <i>Pneumocystis</i> spp.	Direct Examination Direct Examination Direct Examination PCR	0/48 0/48 0/32 0/16	0/30 0/30 0/20 0/10	0/15 0/15 0/10 0/5					
					Direct Examination	0/48	0/30	0/15	
					Direct Examination	0/48	0/30	0/15	
					Direct Examination	0/32	0/20	0/10	
					PCR	0/16	0/10	0/5	

Testing frequency: Isolator-maintained animals are tested quarterly.

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.



日本チャールズリバー株式会社
代表取締役社長 池田卓也

Eiichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE (Fecal Sample)

HEALTH MONITORING REPORT (February 2011)

Printed date: February 25, 2011
Location: Yokohama Breeding Center

Agents	Area		Isolator	Isolator	Isolator			
	Strains & Stocks	Test period						
BACTERIA <i>Bordetella bronchiseptica</i> <i>Citrobacter rodentium</i> <i>Pseudomonas aeruginosa</i> <i>Salmonella</i> spp. <i>Staphylococcus aureus</i>	Culture Culture Culture Culture Culture	February 14 - 21	CBI17/ICr- <i>Pykdc^{ssd}</i> /CtCrIj C3H/HeNCrIcIj (Sentinels)	February 14 - 21	IAX [®] Mice Strain NOD.CBI17- <i>Pykdc^{ssd}</i> /J C57BL/6NCrIcIj (Sentinels) C3H/HeNCrIcIj (Sentinels)			
						0/48	0/24	0/14
						0/48	0/24	0/14
						0/48	0/24	0/14
						0/48	0/24	0/14

Testing frequency: Fecal samples of isolator-maintained animals are tested monthly.

Tested by Charles River Laboratories Japan, Inc.

Note: IAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.




代表取締役社長

池田卓也



Eichi Morimura
Eichi Morimura, D.V.M.
Quality Assurance Director



日本チャールス・リバー株式会社

受領日 10.02.2011

分析報告書

サンプルコード: 257-2011-02000075 分析 10.02.2011 – 22.02.2011
 検体名: ベータチップ

分析	結果	単位	定量限界
J8312 ヒ素 (As として) ヒ素	<0.10	ppm	0.10
J8308 カドミウム カドミウム	0.08	ppm	0.01
J8306 鉛 鉛	0.69	ppm	0.05
J1018 総水銀 総水銀	<0.005	ppm	0.005
JJ006 アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
UMUP8 酵母およびカビ カビ	300	cfu/g	10
UMUDN 一般細菌数 (生菌数) 一般生菌数 (30°C)	6 400	cfu/g	10
UMTK5 サルモネラ サルモネラ	陰性	/25 g	
UMULP 大腸菌 大腸菌	陰性	cfu/g	


J3246 乾燥減量

含水量	6.0 %	0.1
-----	-------	-----

SP001 ビレスロイドを含む有機塩素系農薬


γ-BHC (リンデン)	<0.001 ppm	0.001
DDT 及び代謝物 (総計)	<0.01 ppm	
DDT, p,p'-	<0.001 ppm	0.001
DDT, o,p'-	<0.001 ppm	0.001
DDE, p,p'-	<0.002 ppm	0.002
DDE, o,p'-	<0.002 ppm	0.002
DDD, p,p'-	<0.002 ppm	0.002
DDD, o,p'-	<0.002 ppm	0.002
エンドリン	<0.002 ppm	0.002
ディルドリン	<0.001 ppm	0.001
アルドリン	<0.001 ppm	0.001
ヘプタクロル	<0.001 ppm	0.001

SP004 有機リン系農薬

パラチオン	<0.01 ppm	0.01
ダイアジノン	<0.01 ppm	0.01
馬拉チオン (馬拉ソン)	<0.01 ppm	0.01
パラチオンメチル	<0.01 ppm	0.01

SP103 ポリ塩化 ビフェニル

7 PCB 測定総計	<0.07 ppm	
PCB IUPAC 28	<0.01 ppm	0.01
PCB IUPAC 52	<0.01 ppm	0.01
PCB IUPAC 101	<0.01 ppm	0.01
PCB IUPAC 118	<0.01 ppm	0.01
PCB IUPAC 138	<0.01 ppm	0.01
PCB IUPAC 153	<0.01 ppm	0.01
PCB IUPAC 180	<0.01 ppm	0.01



Colin Granier
Chemistry Customer Services Manager



日本チャールス・リバー株式会社



受領日 10.02.2011

分析報告書

サンプルコード: 257-2011-02000074 分析 10.02.2011 – 22.02.2011
 検体名: ホホワイトフレーク

分析	結果	単位	定量限界
J8312 ヒ素 (As として) ヒ素	<0.10	ppm	0.10
J8308 カドミウム カドミウム	0.25	ppm	0.01
J8306 鉛 鉛	0.14	ppm	0.05
J1018 総水銀 総水銀	<0.005	ppm	0.005
JJ006 アフラトキシン B1, B2, G1, G2 アフラトキシン B1	0.4	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
UMUP8 酵母およびカビ カビ	30	cfu/g	10
UMUDN 一般細菌数 (生菌数) 一般生菌数 (30°C)	< 10	cfu/g	10
UMTK5 サルモネラ サルモネラ	陰性	/25 g	
UMULP 大腸菌 大腸菌	陰性	cfu/g	

報告結果の再生については分析所の許可が必要となります。報告結果は、分析したサンプルのみに適用されます。

Eurofins Analytics K.K Nittsu Keihin-Jima Center New Bldg. 2F 3-5-5 Keihin-Jima Ota-Ku 143-0003 Tokyo - JAPAN


J3246 乾燥減量

含水量 7.7 % 0.1

SP001 ビレスロイドを含む有機塩素系農薬


γ-BHC (リンデン)	<0.001	ppm	0.001
DDT 及び代謝物 (総計)	<0.01	ppm	
DDT, p,p'-	<0.001	ppm	0.001
DDT, o,p'-	<0.001	ppm	0.001
DDE, p,p'-	<0.002	ppm	0.002
DDE, o,p'-	<0.002	ppm	0.002
DDD, p,p'-	<0.002	ppm	0.002
DDD, o,p'-	<0.002	ppm	0.002
エンドリン	<0.002	ppm	0.002
デルドリン	<0.001	ppm	0.001
アルドリン	<0.001	ppm	0.001
ヘプタクロル	<0.001	ppm	0.001

SP004 有機リン系農薬

パラチオン	<0.01	ppm	0.01
ダイアジノン	<0.01	ppm	0.01
馬拉チオン (馬拉ソン)	<0.01	ppm	0.01
パラチオンメチル	<0.01	ppm	0.01

SP103 ポリ塩化 ビフェニル

7 PCB 測定総計	<0.07	ppm	
PCB IUPAC 28	<0.01	ppm	0.01
PCB IUPAC 52	<0.01	ppm	0.01
PCB IUPAC 101	<0.01	ppm	0.01
PCB IUPAC 118	<0.01	ppm	0.01
PCB IUPAC 138	<0.01	ppm	0.01
PCB IUPAC 153	<0.01	ppm	0.01
PCB IUPAC 180	<0.01	ppm	0.01



Colin Granier
Chemistry Customer Services Manager



日本チャールス・リバー株式会社

受領日 10.02.2011


分析報告書

サンプルコード: 257-2011-02000076 分析 10.02.2011 - 22.02.2011
 検体名: サンプルーク

分析	結果	単位	定量限界
J8312 ヒ素 (As として) ヒ素	<0.10	ppm	0.10
J8308 カドミウム カドミウム	0.05	ppm	0.01
J8306 鉛 鉛	<0.05	ppm	0.05
J1018 総水銀 総水銀	<0.005	ppm	0.005
JJ006 アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
UMUP8 酵母およびカビ カビ	40	cfu/g	10
UMUDN 一般細菌数 (生菌数) 一般生菌数 (30°C)	< 10	cfu/g	10
UMTK5 サルモネラ サルモネラ	陰性	/25 g	
UMULP 大腸菌 大腸菌	陰性	cfu/g	



J3246 乾燥減量			
含水量	6.4	%	0.1
SP001 ビレスロイドを含む有機塩素系農薬			
γ-BHC (リンデン)	<0.001	ppm	0.001
DDT 及び代謝物 (総計)	<0.01	ppm	
DDT, p,p'-	<0.001	ppm	0.001
DDT, o,p'-	<0.001	ppm	0.001
DDE, p,p'-	<0.002	ppm	0.002
DDE, o,p'-	<0.002	ppm	0.002
DDD, p,p'-	<0.002	ppm	0.002
DDD, o,p'-	<0.002	ppm	0.002
エンドリン	<0.002	ppm	0.002
ディルドリン	<0.001	ppm	0.001
アルドリン	<0.001	ppm	0.001
ヘプタクロル	<0.001	ppm	0.001
SP004 有機リン系農薬			
パラチオン	<0.01	ppm	0.01
ダイアジノン	<0.01	ppm	0.01
馬拉チオン (マラソン)	<0.01	ppm	0.01
パラチオンメチル	<0.01	ppm	0.01
SP103 ポリ塩化 ビフェニル			
7 P C B 測定総計	<0.07	ppm	
PCB IUPAC 28	<0.01	ppm	0.01
PCB IUPAC 52	<0.01	ppm	0.01
PCB IUPAC 101	<0.01	ppm	0.01
PCB IUPAC 118	<0.01	ppm	0.01
PCB IUPAC 138	<0.01	ppm	0.01
PCB IUPAC 153	<0.01	ppm	0.01
PCB IUPAC 180	<0.01	ppm	0.01



Colin Granier
Chemistry Customer Services Manager