

Species: MICE

HEALTH MONITORING REPORT (April 2011)

Printed date: April 26, 2011
Location: Aisugi Breeding Center

Agents	Area	A11	A12	A13	A14	A23	A24	
	Strains & Stocks	Crj:CD1(ICR) NC/NgaTndCrj	CanN.Cg-Foxn1 tm /Crj:Crj ⁴ Crj:CD1-Foxn1 tm 4	C57BL/6NCrj:Crj DBA/2NCrj:Crj JAX [®] Mice Strain CBA/J B6D2F1Crj ³	JAX [®] Mice Strain SJL/J Crj:CD1(ICR) NC/NgaTndCrj	BALB/cANNCrj:Crj DBA/2NCrj:Crj CD2F1Crj ³	CanN.Cg-Foxn1 tm /Crj:Crj ⁴	
VIRUSES	Test period	April 11 - 14	April 11 - 15	April 7 - 14	April 7 - 14	April 7 - 15	April 11 - 15	
	Technique							
BACTERIA <i>Bordetella bronchiseptica</i> (m) <i>Citrobacter rodentium</i> (m) <i>Corynebacterium kutscheri</i> (m) <i>Pasteurella pneumotropica</i> (m) <i>Pseudomonas aeruginosa</i> 2 (m) <i>Salmonella</i> spp. (m) <i>Staphylococcus aureus</i> 2 (m) <i>Streptococcus pneumoniae</i> (m) <i>Mycoplasma pulmonis</i> 1 (m) <i>Clostridium piliforme</i> (Tyzzer's Disease) 1 (m)	Culture Culture Culture Culture Culture Culture Culture PCR/MFIA Lesions/MFIA	0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/8	0/8	0/8	0/8	0/8	0/8	0/8
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
		0/16	0/16	0/16	0/16	0/16	0/16	0/16
PARASITES AND FUNGI Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m)	Direct Examination Direct Examination Direct Examination	0/16	0/16	0/16	0/16	0/16	0/16	
		0/16	0/16	0/16	0/16	0/16	0/16	

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Not tested strains or stocks; monitoring on parents or other strains in the area

4: Monitoring on both nu/nu and nu+/ mice

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.



池田卓也
池田卓也
池田卓也



Quality Assurance Director
Eiichi Morimura, D.V.M.

Species: RATS

HEALTH MONITORING REPORT (April 2011)

Printed date: April 26, 2011
Location: Atsugi Breeding Center

Agents	Area			
	Strains & Stocks	A15	A21	A22
VIRUSES Sendai Virus ¹ (m) Pneumonia Virus of Mice ¹ (m) Sialodactyloadenitis Virus ¹ (m) Rat Minute Virus ¹ (m) Rat Parvovirus ¹ (m) Toolan's H-1 Virus ¹ (m) Kilham Rat Virus ¹ (m) Reovirus ¹ (m) Rat Theilovirus ¹ (m)	Technique	April 4 - 11	April 4 - 15	April 4 - 15
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
	MFLA	0/16	0/16	0/16
BACTERIA Bordetella bronchiseptica (m) Corynebacterium kutscheri (m) Pasteurella pneumotropica (m) Pseudomonas aeruginosa ² (m) Salmonella spp. (m) Streptococcus pneumoniae (m) Mycoplasma pulmonis ¹ (m) Clostridium piliforme (Tyzzer's Disease) ¹ (m)	Culture	0/16	0/16	0/16
	Culture	0/16	0/16	0/16
	Culture	0/16	0/16	0/16
	Culture	0/16	0/16	0/16
	Culture	0/16	0/16	0/16
	Culture	0/16	0/16	0/16
	PCR/MFLA	0/16	0/16	0/16
	Lesions/MFLA	0/16	0/16	0/16
	Direct Examination	0/16	0/16	0/16
	Direct Examination	0/16	0/16	0/16
PARASITES AND FUNGI Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m)	Direct Examination	0/16	0/16	0/16
	Direct Examination	0/16	0/16	0/16
	Direct Examination	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains



Eiichi Morinura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (April 2011)

Printed date: April 26, 2011
Location: Hino Breeding Center

Agents	Area	H12		H23	
	Strains & Stocks	Crlj:CD1(CCR) C57BL/6NChCrlj C3H/HeNChCrlj B6C3F1/Crlj ³	0/16	0/16	0/16
VIRUSES	Test period	April 12 - 15		April 12 - 15	
	Technique				
Sendai Virus ¹ (m)	MFLA		0/16		0/16
Pneumonia Virus of Mice ¹ (m)	MFLA		0/16		0/16
Mouse Hepatitis Virus ¹ (m)	MFLA		0/16		0/16
Minute Virus of Mice ¹ (m)	MFLA		0/16		0/16
Mouse Parvovirus (1 or 2) ¹ (m)	MFLA		0/16		0/16
Murine Norovirus ¹ (m)	MFLA		0/16		0/16
Theiler's Murine Encephalomyelitis Virus ¹ (m)	MFLA		0/16		0/16
Reovirus ¹ (m)	MFLA		0/16		0/16
Epizootic Diarrhea of Infant Mice Virus ¹ (m)	MFLA		0/16		0/16
BACTERIA					
<i>Bordetella bronchiseptica</i> (m)	Culture		0/16		0/16
<i>Citrobacter rodentium</i> (m)	Culture		0/8		0/8
<i>Corynebacterium kutscheri</i> (m)	Culture		0/16		0/16
<i>Pasteurella pneumotropica</i> (m)	Culture		0/16		0/16
<i>Pseudomonas aeruginosa</i> ² (m)	Culture		0/16		0/16
<i>Salmonella</i> spp. (m)	Culture		0/16		0/16
<i>Streptococcus pneumoniae</i> (m)	Culture		0/16		0/16
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFLA		0/16		0/16
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFLA		0/16		0/16
PARASITES AND FUNGI					
Ectoparasites (m)	Direct Examination		0/16		0/16
Pinworms (m)	Direct Examination		0/16		0/16
Gastrointestinal protozoa (m)	Direct Examination		0/8		0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not tested strains or stocks; monitoring on parents or other strains in the area



日本チャールズ・リバー株式会社
代表取締役社長 池田卓也



Etichi Morimura
Etichi Morimura, D.V.M.
Quality Assurance Director

Agents	Area		Technique	Test period			
	H11	H13			H21		
VIRUSES Sendai Virus ¹ (m) Pneumonia Virus of Mice ¹ (m) Sialodacryoadentis Virus ¹ (m) Rat Minute Virus ¹ (m) Rat Parvovirus ¹ (m) Toohan's H-1 Virus ¹ (m) Kilham Rat Virus ¹ (m) Reovirus ¹ (m) Rat Theilovirus ¹ (m)	ChI:CD(SD) ChI:W(Han) SHR/NChI:ChI WKY/NChI:ChI	LEW/ChI:ChI BN/ChI:ChI	ChI:CD(SD)	April 6 - 15	April 6 - 14	April 6 - 15	
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
	MFLA	0/16	0/16	0/16			
BACTERIA <i>Bordetella bronchiseptica</i> (m) <i>Corynebacterium kutscheri</i> (m) <i>Pasteurella pneumotropica</i> (m) <i>Pseudomonas aeruginosa</i> ² (m) <i>Salmonella</i> spp. (m) <i>Streptococcus pneumoniae</i> (m) <i>Mycoplasma pulmonis</i> ¹ (m) <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)							
	Culture	0/16	0/16	0/16			
	Culture	0/16	0/16	0/16			
	Culture	0/16	0/16	0/16			
	Culture	0/16	0/16	0/16			
	Culture	0/16	0/16	0/16			
	Culture	0/16	0/16	0/16			
	Culture	0/16	0/16	0/16			
	PCR/MFLA	0/16	0/16	0/16			
	Lesions/MFLA	0/16	0/16	0/16			
PARASITES AND FUNGI Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m)							
	Direct Examination	0/16	0/16	0/16			
	Direct Examination	0/16	0/16	0/16			
	Direct Examination	0/8	0/8	0/8			

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains



日本チャールズリバー株式会社
代表取締役社長 池田卓也



Erichi Morimura, Ph.D.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (April 2011)

Printed date: April 26, 2011
Location: Tsukuba Breeding Center

Agents	Area		Technique	T12		T22		T23			
	Strains & Stocks	Test period		Strain	Test period	Strain	Test period	Strain	Test period		
VRUSES Sendai Virus ¹ (m) Pneumonia Virus of Mice ¹ (m) Mouse Hepatitis Virus ¹ (m) Minute Virus of Mice ¹ (m) Mouse Parvovirus (1 or 2) ¹ (m) Murine Norovirus ¹ (m) Theiler's Murine Encephalomyelitis Virus ¹ (m) Reovirus ¹ (m) Epizootic Diarrhea of Infant Mice Virus ¹ (m)				JAX [®] Mice Strain C57BL/6J	April 13 - 19	JAX [®] Mice Strain B6.V-Lep ^{dh} /J	April 13 - 19	JAX [®] Mice Strain BKS.Cg-Dock7 ^m +/+ Lep ^{dh} /J	April 13 - 19	CAN/N.Cg-Foxn1 tm /CrJChf ³	April 13 - 19
				0/16	0/16	0/16	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
				MFLA	0/16	MFLA	0/16	0/8			
BACTERIA <i>Bordetella bronchiseptica</i> (m) <i>Citrobacter rodentium</i> (m) <i>Corynebacterium kaischeri</i> (m) <i>Pasteurella pneumotropica</i> (m) <i>Pseudomonas aeruginosa</i> ² (m) <i>Salmonella</i> spp. (m) <i>Staphylococcus aureus</i> ² (m) <i>Streptococcus pneumoniae</i> (m) <i>Mycoplasma pulmonis</i> ¹ (m) <i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)				0/16	0/16	0/16	0/16	0/16	0/16		
				Culture	0/8	Culture	0/8	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
				Culture	0/16	Culture	0/16	0/16	0/16	0/16	0/16
PCR/MFLA	0/16	PCR/MFLA	0/16	0/16	0/16	0/16	0/16				
Lesions/MFLA	0/16	Lesions/MFLA	0/16	0/16	0/16	0/16	0/16				
PARASITES AND FUNGI Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m)				0/16	0/16	0/16	0/16	0/16	0/16		
				Direct Examination	0/16	Direct Examination	0/16	0/16	0/16	0/16	
				Direct Examination	0/8	Direct Examination	0/8	0/8	0/8	0/8	

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1. Serology on immunocompetent animals from each colony
2. Not considered as specific pathogens for immunocompetent strains
3. Monitoring on both *nu/nu* and *nu+nu* mice
Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.



日本チャールズリバー株式会社
代表取締役社長 池田卓也



Etichi Morimura, D.V.M.
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (April 2011)

Printed date: April 26, 2011
Location: Tsukuba Breeding Center

Agents	Area		Technique	Test period
	Strains & Stocks	T21		
VIRUSES Sendai Virus ¹ (m) Pneumonia Virus of Mice ¹ (m) Stomatocystitis Virus ¹ (m) Rat Minute Virus ¹ (m) Rat Parvovirus ¹ (m) Toolan's H-1 Virus ¹ (m) Kilham Rat Virus ¹ (m) Reovirus ¹ (m) Rat Theilovirus ¹ (m)		Crlj:WI LEW/CHCrlj April 5 - 15		Crl:CD(SD) April 5 - 15
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
BACTERIA Bordetella bronchiseptica (m) Corynebacterium kutscheri (m) Pasteurella pneumotropica (m) Pseudomonas aeruginosa ² (m) Salmonella spp. (m) Streptococcus pneumoniae (m) Mycoplasma pulmonis ¹ (m) Clostridium piliforme (Tyzzer's Disease) ¹ (m)		Culture Culture Culture Culture Culture Culture PCR/MFIA Lesions/MFIA		0/16 0/16 0/16 0/16 0/16 0/16 0/16 0/16 0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
		0/16		0/16
PARASITES AND FUNGI Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m)		Direct Examination Direct Examination Direct Examination		0/16 0/16 0/8
		0/16		0/16
		0/16		0/16
		0/8		0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1. Serology on immunocompetent animals from each colony
2. Not considered as specific pathogens for immunocompetent strains



日本養育上地区
代表取締役社長
池田卓也



Enichi Morimura
Enichi Morimura, D.V.M.
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (April 2011)

Printed date: April 26, 2011
Location: Yokohama Breeding Center

Agents	Area	Isolator	Isolator	Isolator
	Strains & Stocks	CBI17/ler- <i>Phkd^{scid}/ChCrIj</i> C3H/HeNCrCrIj (Sentinels)	JAX [®] Mice Strain NOB.CBI17- <i>Phkd^{scid}/J</i> C57BL/6NChCrIj (Sentinels) C3H/HeNCrCrIj (Sentinels)	Crlj:SHO- <i>Phkd^{scid}/H^{hr}</i> C3H/HeNCrCrIj (Sentinels)
VIRUSES	Technique	April 19 - 22	April 18 - 21	April 18 - 21
	Sendai Virus ¹	MFLA	0/22	0/10
Pneumonia Virus of Mice ¹	MFLA	0/22	0/10	0/5
Mouse Hepatitis Virus ¹	MFLA	0/22	0/10	0/5
Minute Virus of Mice ¹	MFLA	0/22	0/10	0/5
Mouse Parvovirus (1 or 2) ¹	MFLA	0/22	0/10	0/5
Murine Norovirus ¹	MFLA	0/22	0/10	0/5
Theiler's Murine Encephalomyelitis Virus ¹	MFLA	0/22	0/10	0/5
Reovirus ¹	MFLA	0/22	0/10	0/5
Epizootic Diarrhea of Infant Mice Virus ¹	MFLA	0/22	0/10	0/5
BACTERIA				
<i>Bordetella bronchiseptica</i>	Culture	0/66	0/30	0/15
<i>Chirobacter rodentium</i>	Culture	0/66	0/30	0/15
<i>Corynebacterium kutscheri</i>	Culture	0/66	0/30	0/15
<i>Pasteurella pneumotropica</i>	Culture	0/66	0/30	0/15
<i>Pseudomonas aeruginosa</i>	Culture	0/66	0/30	0/15
<i>Salmonella</i> spp.	Culture	0/66	0/30	0/15
<i>Staphylococcus aureus</i>	Culture	0/66	0/30	0/15
<i>Streptococcus pneumoniae</i>	Culture	0/66	0/30	0/15
<i>Mycoplasma pulmonis</i> ¹	MFLA	0/22	0/10	0/5
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹	Lesions/MFLA	0/66	0/30	0/15
PARASITES AND FUNGI				
Ectoparasites	Direct Examination	0/66	0/30	0/15
Pinworms	Direct Examination	0/66	0/30	0/15
Gastrointestinal protozoa	Direct Examination	0/44	0/20	0/10
<i>Pneumocystis</i> spp.	PCR	0/22	0/10	0/5

Testing frequency: Isolator-maintained animals are tested quarterly.

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.



日本チャールズリバー株式会社
代表取締役社長 池田卓也



Eiichi Morinaga
Eiichi Morinaga, B.V.M.
Quality Assurance Director

Species: MICE (Fecal Sample)

HEALTH MONITORING REPORT (April 2011)

Printed date: April 26, 2011
Location: Yokohama Breeding Center

Agents	Area		Isolator	Isolator	Isolator					
	Strains & Stocks	Test period								
BACTERIA <i>Bordetella bronchiseptica</i> <i>Citrobacter rodentium</i> <i>Pseudomonas aeruginosa</i> <i>Salmonella</i> spp. <i>Staphylococcus aureus</i>	Culture Culture Culture	April 18 - 21	CBI/7/ter-Prkd ^{actd} /ChChj C3H/HeNCrCrfj (Sentinels)	IAXX [®] Mice Strain NOD.CB17-Prkd ^{actd} /J C57BL/6NCrCrfj (Sentinels) C3H/HeNCrCrfj (Sentinels)	Cfj:SHO-Prkd ^{actd} H ^{hr} C3H/HeNCrCrfj (Sentinels)					
						Culture Culture Culture	April 18 - 21	0/49 0/49 0/49	0/25 0/25 0/25	0/15 0/15 0/15

Testing frequency: Fecal samples of Isolator-maintained animals are tested monthly.

Tested by Charles River Laboratories Japan, Inc.

Note: IAXX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.



池田卓也
Quality Assurance Director



日本チャーター株式会社

受領日 05.04.2011

分析報告書

サンプルコード: 257-2011-04000021 分析 05.04.2011 - 18.04.2011
 検体名: ベータチップ

分析	結果	単位	定量限界
J8312 ヒ素 (As として) ヒ素	<0.10	ppm	0.10
J8308 カドミウム カドミウム	0.15	ppm	0.01
J8306 鉛 鉛	0.15	ppm	0.05
JCHG2 総水銀 総水銀	0.005	ppm	0.005
J3004 アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
UMUP8 酵母およびカビ カビ	110	cfu/g	10
UMUDN 一般細菌数 (生菌数) 一般細菌数 (30° C)	6 500	cfu/g	10
UMTK5 サルモネラ サルモネラ	陰性	/25 g	
UMULP 大腸菌 大腸菌	陰性	cfu/g	
J3246 乾燥減量 含水量	8.4	%	0.1

報告結果の再生については分析所の許可が必要となります。報告結果は、分析したサンプルのみに適用されます。

Eurofins Analytics K.K Nittsu Keihin-Jima Center New Bldg. 2F 3-5-5 Keihin-Jima Ota-Ku 143-0003 Tokyo - JAPAN


SP001 ビレスロイドを含む有機塩素系農薬

γ-BHC (リンデン)	<0.001	ppm	0.001
DDT及び代謝物 (総計)	<0.01	ppm	
DDT, p,p'-	<0.001	ppm	0.001
DDT, o,p'-	<0.001	ppm	0.001
DDE, p,p'-	<0.002	ppm	0.002
DDE, o,p'-	<0.002	ppm	0.002
DDD, p,p'-	<0.002	ppm	0.002
DDD, o,p'-	<0.002	ppm	0.002
エンドリン	<0.002	ppm	0.002
ディルドリン	<0.001	ppm	0.001
アルドリン	<0.001	ppm	0.001
ヘプタクロル	<0.001	ppm	0.001

SP004 有機リン系農薬

パラチオン	<0.01	ppm	0.01
ダイアジノン	<0.01	ppm	0.01
馬拉チオン (馬拉ソン)	<0.01	ppm	0.01
パラチオンメチル	<0.01	ppm	0.01

SP103 ポリ塩化 ビフェニル

7 PCB測定総計	<0.07	ppm	
PCB IUPAC 28	<0.01	ppm	0.01
PCB IUPAC 52	<0.01	ppm	0.01
PCB IUPAC 101	<0.01	ppm	0.01
PCB IUPAC 118	<0.01	ppm	0.01
PCB IUPAC 138	<0.01	ppm	0.01
PCB IUPAC 153	<0.01	ppm	0.01
PCB IUPAC 180	<0.01	ppm	0.01



Colin Granier
Chemistry Customer Services Manager



日本チャージャーズ株式会社

受領日 05.04.2011

分析報告書

サンプルコード: 257-2011-04000022 分析 05.04.2011 - 18.04.2011
 検体名: ホワイトフレーク

分析	結果	単位	定量限界
J8312 ヒ素 (As として) ヒ素	<0.10	ppm	0.10
J8308 カドミウム カドミウム	0.13	ppm	0.01
J8306 鉛 鉛	0.07	ppm	0.05
JCHG2 総水銀 総水銀	0.008	ppm	0.005
J3004 アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
UMUP8 酵母およびカビ カビ	< 10	cfu/g	10
UMUDN 一般細菌数 (生菌数) 一般生菌数 (30° C)	< 10	cfu/g	10
UMTK5 サルモネラ サルモネラ	陰性	/25 g	
UMULP 大腸菌 大腸菌	陰性	cfu/g	
J3246 乾燥減量 含水量	7.8	%	0.1

報告結果の再生については分析所の許可が必要となります。報告結果は、分析したサンプルのみに適用されます。

Eurofins Analytics K.K Nittsu Keihin-Jima Center New Bldg. 2F 3-5-5 Keihin-Jima Ota-Ku 143-0003 Tokyo - JAPAN


SP001 ビレスロイドを含む有機塩素系農薬


γ-BHC (リンデン)	<0.001	ppm	0.001
DDT及び代謝物 (総計)	<0.01	ppm	
DDT, p,p'-	<0.001	ppm	0.001
DDT, o,p'-	<0.001	ppm	0.001
DDE,p,p'-	<0.002	ppm	0.002
DDE, o,p'-	<0.002	ppm	0.002
DDD, p,p'-	<0.002	ppm	0.002
DDD, o,p'-	<0.002	ppm	0.002
エンドリン	<0.002	ppm	0.002
ディルドリン	<0.001	ppm	0.001
アルドリン	<0.001	ppm	0.001
ヘプタクロル	<0.001	ppm	0.001

SP004 有機リン系農薬

パラチオン	<0.01	ppm	0.01
ダイアジノン	<0.01	ppm	0.01
馬拉チオン (馬拉ソン)	<0.01	ppm	0.01
パラチオンメチル	<0.01	ppm	0.01

SP103 ポリ塩化ビフェニル

7 PCB 測定総計	<0.07	ppm	
PCB IUPAC 28	<0.01	ppm	0.01
PCB IUPAC 52	<0.01	ppm	0.01
PCB IUPAC 101	<0.01	ppm	0.01
PCB IUPAC 118	<0.01	ppm	0.01
PCB IUPAC 138	<0.01	ppm	0.01
PCB IUPAC 153	<0.01	ppm	0.01
PCB IUPAC 180	<0.01	ppm	0.01



Colin Granier
Chemistry Customer Services Manager