

HEALTH MONITORING REPORT (July 2011)

Printed date: July 29, 2011  
Location: Aisugi Breeding Center

Agents	Area	A12	A13	A14	A23	A24
	Strains & Stocks	CA <sup>n</sup> N Cg <sup>-fix</sup> mt <sup>1</sup> /m <sup>1</sup> /Cr/CrJ <sup>+</sup> CrJ;CD1-F <sup>oxn</sup> /m <sup>1</sup> 4	C57BL/6NCHrJ DBA/2NCHrJ JAX <sup>®</sup> Mice Strain CBA/J B6D2F1/CrJ <sup>3</sup>	JAX <sup>®</sup> Mice Strain SJL/J CrJ;CD1(ICR) NCR/NgTmCrJ	BALB/cAnNCHrJ DBA/2NCHrJ CD2F1/CrJ <sup>3</sup>	CA <sup>n</sup> N Cg <sup>-fix</sup> mt <sup>1</sup> /m <sup>1</sup> /Cr/CrJ <sup>+</sup>
VIRUSES	Test period	July 4 - 11	July 7 - 14	July 7 - 11	July 7 - 14	July 4 - 14
	Technique					
Sendai Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Mouse Hepatitis Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Minute Virus of Mice <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Murine Norovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Reovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
<b>BACTERIA</b>						
<i>Bordetella bronchiseptica</i> (m)	Culture	0/12	0/8	0/8	0/8	0/12
<i>Citrobacter rodentium</i> (m)	Culture	0/8	0/4	0/4	0/4	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/12	0/8	0/8	0/8	0/12
<i>Pasteurella pneumotropica</i> (m)	Culture	0/12	0/8	0/8	0/8	0/12
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/12	0/8	0/8	0/8	0/12
<i>Salmonella</i> spp. (m)	Culture	0/12	0/8	0/8	0/8	0/12
<i>Staphylococcus aureus</i> <sup>2</sup> (m)	Culture	0/12	-	-	-	0/12
<i>Streptococcus pneumoniae</i> (m)	Culture	0/12	0/8	0/8	0/8	0/12
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MFLA	0/12	0/8	0/8	0/8	0/12
<b>PARASITES AND FUNGI</b>						
Ectoparasites (m)	Direct Examination	0/12	0/8	0/8	0/8	0/12
Pinworms (m)	Direct Examination	0/12	0/8	0/8	0/8	0/12
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks: 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Not tested strains or stocks; monitoring on parents or other strains in the area

4: Monitoring on both *miv* and *miv*<sup>+</sup> mice

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved

日本チャールズリバー  
代表取締役社長 小林 功



Eiichi Morimura, DVM,  
Quality Assurance Director

HEALTH MONITORING REPORT (July 2011)

Printed date: July 29, 2011  
Location: Aisugi Breeding Center

Agents	Area	A15	A21	A22
	Strains & Stocks	E344/DuChCrj Crj:W1	ZDF-Lep <sup>hr</sup> /ChCrj Crj:ZUC-Lep <sup>hr</sup>	Ch:CD(SD)
	Test period	July 11 - 15	July 11 - 15	July 11 - 15
	Technique			
<b>VIRUSES</b> Sendai Virus <sup>1</sup> (m) Pneumonia Virus of Mice <sup>1</sup> (m) Stomatodactyloadenitis Virus <sup>1</sup> (m) Rat Minute Virus <sup>1</sup> (m) Rat Parvovirus <sup>1</sup> (m) Tooolan's H-1 Virus <sup>1</sup> (m) Kilham Rat Virus <sup>1</sup> (m) Reovirus <sup>1</sup> (m) Rat Theilovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
<b>BACTERIA</b> <i>Bordetella bronchiseptica</i> (m) <i>Corynebacterium kutscheri</i> (m) <i>Pasteurella pneumotropica</i> (m) <i>Pseudomonas aeruginosa</i> <sup>2</sup> (m) <i>Salmonella</i> spp. (m) <i>Streptococcus pneumoniae</i> (m) <i>Mycoplasma pulmonis</i> <sup>1</sup> (m) <i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Culture	0/8	0/8	0/8
	Culture	0/8	0/8	0/8
	Culture	0/8	0/8	0/8
	Culture	0/8	0/8	0/8
	Culture	0/8	0/8	0/8
	Culture	0/8	0/8	0/8
	Culture	0/8	0/8	0/8
	Culture	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8
	Lesions/MFLA	0/8	0/8	0/8
<b>PARASITES AND FUNGI</b> Ectoparasites (m) Pinworms (m) Gastrointestinal protozoa (m) <i>Pneumocystis</i> spp. <sup>3</sup> (m)	Direct Examination	0/8	0/8	0/8
	Direct Examination	0/8	0/8	0/8
	Direct Examination	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

- Remarks : 1. Serology on immunocompetent animals from each colony
- 2. Not considered as specific pathogens for immunocompetent strains
- 3. Not included in the Specific Pathogen Free (SPF) lists



日本チャールズリバー株式会社  
代表取締役社長 小林 功  
*Shigeaki Kobayashi*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

HEALTH MONITORING REPORT (July 2011)

Printed date: July 29, 2011  
Location: Hino Breeding Center

Agents	Area	H12		H23	
	Strains & Stocks	Cij;CD1(ICR) C57BL/6NCH1j C3H/HeNCH1j B6C3F1/Cij <sup>3</sup>		BALB/cAnNCH1j DBA/1NCH1j	
VIRUSES	Test period	July 5 - 11		July 5 - 15	
	Technique				
Sendai Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Mouse Hepatitis Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Minute Virus of Mice <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Murine Norovirus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Reovirus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
<b>BACTERIA</b>					
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/4	0/4	0/4	0/4
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MPIA	0/8	0/8	0/8	0/8
<b>PARASITES AND FUNGI</b>					
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

- Remarks: 1. Serology on immunocompetent animals from each colony  
2. Not considered as specific pathogens for immunocompetent strains  
3. Not tested strains or stocks; monitoring on parents or other strains in the area



日本チャールズリバー株式会社  
代表取締役社長 小林 功  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

Species: RATS

HEALTH MONITORING REPORT (July 2011)

Printed date: July 29, 2011  
Location: Hino Breeding Center

Agents	Area	H11	H13	H21
	Strains & Stocks	CHI/CD(SD) CHI/WI(Han) SHR/NCHCHI WKY/NCHCHI	LEW/CHCrl BN/CHCrl	CHI/CD(SD)
	Technique	July 13 - 19	July 13 - 19	July 13 - 19
<b>VIRUSES</b>				
Sendai Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Stodacryoadentis Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Rat Minute Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Rat Parvovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Toolan's H-1 Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Kilham Rat Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Reovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
Rat Theilovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
<b>BACTERIA</b>				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8
<i>Pasteurella pneumoptica</i> (m)	Culture	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFLA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MFLA	0/8	0/8	0/8
<b>PARASITES AND FUNGI</b>				
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8
<i>Pneumocystis</i> spp. <sup>3</sup> (m)	MFLA	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

- Remarks: 1. Serology on immunocompetent animals from each colony  
2. Not considered as specific pathogens for immunocompetent strains  
3. Not included in the Specific Pathogen Free (SPF) lists



日本チャールズリバー株式会社  
代表取締役社長 丸藤 功  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (July 2011)

Printed date: July 29, 2011  
Location: Tsukuba Breeding Center

Agents	T12		T22		T23
	JAX <sup>®</sup> Mice Strain C57BL/6J		JAX <sup>®</sup> Mice Strain B6.V-Lep <sup>ob</sup> /J		CAN/Cg-Foxn1 <sup>tm1</sup> /Ch1CfJ <sup>3</sup>
	July 6 - 11	July 6 - 11	July 6 - 11	July 6 - 14	
Area Strains & Stocks	Technique		Technique		Technique
<b>VIRUSES</b>					
Sendai Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Mouse Hepatitis Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Minute Virus of Mice <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Murine Norovirus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Reovirus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
<b>BACTERIA</b>					
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/12	0/12
<i>Citrobacter rodentium</i> (m)	Culture	0/4	0/4	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/12	0/12
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/12	0/12
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8	0/12	0/12
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/12	0/12
<i>Staphylococcus aureus</i> <sup>2</sup> (m)	Culture	-	-	0/12	0/12
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/12	0/12
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	Culture	0/8	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MPIA	0/8	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MPIA	0/8	0/8	0/12	0/12
<b>PARASITES AND FUNGI</b>					
Ectoparasites (m)	Direct Examination	0/8	0/8	0/12	0/12
Pinworms (m)	Direct Examination	0/8	0/8	0/12	0/12
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks: 1. Serology on immunocompetent animals from each colony.  
2. Not considered as specific pathogens for immunocompetent strains  
3. Monitoring on both *nu/nu* and *nu/+* mice

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.



日本チャールズリバー・ラボラトリーズ株式会社  
代表取締役社長 小林 功徳  
*Eichi Morimura, D.V.M.*  
Quality Assurance Director

HEALTH MONITORING REPORT (July 2011)

Printed date: July 29, 2011  
Location: Tsukuba Breeding Center

Agents	Area	T11	T21
	Strains & Stocks	Crlj:W1 LBW/ChCrlj	Crl:CD(SD)
	Test period	July 12 - 15	July 12 - 15
	Technique		
<b>VIRUSES</b>			
Sendai Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MFLA	0/8	0/8
Stomatodactyadenitis Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Rat Minute Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Rat Parvovirus <sup>1</sup> (m)	MFLA	0/8	0/8
Toolan's H-1 Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Kilham Rat Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Reovirus <sup>1</sup> (m)	MFLA	0/8	0/8
Rat Theilovirus <sup>1</sup> (m)	MFLA	0/8	0/8
<b>BACTERIA</b>			
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8
<i>Pasteurella pneumoptica</i> (m)	Culture	0/8	0/8
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFLA	0/8	0/8
<i>Clostridium piliforme</i> (Yvzer's Disease) <sup>1</sup> (m)	Lesions/MFLA	0/8	0/8
<b>PARASITES AND FUNGI</b>			
Ectoparasites (m)	Direct Examination	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8
<i>Pneumocystis</i> spp. <sup>3</sup> (m)	MFLA	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Not included in the Specific Pathogen Free (SPF) lists



日本チャールズリバー株式会社  
代表取締役社長 小林 功  
Eiichi Morimura, D.V.M.  
Quality Assurance Director

Species: MICE

HEALTH MONITORING REPORT (July 2011)


Printed date: July 29, 2011  
Location: Yokohama Breeding Center

Agents	Area		Technique	Test period	Isolator		Isolator
	Strains & Stocks	Stocks			Isolator	Isolator	
<b>VIRUSES</b> Sendai Virus <sup>1</sup> Pneumonia Virus of Mice <sup>1</sup> Mouse Hepatitis Virus <sup>1</sup> Minute Virus of Mice <sup>1</sup> Mouse Parvovirus (1 or 2) <sup>1</sup> Murine Norovirus <sup>1</sup> Theiler's Murine Encephalomyelitis Virus <sup>1</sup> Reovirus <sup>1</sup> Epizootic Diarrhea of Infant Mice Virus <sup>1</sup>	MFLA	0/22	0/9	0/5	C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel)	C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel) C3H/HeNCrJ (Sentinel)	
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
	MFLA	0/22	0/9	0/5			
<b>BACTERIA</b> <i>Bordetella bronchiseptica</i> <i>Citrobacter rodentium</i> <i>Corynebacterium kutscheri</i> <i>Pasteurella pneumotopica</i> <i>Pseudomonas aeruginosa</i> <i>Salmonella</i> spp. <i>Staphylococcus aureus</i> <i>Streptococcus pneumoniae</i> <i>Mycoplasma pulmonis</i> <sup>1</sup> <i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup>	Culture	0/66	0/27	0/15			
	Culture	0/44	0/18	0/10			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
	Culture	0/66	0/27	0/15			
<b>PARASITES AND FUNGI</b> Ectoparasites Pinworms Gastrointestinal protozoa <i>Pneumocystis</i> spp.	Direct Examination	0/66	0/27	0/15			
	Direct Examination	0/66	0/27	0/15			
	Direct Examination PCR	0/44 0/22	0/18 0/9	0/10 0/5			

Testing frequency: Isolator-maintained animals are tested quarterly.

Tested by Charles River Laboratories Japan, Inc.

Remarks: 1. Serology on immunocompetent animals from each colony  
Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.



日本チャールズリバーラボラトリーズ株式会社  
代表取締役社長 林 功  
Eiichi Morimura, Director  
Quality Assurance Director

HEALTH MONITORING REPORT (July 2011)

Species: MICE (Fecal and Water Samples)

Printed date: July 29, 2011  
Location: Yokohama Breeding Center

Agents	Area		Isolator	Isolator	Isolator			
	Strains & Stocks	Test period						
<b>BACTERIA</b> <i>Bordetella bronchiseptica</i> <i>Citrobacter rodentium</i> <i>Cornebacterium kutscheri</i> <i>Pasteurella pneumotropica</i> <i>Pseudomonas aeruginosa</i> <i>Salmonella</i> spp. <i>Staphylococcus aureus</i> <i>Streptococcus pneumoniae</i>	Technique	Culture	July 19 - 22	July 19 - 22	July 19 - 22			
						CB17/ICr-Prkdc <sup>scid</sup> /CrCh1j C3H/HeNCrCh1j (Sentinels)	JAX <sup>®</sup> Mice Strain NOD.CB17-Prkdc <sup>scid</sup> /J C3H/HeNCrCh1j (Sentinels) C57BL/6NCrCh1j	Ch1j:SHO-Prkdc <sup>scid</sup> /H <sup>pr</sup> C3H/HeNCrCh1j (Sentinels)
						0/27	0/15	0/10
						0/27	0/15	0/10
						0/27	0/15	0/10
						0/27	0/15	0/10
						0/27	0/15	0/10
						0/27	0/15	0/10
						0/27	0/15	0/10
						0/27	0/15	0/10

Testing frequency: Fecal and water samples of isolator-maintained animals are tested monthly.

Tested by Charles River Laboratories Japan, Inc.

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.



日本チャールズ・リバー・ラボラトリーズ株式会社  
代表取締役社長 小林 功徳

*Signature*  
Eiichi Morimura, D.V.M.  
Quality Assurance Director