

HEALTH MONITORING REPORT (October 2011)

Species: MICE


Agents	Area	Test period					
		A12	A13	A14	A23	A24	A25
<b>VIRUSES</b> Sendai Virus <sup>1</sup> (m) Pneumonia Virus of Mice <sup>1</sup> (m) Mouse Hepatitis Virus <sup>1</sup> (m) Minute Virus of Mice <sup>1</sup> (m) Mouse Parvovirus (1 or 2) <sup>1</sup> (m) Murine Norovirus (m) Theiler's Murine Encephalomyelitis Virus <sup>1</sup> (m) Reovirus <sup>1</sup> (m) Epizootic Diarrhea of Infant Mice Virus <sup>1</sup> (m)	Strains & Stocks	CAnN.Cg-Foxn1 <sup>tm</sup> /CrjCrlj <sup>4</sup> Crlj:CD1- <i>Foxn1</i> <sup>tm</sup> <sup>4</sup>	C57BL/6NCrjCrlj DBA/2NCrjCrlj JAX <sup>®</sup> Mice Strain CBA/J B6D2F1/Crj <sup>3</sup>	JAX <sup>®</sup> Mice Strain SIL/J Crlj:CD1(ICR) NC/NgaTmdCrj	BALB/cAnNCrjCrlj DBA/2NCrjCrlj CD2F1/Crj <sup>3</sup>	CAnN.Cg-Foxn1 <sup>tm</sup> /CrjCrlj <sup>4</sup>	JAX <sup>®</sup> Mice Strain C57BL/6J
	Technique	October 3 - 11	October 6 - 11	October 3 - 11	October 6 - 11	October 3 - 11	October 3 - 11
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/8	0/8	0/8	0/8	0/8	0/8
<b>BACTERIA</b> <i>Bordetella bronchiseptica</i> (m) <i>Citrobacter rodentium</i> (m) <i>Corynebacterium kutscheri</i> (m) <i>Pasteurella pneumotropica</i> (m) <i>Pseudomonas aeruginosa</i> <sup>2</sup> (m) <i>Salmonella</i> spp. (m) <i>Staphylococcus aureus</i> <sup>2</sup> (m) <i>Streptococcus pneumoniae</i> (m) <i>Mycoplasma pulmonis</i> <sup>3</sup> (m) <i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Culture	0/12	0/8	0/8	0/8	0/12	0/8
	Culture	0/8	0/4	0/4	0/4	0/8	0/4
	Culture	0/12	0/8	0/8	0/8	0/12	0/8
	Culture	0/12	0/8	0/8	0/8	0/12	0/8
	Culture	0/12	0/8	0/8	0/8	0/12	0/8
	Culture	0/12	-	-	-	0/12	-
	Culture	0/12	0/8	0/8	0/8	0/12	0/8
	Culture	0/8	0/8	0/8	0/8	0/8	0/8
	MFLA	0/12	0/8	0/8	0/8	0/12	0/8
	Lesions/MFLA	0/12	0/8	0/8	0/8	0/12	0/8
	Direct Examination	0/12	0/8	0/8	0/8	0/12	0/8
	Direct Examination	0/12	0/8	0/8	0/8	0/12	0/8
	Direct Examination	0/8	0/4	0/4	0/4	0/8	0/4
	Gastrointestinal protozoa (m)	0/8	0/4	0/4	0/4	0/8	0/4

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony  
2: Not considered as specific pathogens for immunocompetent strains  
3: Not tested strains or stocks; monitoring on parents or other strains in the area  
4: Monitoring on both *nu/nu* and *nu/+* mice

Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.



HEALTH MONITORING REPORT (October 2011)

Species: RATS

Agents	Area	A15	A21	A22
	Strains & Stocks	F344/DuCrjCrj	ZDF-Lep <sup>6a</sup> /CrjCrj Crj:ZUC-Lep <sup>6a</sup>	Crj:CD(SD)
	Test period Technique	October 6 - 19	October 6 - 12	October 6 - 12
<b>VIRUSES</b>				
Sendai Virus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Sialodacryoadenitis Virus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Rat Minute Virus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Rat Parvovirus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Toolan's H-1 Virus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Kilham Rat Virus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Reovirus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
Rat Theilovirus <sup>1</sup> (m)	MFA	0/8	0/8	0/8
<b>BACTERIA</b>				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MFA	0/8	0/8	0/8
<b>PARASITES AND FUNGI</b>				
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/4	0/4
<i>Pneumocystis</i> spp. <sup>1,3</sup> (m)	PCR/MFA	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony  
2: Not considered as specific pathogens for immunocompetent strains  
3: Not included in the Specific Pathogen Free (SPF) lists




**HEALTH MONITORING REPORT (October 2011)**

Species: MICE

Agents	Area		Test period Technique
	Strains & Stocks	H12 Crlj:CD1 (ICR) C57BL/6NCh1Crlj C3H/HeNCh1Crlj B6C3F1/Crlj <sup>3</sup>	
			October 4 - 19
			H23 BALB/cAnNCrlj DBA/1JNCrlj
<b>VIRUSES</b>			
Sendai Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MFLA	0/8	0/8
Mouse Hepatitis Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Minute Virus of Mice <sup>1</sup> (m)	MFLA	0/8	0/8
Mouse Parvovirus (1 or 2) <sup>1</sup> (m)	MFLA	0/8	0/8
Murine Norovirus <sup>1</sup> (m)	MFLA	0/8	0/8
Theiler's Murine Encephalomyelitis Virus <sup>1</sup> (m)	MFLA	0/8	0/8
Reovirus <sup>1</sup> (m)	MFLA	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus <sup>1</sup> (m)	MFLA	0/8	0/8
<b>BACTERIA</b>			
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/4	0/4
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFLA	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MFLA	0/8	0/8
<b>PARASITES AND FUNGI</b>			
Ectoparasites (m)	Direct Examination	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/4

Monitoring frequency: (m) monthly; (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

 Remarks : 1: Serology on immunocompetent animals from each colony  
 2: Not considered as specific pathogens for immunocompetent strains  
 3: Not tested strains or stocks; monitoring on parents or other strains in the area


HEALTH MONITORING REPORT (October 2011)


Species: RATS

Agents	Area	H11			H13			H21		
		Crit:CD(SD) Crit:WI(Han) SHR/NCr:CrIj WKY/NCr:CrIj	October 4 - 12		LEW/Cr:CrIj BN/Cr:CrIj	October 4 - 12		October 4 - 12		Crl:CD(SD)
Technique		October 4 - 12								
<b>VIRUSES</b>										
Sendai Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Sialodacryoadentitis Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Rat Minute Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Rat Parvovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Toolan's H-1 Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Kilham Rat Virus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Reovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Rat Theilovirus <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<b>BACTERIA</b>										
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
<b>PARASITES AND FUNGI</b>										
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/4	0/4	0/4	0/4	0/4	0/4	0/4	0/4
<i>Pneumocystis</i> spp. <sup>1,3</sup> (m)	PCR/MFLA	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony  
2: Not considered as specific pathogens for immunocompetent strains  
3: Not included in the Specific Pathogen Free (SPF) lists



HEALTH MONITORING REPORT (October 2011)


Species: MICE

Agents	Area		T22	T23
	Strains & Stocks	T12		
	Technique	Test period		
<b>VIRUSES</b>				
Sendai Virus <sup>1</sup> (m)	MFIA	October 5 - 11	JAX <sup>®</sup> Mice Strain B6.V-Lepr <sup>ob</sup> /J	CAnN.Cg-Foxn1 <sup>tm</sup> /Ch1CrJ <sup>3</sup>
Pneumonia Virus of Mice <sup>1</sup> (m)	MFIA	0/8	JAX <sup>®</sup> Mice Strain BKS.Cg-Dock7 <sup>m</sup> +/- Lep <sup>ob</sup> /J	0/8
Mouse Hepatitis Virus <sup>1</sup> (m)	MFIA	0/8		0/8
Minute Virus of Mice <sup>1</sup> (m)	MFIA	0/8		0/8
Mouse Parvovirus (1 or 2) <sup>1</sup> (m)	MFIA	0/8		0/8
Murine Norovirus <sup>1</sup> (m)	MFIA	0/8		0/8
Theiler's Murine Encephalomyelitis Virus <sup>1</sup> (m)	MFIA	0/8		0/8
Reovirus <sup>1</sup> (m)	MFIA	0/8		0/8
Epizootic Diarrhea of Infant Mice Virus <sup>1</sup> (m)	MFIA	0/8		0/8
<b>BACTERIA</b>				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8		0/12
<i>Citrobacter rodentium</i> (m)	Culture	0/4		0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8		0/12
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8		0/12
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8		0/12
<i>Salmonella</i> spp. (m)	Culture	0/8		0/12
<i>Staphylococcus aureus</i> <sup>2</sup> (m)	Culture	-		0/12
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8		0/12
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFIA	0/8		0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MFIA	0/8		0/12
<b>PARASITES AND FUNGI</b>				
Ectoparasites (m)	Direct Examination	0/8		0/12
Pinworms (m)	Direct Examination	0/8		0/12
Gastrointestinal protozoa (m)	Direct Examination	0/4		0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

Remarks : 1: Serology on immunocompetent animals from each colony  
2: Not considered as specific pathogens for immunocompetent strains  
3: Monitoring on both *m/m* and *m/+* mice  
Note: JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.



## HEALTH MONITORING REPORT (October 2011)

Species: RATS

Agents	Area	T11	T21
	Strains & Stocks	Crij:WI LEW/CrIctlj	CrI:CD(SD)
	Test period	October 5 - 12	October 5 - 12
	Technique		
<b>VIRUSES</b>			
Sendai Virus <sup>1</sup> (m)	MFIA	0/8	0/8
Pneumonia Virus of Mice <sup>1</sup> (m)	MFIA	0/8	0/8
Sialodacryoadenitis Virus <sup>1</sup> (m)	MFIA	0/8	0/8
Rat Minute Virus <sup>1</sup> (m)	MFIA	0/8	0/8
Rat Parvovirus <sup>1</sup> (m)	MFIA	0/8	0/8
Toolan's H-1 Virus <sup>1</sup> (m)	MFIA	0/8	0/8
Kilham Rat Virus <sup>1</sup> (m)	MFIA	0/8	0/8
Reovirus <sup>1</sup> (m)	MFIA	0/8	0/8
Rat Theilovirus <sup>1</sup> (m)	MFIA	0/8	0/8
<b>BACTERIA</b>			
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8
<i>Pseudomonas aeruginosa</i> <sup>2</sup> (m)	Culture	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8
<i>Mycoplasma pulmonis</i> <sup>1</sup> (m)	MFIA	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (m)	Lesions/MFIA	0/8	0/8
<b>PARASITES AND FUNGI</b>			
Ectoparasites (m)	Direct Examination	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/4
<i>Pneumocystis</i> spp. <sup>1, 3</sup> (m)	PCR/MFIA	0/8	0/8

Monitoring frequency: (m) monthly, (q) quarterly

Tested by Charles River Laboratories Japan, Inc.

 Remarks : 1: Serology on immunocompetent animals from each colony  
 2: Not considered as specific pathogens for immunocompetent strains  
 3: Not included in the Specific Pathogen Free (SPF) lists


**HEALTH MONITORING REPORT (October 2011)**

 Printed date: October 26, 2011  
 Location: Yokohama Breeding Center

Species: MICE


Agents	Area	Isolator		
		CB17/1cr-Prkdc <sup>scid</sup> /Cr1Crlj (Sentinels)	JAX <sup>®</sup> Mice Strain NOD.CB17-Prkdc <sup>scid</sup> /J C3H/HeNCr1Crlj (Sentinels)	Cr1j:SHO-Prkdc <sup>scid</sup> /Hr C3H/HeNCr1Crlj (Sentinels)
	Technique	Test period		
		October 12 - 19	October 11 - 19	October 11 - 19
<b>VIRUSES</b>				
Sendai Virus <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Pneumonia Virus of Mice <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Mouse Hepatitis Virus <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Minute Virus of Mice <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Mouse Parvovirus (1 or 2) <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Murine Norovirus <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Theiler's Murine Encephalomyelitis Virus <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Reovirus <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Epizootic Diarrhea of Infant Mice Virus <sup>1</sup> (g)	MFA	0/21	0/10	0/5
Lymphocytic Choriomeningitis Virus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
Ectromelia Virus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
Mouse Adenovirus (1 or 2) <sup>1</sup> (a)	MFA	0/21	0/10	0/5
Mouse Cytomegalovirus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
Mouse Pneumonitis Virus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
Polyoma Virus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
Hantaan Virus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
Mouse Thymic Virus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
<b>BACTERIA</b>				
<i>Bordetella bronchiseptica</i> (g)	Culture	0/63	0/30	0/15
<i>Citrobacter rodentium</i> (g)	Culture	0/42	0/20	0/10
<i>Corynebacterium kutscheri</i> (g)	Culture	0/63	0/30	0/15
<i>Pasteurella pneumotropica</i> (g)	Culture	0/63	0/30	0/15
<i>Pseudomonas aeruginosa</i> (g)	Culture	0/63	0/30	0/15
<i>Salmonella</i> spp. (g)	Culture	0/63	0/30	0/15
<i>Staphylococcus aureus</i> (g)	Culture	0/63	0/30	0/15
<i>Streptococcus pneumoniae</i> (g)	Culture	0/63	0/30	0/15
β - Hemolytic <i>Streptococcus</i> spp. (a)	Culture	0/63	0/30	0/15
<i>Helicobacter hepaticus</i> (a)	Culture	0/63	0/30	0/15
<i>Helicobacter bilis</i> (a)	PCR	0/63	0/30	0/15
<i>Helicobacter</i> spp. (a)	PCR	0/63	0/30	0/15
<i>Streptobacillus moniliformis</i> (a)	PCR	0/63	0/30	0/15
<i>Mycoplasma pulmonis</i> <sup>1</sup> (g)	PCR/MFA	0/63	0/30	0/15
<i>Clostridium piliforme</i> (Tyzzer's Disease) <sup>1</sup> (g)	Lesions/MFA	0/63	0/30	0/15
CAR bacillus <sup>1</sup> (a)	MFA	0/21	0/10	0/5
<b>PARASITES AND FUNGI</b>				
Ectoparasites (g)	Direct Examination	0/63	0/30	0/15
Pirworms (g)	Direct Examination	0/63	0/30	0/15
Gastrointestinal protozoa (g)	Direct Examination	0/42	0/20	0/10
<i>Encephalitozoon cuniculi</i> <sup>1</sup> (a)	MFA	0/21	0/10	0/5
<i>Pneumocystis</i> spp. (g)	PCR	0/21	0/10	0/5

Monitoring frequency of animals: (g) quarterly, (a) annually

Remarks : 1: Serology on immunocompetent animals from each colony

 Note : JAX<sup>®</sup> is a registered trademark of The Jackson Laboratory. All rights reserved.

Tested by Charles River Laboratories Japan, Inc.




HEALTH MONITORING REPORT (October 2011)

Species: MICE (Fecal and Water Samples)

Agents	Area	Isolator	Isolator	Isolator
	Strains & Stocks	CB17/1cr-Prkdc <sup>scid</sup> /CrI:Crj C3H/HeNCrI:Crj (Sentinels)	JAX <sup>®</sup> Mice Strain NOD.CB17-Prkdc <sup>scid</sup> /J C3H/HeNCrI:Crj (Sentinels)	Crj:SHO-Prkdc <sup>scid</sup> Hr <sup>hr</sup> C3H/HeNCrI:Crj (Sentinels)
	Test period Technique	October 11 - 14	October 11 - 14	October 11 - 14
<b>BACTERIA</b>				
<i>Bordetella bronchiseptica</i>	Culture	0/27	0/13	0/10
<i>Citrobacter rodentium</i>	Culture	0/27	0/13	0/10
<i>Corynebacterium kutscheri</i>	Culture	0/27	0/13	0/10
<i>Pasteurella pneumotropica</i>	Culture	0/27	0/13	0/10
<i>Pseudomonas aeruginosa</i>	Culture	0/27	0/13	0/10
<i>Salmonella</i> spp.	Culture	0/27	0/13	0/10
<i>Staphylococcus aureus</i>	Culture	0/27	0/13	0/10
<i>Streptococcus pneumoniae</i>	Culture	0/27	0/13	0/10

Monitoring frequency: Fecal and water samples of isolator-maintained animals are tested monthly.

Tested by Charles River Laboratories Japan, Inc.







日本チャールスリバー株式会社



受領日

05.10.2011

# 分析報告書

サンプルコード: 257-2011-10000023      分析      05.10.2011 – 19.10.2011  
 検体名:      ベータチップ

分析	結果	単位	定量限界
<b>J8312</b> ヒ素 (As として) ヒ素	<0.10	ppm	0.10
<b>J8308</b> カドミウム カドミウム	0.16	ppm	0.01
<b>J8306</b> 鉛 鉛	0.19	ppm	0.05
<b>JCHG2</b> 総水銀 総水銀	<0.005	ppm	0.005
<b>J3004</b> アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
<b>UMUP8</b> カビ カビ	60	cfu/g	10
<b>UMUDN</b> 一般細菌数 (生菌数) 一般細菌数 (30°C)	130000	cfu/g	10
<b>UMTK5</b> サルモネラ サルモネラ	陰性	/25 g	
<b>UMULP</b> 大腸菌 大腸菌	陰性	cfu/g	

報告結果の再生については分析所の許可が必要となります。報告結果は、分析したサンプルのみに適用されます。

Eurofins Analytics K.K Nittsu Keihin-Jima Center New Bldg. 2F 3-5-5 Keihin-Jima Ota-Ku 143-0003 Tokyo - JAPAN


**J3246 乾燥減量**

含水量	<b>9.5</b>	%	0.1
-----	------------	---	-----

**SP001 ビレスロイドを含む有機塩素系農薬**


γ-BHC (リンデン)	<b>&lt;0.001</b>	ppm	0.001
DDT 及び代謝物 (総計)	<b>&lt;0.01</b>	ppm	
DDT, p,p'-	<b>&lt;0.001</b>	ppm	0.001
DDT, o,p'-	<b>&lt;0.001</b>	ppm	0.001
DDE, p,p'-	<b>&lt;0.002</b>	ppm	0.002
DDE, o,p'-	<b>&lt;0.002</b>	ppm	0.002
DDD, p,p'-	<b>&lt;0.002</b>	ppm	0.002
DDD, o,p'-	<b>&lt;0.002</b>	ppm	0.002
エンドリン	<b>&lt;0.002</b>	ppm	0.002
ディルドリン	<b>&lt;0.001</b>	ppm	0.001
アルドリン	<b>&lt;0.001</b>	ppm	0.001
ヘプタクロル	<b>&lt;0.001</b>	ppm	0.001

**SP004 有機リン系農薬**


パラチオン	<b>&lt;0.01</b>	ppm	0.01
ダイアジノン	<b>&lt;0.01</b>	ppm	0.01
馬拉チオン (馬拉ソ)	<b>&lt;0.01</b>	ppm	0.01
パラチオンメチル	<b>&lt;0.01</b>	ppm	0.01

**SP103 ポリ塩化 ビフェニル**

7 PCB 測定総計	<b>&lt;0.07</b>	ppm	
PCB IUPAC 28	<b>&lt;0.01</b>	ppm	0.01
PCB IUPAC 52	<b>&lt;0.01</b>	ppm	0.01
PCB IUPAC 101	<b>&lt;0.01</b>	ppm	0.01
PCB IUPAC 118	<b>&lt;0.01</b>	ppm	0.01
PCB IUPAC 138	<b>&lt;0.01</b>	ppm	0.01
PCB IUPAC 153	<b>&lt;0.01</b>	ppm	0.01
PCB IUPAC 180	<b>&lt;0.01</b>	ppm	0.01



Colin Granier  
Chemistry Customer Services Manager



日本チャールスリバー株式会社

受領日 05.10.2011

# 分析報告書

サンプルコード: 257-2011-10000024      分析: 05.10.2011 – 19.10.2011  
 検体名: ホワイトフレーク

分析	結果	単位	定量限界
<b>J8312</b> ヒ素 (As として) ヒ素	<0.10	ppm	0.10
<b>J8308</b> カドミウム カドミウム	0.26	ppm	0.01
<b>J1013</b> 鉛 鉛	0.13	ppm	0.05
<b>JCHG2</b> 総水銀 総水銀	<0.005	ppm	0.005
<b>J3004</b> アフラトキシン B1, B2, G1, G2 アフラトキシン B1	<0.1	ppb	0.1
アフラトキシン B2	<0.1	ppb	0.1
アフラトキシン G1	<0.1	ppb	0.1
アフラトキシン G2	<0.1	ppb	0.1
<b>UMUP8</b> カビ カビ	< 10	cfu/g	10
<b>UMUDN</b> 一般細菌数 (生菌数) 一般細菌数 (30°C)	< 10	cfu/g	10
<b>UMTK5</b> サルモネラ サルモネラ	陰性	/25 g	
<b>UMULP</b> 大腸菌 大腸菌	陰性	cfu/g	

報告結果の再生については分析所の許可が必要となります。報告結果は、分析したサンプルのみに適用されます。


**J3246 乾燥減量**

含水量	8.4 %	0.1
-----	-------	-----

**SP001 ピレスロイドを含む有機塩素系農薬**

γ-BHC (リンデン)	<0.001 ppm	0.001
DDT 及び代謝物 (総計)	<0.01 ppm	
DDT, p,p'-	<0.001 ppm	0.001
DDT, o,p'-	<0.001 ppm	0.001
DDE, p,p'-	<0.002 ppm	0.002
DDE, o,p'-	<0.002 ppm	0.002
DDD, p,p'-	<0.002 ppm	0.002
DDD, o,p'-	<0.002 ppm	0.002
エンドリン	<0.002 ppm	0.002
ディルドリン	<0.001 ppm	0.001
アルドリン	<0.001 ppm	0.001
ヘプタクロル	<0.001 ppm	0.001

**SP004 有機リン系農薬**

パラチオン	<0.01 ppm	0.01
ダイアジノン	<0.01 ppm	0.01
馬拉チオン (馬拉ソソ)	<0.01 ppm	0.01
パラチオンメチル	<0.01 ppm	0.01

**SP103 ポリ塩化 ビフェニル**

7 PCB 測定総計	<0.07 ppm	
PCB IUPAC 28	<0.01 ppm	0.01
PCB IUPAC 52	<0.01 ppm	0.01
PCB IUPAC 101	<0.01 ppm	0.01
PCB IUPAC 118	<0.01 ppm	0.01
PCB IUPAC 138	<0.01 ppm	0.01
PCB IUPAC 153	<0.01 ppm	0.01
PCB IUPAC 180	<0.01 ppm	0.01



Colin Granier  
Chemistry Customer Services Manager