

HEALTH MONITORING REPORT (August 2015)

Species: MICE

Agents	Area	A11	A12	A14
	Strains & Stocks	CAnN.Cg-Foxn1 ^{nu} /CrjCrlj ³ Crlj:CD1-Foxn1 ^{nu} ³	CAnN.Cg-Foxn1 ^{nu} /CrjCrlj ³	JAX [®] Mice Strain SJL/J JAX [®] Mice Strain CBA/J NC/NgaTndCrlj Crl:CD1(ICR)
	Test period Technique	August 3 - 19	August 3 - 19	August 3 - 19
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Hepatitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Minute Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) ¹ (m)	MFIA	0/8	0/8	0/8
Murine Norovirus ¹ (m)	MFIA	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (m)	MFIA	0/8	0/8	0/8
Lymphocytic Choriomeningitis Virus ¹ (q)	MFIA	0/8	0/8	0/8
Ectromelia Virus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Adenovirus (1 or 2) ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Cytomegalovirus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Pneumonitis Virus ¹ (q)	MFIA	0/8	0/8	0/8
Polyoma Virus ¹ (q)	MFIA	0/8	0/8	0/8
Hantaan Virus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Thymic Virus ¹ (q)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/12	0/12	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/12	0/12	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/12	0/12	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/12	0/12	0/8
<i>Salmonella</i> spp. (m)	Culture	0/12	0/12	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/12	0/12	0/8
<i>Staphylococcus aureus</i> ² (m)	Culture	0/12	0/12	-
<i>Helicobacter hepaticus</i> (q)	PCR	0/12	0/12	0/8
<i>Helicobacter bilis</i> (q)	PCR	0/12	0/12	0/8
<i>Helicobacter</i> spp. (q)	PCR	0/12	0/12	0/8
<i>Streptobacillus moniliformis</i> (q)	PCR	0/12	0/12	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFIA	0/12	0/12	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/12	0/12	0/12
CAR bacillus ¹ (q)	MFIA	0/8	0/8	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/12	0/12	0/8
Pinworms (m)	Direct Examination	0/12	0/12	0/12
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8
<i>Encephalitozoon cuniculi</i> ¹ (q)	MFIA	0/8	0/8	0/8
<i>Pneumocystis</i> spp. ² (q)	PCR	0/4	0/4	-

Monitoring frequency: (m) monthly, (q) quarterly

Remarks : 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Monitoring on both *nu/nu* and *nu/+* mice

Tested by Charles River Laboratories Japan, Inc.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

HEALTH MONITORING REPORT (August 2015)

Species: MICE

Agents	Area	A23	A24	A25
	Strains & Stocks	BALB/cAnNCrIrlj DBA/2NCrIrlj CD2F1/CrIrlj ³	CAnN.Cg-Foxn1 ^{nu} /CrIrlj ⁴	JAX® Mice Strain C57BL/6J
	Test period Technique	August 10 - 19	August 3 - 19	August 3 - 19
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Hepatitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Minute Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) ¹ (m)	MFIA	0/8	0/8	0/8
Murine Norovirus ¹ (m)	MFIA	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (m)	MFIA	0/8	0/8	0/8
Lymphocytic Choriomeningitis Virus ¹ (q)	MFIA	0/8	0/8	0/8
Ectromelia Virus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Adenovirus (1 or 2) ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Cytomegalovirus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Pneumonitis Virus ¹ (q)	MFIA	0/8	0/8	0/8
Polyoma Virus ¹ (q)	MFIA	0/8	0/8	0/8
Hantaan Virus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Thymic Virus ¹ (q)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/12	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/12	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/12	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/12	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/12	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/12	0/8
<i>Staphylococcus aureus</i> ² (m)	Culture	-	0/12	-
<i>Helicobacter hepaticus</i> (q)	PCR	0/8	0/12	0/8
<i>Helicobacter bilis</i> (q)	PCR	0/8	0/12	0/8
<i>Helicobacter</i> spp. (q)	PCR	0/8	0/12	0/8
<i>Streptobacillus moniliformis</i> (q)	PCR	0/8	0/12	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFIA	0/8	0/12	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/12	0/12	0/12
CAR bacillus ¹ (q)	MFIA	0/8	0/8	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/8	0/12	0/8
Pinworms (m)	Direct Examination	0/12	0/12	0/12
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8
<i>Encephalitozoon cuniculi</i> ¹ (q)	MFIA	0/8	0/8	0/8
<i>Pneumocystis</i> spp. ² (q)	PCR	-	0/4	-

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

Remarks : 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Not tested strains or stocks; monitoring on parents or other strains in the area

4: Monitoring on both nu/nu and nu+/ mice

Note: JAX® is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (August 2015)

Species: RATS

Agents	Area	A21	A22
	Strains & Stocks	F344/DuCrI CrIj ZDF- <i>Lepr^{fa}</i> /CrI CrIj CrIj:ZUC- <i>Lepr^{fa}</i>	CrI:CD(SD)
	Test period Technique	August 10 - 19	August 10 - 19
VIRUSES			
Sendai Virus ¹ (m)	MFIA	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8
Sialodacryoadenitis Virus ¹ (m)	MFIA	0/8	0/8
Rat Minute Virus ¹ (m)	MFIA	0/8	0/8
Rat Parvovirus ¹ (m)	MFIA	0/8	0/8
Toolan's H-1 Virus ¹ (m)	MFIA	0/8	0/8
Kilham Rat Virus ¹ (m)	MFIA	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8
Rat Theilovirus ¹ (m)	MFIA	0/8	0/8
Lymphocytic Choriomeningitis Virus ¹ (q)	MFIA	0/8	0/8
Mouse Adenovirus (1 or 2) ¹ (q)	MFIA	0/8	0/8
Hantaan Virus ¹ (q)	MFIA	0/8	0/8
BACTERIA			
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8
<i>Helicobacter hepaticus</i> (q)	PCR	0/8	0/8
<i>Helicobacter bilis</i> (q)	PCR	0/8	0/8
<i>Helicobacter</i> spp. (q)	PCR	0/8	0/8
<i>Streptobacillus moniliformis</i> (q)	PCR	0/8	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFIA	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/12	0/12
CAR bacillus ¹ (q)	MFIA	0/8	0/8
PARASITES AND FUNGI			
Ectoparasites (m)	Direct Examination	0/8	0/8
Pinworms (m)	Direct Examination	0/12	0/12
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8
<i>Encephalitozoon cuniculi</i> ¹ (q)	MFIA	0/8	0/8
<i>Pneumocystis</i> spp. ^{1,3} (m)	MFIA	0/8	0/8

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

日本チャールス・リバー株式会社
代表取締役社長 小林 功

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not included in the Specific Pathogen Free (SPF) lists

Species: MICE

Agents	Area	H12	H22	H23
	Strains & Stocks	JAX [®] Mice Strain C57BL/6J JAX [®] Mice Strain B6.Cg-Lep ^{ob} /J JAX [®] Mice Strain BKS.Cg-Dock7 ^m +/+ Lep ^{ob} /J	CrI:CD1(ICR) C57BL/6NCrI C3H/HeNCrI DBA/2NCrI ³ B6N-Ty ^{c-Brd} /BrdCrCrI B6D2F1/CrI ³ B6C3F1/CrI ³	BALB/cAnNCrICrIj DBA/1JNCrIj
	Test period Technique	August 5 - 19	August 5 - 19	August 5 - 19
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Hepatitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Minute Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) ¹ (m)	MFIA	0/8	0/8	0/8
Murine Norovirus ¹ (m)	MFIA	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (m)	MFIA	0/8	0/8	0/8
Lymphocytic Choriomeningitis Virus ¹ (q)	MFIA	0/8	0/8	0/8
Ectromelia Virus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Adenovirus (1 or 2) ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Cytomegalovirus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Pneumonitis Virus ¹ (q)	MFIA	0/8	0/8	0/8
Polyoma Virus ¹ (q)	MFIA	0/8	0/8	0/8
Hantaan Virus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Thymic Virus ¹ (q)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8
<i>Helicobacter hepaticus</i> (q)	PCR	0/8	0/8	0/8
<i>Helicobacter bilis</i> (q)	PCR	0/8	0/8	0/8
<i>Helicobacter</i> spp. (q)	PCR	0/8	0/8	0/8
<i>Streptobacillus moniliformis</i> (q)	PCR	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFIA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/12	0/12	0/12
CAR bacillus ¹ (q)	MFIA	0/8	0/8	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/12	0/12	0/12
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8
<i>Encephalitozoon cuniculi</i> ¹ (q)	MFIA	0/8	0/8	0/8

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

Remarks : 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Not tested strains or stocks; monitoring on parents or other strains in the area

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (August 2015)

Species: RATS

Agents	Area	H11	H13	H21
	Strains & Stocks	CrI:WI(Han) SHR/NCrI:CrIj WKY/NCrI:CrIj CrIj:WI	LEW/CrI:CrIj BN/CrI:CrIj PCK/CrIjCrI-Pkhd1 ^{Pck} /CrI:CrIj CrIj:LE	CrI:CD(SD)
	Test period Technique	August 12 - 20	August 12 - 19	August 12 - 19
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Sialodacryoadenitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Rat Minute Virus ¹ (m)	MFIA	0/8	0/8	0/8
Rat Parvovirus ¹ (m)	MFIA	0/8	0/8	0/8
Toolan's H-1 Virus ¹ (m)	MFIA	0/8	0/8	0/8
Kilham Rat Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Rat Theilovirus ¹ (m)	MFIA	0/8	0/8	0/8
Lymphocytic Choriomeningitis Virus ¹ (q)	MFIA	0/8	0/8	0/8
Mouse Adenovirus (1 or 2) ¹ (q)	MFIA	0/8	0/8	0/8
Hantaan Virus ¹ (q)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8
<i>Helicobacter hepaticus</i> (q)	PCR	0/8	0/8	0/8
<i>Helicobacter bilis</i> (q)	PCR	0/8	0/8	0/8
<i>Helicobacter</i> spp. (q)	PCR	0/8	0/8	0/8
<i>Streptobacillus moniliformis</i> (q)	PCR	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	PCR/MFIA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/12	0/12	0/12
CAR bacillus ¹ (q)	MFIA	0/8	0/8	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/12	0/12	0/12
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/8
<i>Encephalitozoon cuniculi</i> ¹ (q)	MFIA	0/8	0/8	0/8
<i>Pneumocystis</i> spp. ^{1,3} (m)	MFIA	0/8	0/8	0/8

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

Remarks : 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not included in the Specific Pathogen Free (SPF) lists

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (August 2015)

Printed date: August 25, 2015

Location: Tsukuba Breeding Center

Species: MICE

Agents	Area	T21 Isolator	
	Strains & Stocks	T21 Isolator	
	Test period Technique	August 12 - 19	August 12 - 19
VIRUSES			
Sendai Virus ¹ (q)	MFIA	0/2	0/3
Pneumonia Virus of Mice ¹ (q)	MFIA	0/2	0/3
Mouse Hepatitis Virus ¹ (q)	MFIA	0/2	0/3
Minute Virus of Mice ¹ (q)	MFIA	0/2	0/3
Mouse Parvovirus (1 or 2) ¹ (q)	MFIA	0/2	0/3
Murine Norovirus ¹ (q)	MFIA	0/2	0/3
Theiler's Murine Encephalomyelitis Virus ¹ (q)	MFIA	0/2	0/3
Reovirus ¹ (q)	MFIA	0/2	0/3
Epizootic Diarrhea of Infant Mice Virus ¹ (q)	MFIA	0/2	0/3
BACTERIA			
<i>Bordetella bronchiseptica</i> (q)	Culture	0/6	0/9
<i>Citrobacter rodentium</i> (q)	Culture	0/4	0/6
<i>Corynebacterium kutscheri</i> (q)	Culture	0/6	0/9
<i>Pasteurella pneumotropica</i> (q)	Culture	0/6	0/9
<i>Pseudomonas aeruginosa</i> (q)	Culture	0/6	0/9
<i>Salmonella</i> spp. (q)	Culture	0/6	0/9
<i>Staphylococcus aureus</i> (q)	Culture	0/6	0/9
<i>Streptococcus pneumoniae</i> (q)	Culture	0/6	0/9
<i>Mycoplasma pulmonis</i> ¹ (q)	MFIA	0/2	0/3
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (q)	Lesions/MFIA	0/6	0/9
PARASITES AND FUNGI			
Ectoparasites (q)	Direct Examination	0/6	0/9
Pinworms (q)	Direct Examination	0/6	0/9
Gastrointestinal protozoa (q)	Direct Examination	0/4	0/6
<i>Pneumocystis</i> spp. (q)	PCR	0/2	0/3

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency of animals: (q) quarterly, (a) annually

日本チャールス・リバー株式会社
代表取締役社長 小林 功

Remarks : 1: Serology on immunocompetent animals from each colony

HEALTH MONITORING REPORT (August 2015)

Printed date: August 25, 2015

Location: Tsukuba Breeding Center

Species: MICE

Agents	Area	T22 Isolator
	Strains & Stocks	CB17/Icr-Prkdc ^{scid} /CrIcrlj C3H/HeNCrIcrlj (Sentinels)
	Test period Technique	August 10 - 19
VIRUSES		
Sendai Virus ¹ (q)	MFIA	0/14
Pneumonia Virus of Mice ¹ (q)	MFIA	0/14
Mouse Hepatitis Virus ¹ (q)	MFIA	0/14
Minute Virus of Mice ¹ (q)	MFIA	0/14
Mouse Parvovirus (1 or 2) ¹ (q)	MFIA	0/14
Murine Norovirus ¹ (q)	MFIA	0/14
Theiler's Murine Encephalomyelitis Virus ¹ (q)	MFIA	0/14
Reovirus ¹ (q)	MFIA	0/14
Epizootic Diarrhea of Infant Mice Virus ¹ (q)	MFIA	0/14
BACTERIA		
<i>Bordetella bronchiseptica</i> (q)	Culture	0/42
<i>Citrobacter rodentium</i> (q)	Culture	0/28
<i>Corynebacterium kutscheri</i> (q)	Culture	0/42
<i>Pasteurella pneumotropica</i> (q)	Culture	0/42
<i>Pseudomonas aeruginosa</i> (q)	Culture	0/42
<i>Salmonella</i> spp. (q)	Culture	0/42
<i>Staphylococcus aureus</i> (q)	Culture	0/42
<i>Streptococcus pneumoniae</i> (q)	Culture	0/42
<i>Mycoplasma pulmonis</i> ¹ (q)	MFIA	0/14
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (q)	Lesions/MFIA	0/42
PARASITES AND FUNGI		
Ectoparasites (q)	Direct Examination	0/42
Pinworms (q)	Direct Examination	0/42
Gastrointestinal protozoa (q)	Direct Examination	0/28
<i>Pneumocystis</i> spp. (q)	PCR	0/14

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency of animals: (q) quarterly, (a) annually

日本チャールス・リバー株式会社
代表取締役社長 小林 功

Remarks : 1: Serology on immunocompetent animals from each colony

HEALTH MONITORING REPORT (August 2015)

Printed date: August 25, 2015

Location: Tsukuba Breeding Center

Species: MICE

Agents	Area	T23 Isolator
	Strains & Stocks	JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J C3H/HeNCrCrj (Sentinels)
	Test period Technique	August 3 - 19
VIRUSES		
Sendai Virus ¹ (q)	MFIA	0/8
Pneumonia Virus of Mice ¹ (q)	MFIA	0/8
Mouse Hepatitis Virus ¹ (q)	MFIA	0/8
Minute Virus of Mice ¹ (q)	MFIA	0/8
Mouse Parvovirus (1 or 2) ¹ (q)	MFIA	0/8
Murine Norovirus ¹ (q)	MFIA	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (q)	MFIA	0/8
Reovirus ¹ (q)	MFIA	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (q)	MFIA	0/8
BACTERIA		
<i>Bordetella bronchiseptica</i> (q)	Culture	0/24
<i>Citrobacter rodentium</i> (q)	Culture	0/16
<i>Corynebacterium kutscheri</i> (q)	Culture	0/24
<i>Pasteurella pneumotropica</i> (q)	Culture	0/24
<i>Pseudomonas aeruginosa</i> (q)	Culture	0/24
<i>Salmonella</i> spp. (q)	Culture	0/24
<i>Staphylococcus aureus</i> (q)	Culture	0/24
<i>Streptococcus pneumoniae</i> (q)	Culture	0/24
<i>Mycoplasma pulmonis</i> ¹ (q)	MFIA	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (q)	Lesions/MFIA	0/24
PARASITES AND FUNGI		
Ectoparasites (q)	Direct Examination	0/24
Pinworms (q)	Direct Examination	0/24
Gastrointestinal protozoa (q)	Direct Examination	0/16
<i>Pneumocystis</i> spp. (q)	PCR	0/8

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency of animals: (q) quarterly, (a) annually

Remarks : 1: Serology on immunocompetent animals from each colony

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (August 2015)

Printed date: August 25, 2015
Location: Tsukuba Breeding Center

Species: MICE (Fecal and Water Samples)

Agents	Area	T21 Isolator	T21 Isolator	T21 Isolator
	Strains & Stocks	JAX [®] Mice Strain NOD.Cg-Prkdc ^{scid} Il2rg ^{tm1Wjl} /SzJ C3H/HeNCrCrIj (Sentinels)	CrIj:SHO-Prkdc ^{scid} Hr ^{hr} C3H/HeNCrCrIj (Sentinels)	CB17.Cg-Prkdc ^{scid} Lyst ^{bg-J} /CrIj C3H/HeNCrCrIj (Sentinels)
	Test period Technique	August 10 - 19	August 10 - 19	August 10 - 19
BACTERIA				
<i>Bordetella bronchiseptica</i>	Culture	0/15	0/5	0/5
<i>Citrobacter rodentium</i>	Culture	0/15	0/5	0/5
<i>Corynebacterium kutscheri</i>	Culture	0/15	0/5	0/5
<i>Pasteurella pneumotropica</i>	Culture	0/15	0/5	0/5
<i>Pseudomonas aeruginosa</i>	Culture	0/15	0/5	0/5
<i>Salmonella</i> spp.	Culture	0/15	0/5	0/5
<i>Staphylococcus aureus</i>	Culture	0/15	0/5	0/5
<i>Streptococcus pneumoniae</i>	Culture	0/15	0/5	0/5

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: Fecal and water samples of isolator-maintained animals are tested monthly.

HEALTH MONITORING REPORT (August 2015)

Printed date: August 25, 2015

Location: Tsukuba Breeding Center

Species: MICE (Fecal and Water Samples)

Agents	Area	T22 Isolator
	Strains & Stocks	CB17/Icr-Prkdc ^{scid} /CrIcrlj C3H/HeNCrIcrlj (Sentinels)
	Test period Technique	August 10 - 19
BACTERIA		
<i>Bordetella bronchiseptica</i>	Culture	0/30
<i>Citrobacter rodentium</i>	Culture	0/30
<i>Corynebacterium kutscheri</i>	Culture	0/30
<i>Pasteurella pneumotropica</i>	Culture	0/30
<i>Pseudomonas aeruginosa</i>	Culture	0/30
<i>Salmonella</i> spp.	Culture	0/30
<i>Staphylococcus aureus</i>	Culture	0/30
<i>Streptococcus pneumoniae</i>	Culture	0/30

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: Fecal and water samples of isolator-maintained animals are tested monthly.

HEALTH MONITORING REPORT (August 2015)

Printed date: August 25, 2015
Location: Tsukuba Breeding Center

Species: MICE (Fecal and Water Samples)

Agents	Area	T23 Isolator
	Strains & Stocks	JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J C3H/HeNCrIcrIj (Sentinels)
	Test period Technique	August 10 - 19
BACTERIA		
<i>Bordetella bronchiseptica</i>	Culture	0/18
<i>Citrobacter rodentium</i>	Culture	0/18
<i>Corynebacterium kutscheri</i>	Culture	0/18
<i>Pasteurella pneumotropica</i>	Culture	0/18
<i>Pseudomonas aeruginosa</i>	Culture	0/18
<i>Salmonella</i> spp.	Culture	0/18
<i>Staphylococcus aureus</i>	Culture	0/18
<i>Streptococcus pneumoniae</i>	Culture	0/18

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: Fecal and water samples of isolator-maintained animals are tested monthly.