

HEALTH MONITORING REPORT (December 2015)

Species: MICE

Agents	Area	A11	A12	A14
	Strains & Stocks	CAnN.Cg-Foxn1 ^{tmu} /CrjCrj ³ Crj:CD1-Foxn1 ^{tmu} ³	CAnN.Cg-Foxn1 ^{tmu} /CrjCrj ³	JAX [®] Mice Strain SJL/J JAX [®] Mice Strain CBA/J NC/NgaTndCrj Crj:CD1(ICR)
	Test period Technique	December 7 - 24	December 7 - 24	December 7 - 24
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Hepatitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Minute Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) ¹ (m)	MFIA	0/8	0/8	0/8
Murine Norovirus ¹ (m)	MFIA	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (m)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/12	0/12	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/8	0/8	0/4
<i>Corynebacterium kutscheri</i> (m)	Culture	0/12	0/12	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/12	0/12	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/12	0/12	0/8
<i>Salmonella</i> spp. (m)	Culture	0/12	0/12	0/8
<i>Staphylococcus aureus</i> ² (m)	Culture	0/12	0/12	-
<i>Streptococcus pneumoniae</i> (m)	Culture	0/12	0/12	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	MFIA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/12	0/12	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/12	0/12	0/8
Pinworms (m)	Direct Examination	0/12	0/12	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/8	0/8	0/4

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

Remarks: 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Monitoring on both *nu/nu* and *nu/+* mice

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社

代表取締役社長 小林 功

HEALTH MONITORING REPORT (December 2015)

Species: MICE

Agents	Area	A23	A24	A25
	Strains & Stocks	BALB/cAnNCrCrj DBA/2NCrCrj CD2F1/Crj ³	CAnN.Cg-Foxn1 tm /CrCrj ⁴	JAX [®] Mice Strain C57BL/6J
	Test period Technique	December 2 - 24	December 7 - 24	December 2 - 24
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Hepatitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Minute Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) ¹ (m)	MFIA	0/8	0/8	0/8
Murine Norovirus ¹ (m)	MFIA	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (m)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/12	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/4	0/8	0/4
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/12	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/12	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/12	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/12	0/8
<i>Staphylococcus aureus</i> ² (m)	Culture	-	0/12	-
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/12	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	MFIA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/8	0/12	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/8	0/12	0/8
Pinworms (m)	Direct Examination	0/8	0/12	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/8	0/4

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

Remarks: 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Not tested strains or stocks; monitoring on parents or other strains in the area

4: Monitoring on both *nu/nu* and *nu/+* mice

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (December 2015)

Printed date: December 25, 2015

Location: Atsugi Breeding Center

Species: RATS

Agents	Area	A21	A22
	Strains & Stocks	F344/DuCrI CrIj ZDF- <i>Lepr^{fa}</i> /CrI CrIj CrIj:ZUC- <i>Lepr^{fa}</i>	CrI:CD(SD)
	Test period Technique	December 2 - 24	December 7 - 24
VIRUSES			
Sendai Virus ¹ (m)	MFIA	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8
Sialodacryoadenitis Virus ¹ (m)	MFIA	0/8	0/8
Rat Minute Virus ¹ (m)	MFIA	0/8	0/8
Rat Parvovirus ¹ (m)	MFIA	0/8	0/8
Toolan's H-1 Virus ¹ (m)	MFIA	0/8	0/8
Kilham Rat Virus ¹ (m)	MFIA	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8
Rat Theilovirus ¹ (m)	MFIA	0/8	0/8
BACTERIA			
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	MFIA	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/8	0/8
PARASITES AND FUNGI			
Ectoparasites (m)	Direct Examination	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/4
<i>Pneumocystis</i> spp. ^{1,3} (m)	MFIA	0/8	0/8

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

日本チャールス・リバー株式会社
代表取締役社長 小林 功

Remarks: 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not included in the Specific Pathogen Free (SPF) lists

HEALTH MONITORING REPORT (December 2015)

Species: MICE

Agents	Area	H12	H22	H23
	Strains & Stocks	JAX [®] Mice Strain C57BL/6J JAX [®] Mice Strain B6.Cg-Lep ^{ob} /J JAX [®] Mice Strain BKS.Cg-Dock7 ^m +/+ Lep ^{ob} /J	CrI:CD1(ICR) C57BL/6NCrI C3H/HeNCrI ³ DBA/2NCrI B6N-Tyr ^{c-Brd} /BrdCrCrI B6D2F1/CrI ³ B6C3F1/CrI ³	BALB/cAnNCrIcrlj DBA/1JNCrIj
	Test period Technique	December 2 - 24	December 2 - 24	December 2 - 24
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Hepatitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Minute Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Mouse Parvovirus (1 or 2) ¹ (m)	MFIA	0/8	0/8	0/8
Murine Norovirus ¹ (m)	MFIA	0/8	0/8	0/8
Theiler's Murine Encephalomyelitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Epizootic Diarrhea of Infant Mice Virus ¹ (m)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8
<i>Citrobacter rodentium</i> (m)	Culture	0/4	0/4	0/4
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	MFIA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/8	0/8	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/4	0/4

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

Remarks: 1: Serology on immunocompetent animals from each colony

2: Not considered as specific pathogens for immunocompetent strains

3: Not tested strains or stocks; monitoring on parents or other strains in the area

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (December 2015)

Printed date: December 25, 2015

Location: Hino Breeding Center

Species: RATS

Agents	Area	H11	H13	H21
	Strains & Stocks	CrI:WI(Han) SHR/NCrCrIj WKY/NCrCrIj CrIj:WI	LEW/CrIcrIj BN/CrIcrIj PCK/CrIjCrI-Pkhd1 ^{Pck} /CrIcrIj CrIj:LE	CrI:CD(SD)
	Test period Technique	December 2 - 24	December 2 - 24	December 2 - 24
VIRUSES				
Sendai Virus ¹ (m)	MFIA	0/8	0/8	0/8
Pneumonia Virus of Mice ¹ (m)	MFIA	0/8	0/8	0/8
Sialodacryoadenitis Virus ¹ (m)	MFIA	0/8	0/8	0/8
Rat Minute Virus ¹ (m)	MFIA	0/8	0/8	0/8
Rat Parvovirus ¹ (m)	MFIA	0/8	0/8	0/8
Toolan's H-1 Virus ¹ (m)	MFIA	0/8	0/8	0/8
Kilham Rat Virus ¹ (m)	MFIA	0/8	0/8	0/8
Reovirus ¹ (m)	MFIA	0/8	0/8	0/8
Rat Theilovirus ¹ (m)	MFIA	0/8	0/8	0/8
BACTERIA				
<i>Bordetella bronchiseptica</i> (m)	Culture	0/8	0/8	0/8
<i>Corynebacterium kutscheri</i> (m)	Culture	0/8	0/8	0/8
<i>Pasteurella pneumotropica</i> (m)	Culture	0/8	0/8	0/8
<i>Pseudomonas aeruginosa</i> ² (m)	Culture	0/8	0/8	0/8
<i>Salmonella</i> spp. (m)	Culture	0/8	0/8	0/8
<i>Streptococcus pneumoniae</i> (m)	Culture	0/8	0/8	0/8
<i>Mycoplasma pulmonis</i> ¹ (m)	MFIA	0/8	0/8	0/8
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (m)	Lesions/MFIA	0/8	0/8	0/8
PARASITES AND FUNGI				
Ectoparasites (m)	Direct Examination	0/8	0/8	0/8
Pinworms (m)	Direct Examination	0/8	0/8	0/8
Gastrointestinal protozoa (m)	Direct Examination	0/4	0/4	0/4
<i>Pneumocystis</i> spp. ^{1,3} (m)	MFIA	0/8	0/8	0/8

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: (m) monthly, (q) quarterly

日本チャールス・リバー株式会社
代表取締役社長 小林 功

Remarks: 1: Serology on immunocompetent animals from each colony
2: Not considered as specific pathogens for immunocompetent strains
3: Not included in the Specific Pathogen Free (SPF) lists

HEALTH MONITORING REPORT (December 2015)

Species: MICE

Agents	Area	T21 Isolator	T21 Isolator	T21 Isolator
	Strains & Stocks	JAX [®] Mice Strain NOD.Cg-Prkdc ^{scid} Il2rg ^{tm1Wjl} /SzJ C3H/HeNcrCrlj (Sentinels)	Crlj:SHO-Prkdc ^{scid} H ^{hr} C3H/HeNcrCrlj (Sentinels)	CB17.Cg-Prkdc ^{scid} Lysf ^{bg-J} /CrlCrlj C3H/HeNcrCrlj (Sentinels)
	Test period Technique	December 7 - 24	December 7 - 24	December 7 - 24
VIRUSES				
Sendai Virus ¹ (q)	MFIA	0/9	0/4	0/2
Pneumonia Virus of Mice ¹ (q)	MFIA	0/9	0/4	0/2
Mouse Hepatitis Virus ¹ (q)	MFIA	0/9	0/4	0/2
Minute Virus of Mice ¹ (q)	MFIA	0/9	0/4	0/2
Mouse Parvovirus (1 or 2) ¹ (q)	MFIA	0/9	0/4	0/2
Murine Norovirus ¹ (q)	MFIA	0/9	0/4	0/2
Theiler's Murine Encephalomyelitis Virus ¹ (q)	MFIA	0/9	0/4	0/2
Reovirus ¹ (q)	MFIA	0/9	0/4	0/2
Epizootic Diarrhea of Infant Mice Virus ¹ (q)	MFIA	0/9	0/4	0/2
BACTERIA				
<i>Bordetella bronchiseptica</i> (q)	Culture	0/27	0/12	0/6
<i>Citrobacter rodentium</i> (q)	Culture	0/18	0/8	0/4
<i>Corynebacterium kutscheri</i> (q)	Culture	0/27	0/12	0/6
<i>Pasteurella pneumotropica</i> (q)	Culture	0/27	0/12	0/6
<i>Pseudomonas aeruginosa</i> (q)	Culture	0/27	0/12	0/6
<i>Salmonella</i> spp. (q)	Culture	0/27	0/12	0/6
<i>Staphylococcus aureus</i> (q)	Culture	0/27	0/12	0/6
<i>Streptococcus pneumoniae</i> (q)	Culture	0/27	0/12	0/6
<i>Mycoplasma pulmonis</i> ¹ (q)	MFIA	0/9	0/4	0/2
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (q)	Lesions/MFIA	0/27	0/12	0/6
PARASITES AND FUNGI				
Ectoparasites (q)	Direct Examination	0/27	0/12	0/6
Pinworms (q)	Direct Examination	0/27	0/12	0/6
Gastrointestinal protozoa (q)	Direct Examination	0/18	0/8	0/4
<i>Pneumocystis</i> spp. (q)	PCR	0/9	0/4	0/2

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency of animals: (q) quarterly, (a) annually

Remarks: 1: Serology on immunocompetent animals from each colony

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (December 2015)

Species: MICE

Agents	Area	T22 Isolator
	Strains & Stocks	CB17/Icr-Prkdc ^{scid} /CrIcrlj C3H/HeNcrIcrlj (Sentinels)
	Test period Technique	December 1 - 24
VIRUSES		
Sendai Virus ¹ (q)	MFIA	0/13
Pneumonia Virus of Mice ¹ (q)	MFIA	0/13
Mouse Hepatitis Virus ¹ (q)	MFIA	0/13
Minute Virus of Mice ¹ (q)	MFIA	0/13
Mouse Parvovirus (1 or 2) ¹ (q)	MFIA	0/13
Murine Norovirus ¹ (q)	MFIA	0/13
Theiler's Murine Encephalomyelitis Virus ¹ (q)	MFIA	0/13
Reovirus ¹ (q)	MFIA	0/13
Epizootic Diarrhea of Infant Mice Virus ¹ (q)	MFIA	0/13
BACTERIA		
<i>Bordetella bronchiseptica</i> (q)	Culture	0/39
<i>Citrobacter rodentium</i> (q)	Culture	0/26
<i>Corynebacterium kutscheri</i> (q)	Culture	0/39
<i>Pasteurella pneumotropica</i> (q)	Culture	0/39
<i>Pseudomonas aeruginosa</i> (q)	Culture	0/39
<i>Salmonella</i> spp. (q)	Culture	0/39
<i>Staphylococcus aureus</i> (q)	Culture	0/39
<i>Streptococcus pneumoniae</i> (q)	Culture	0/39
<i>Mycoplasma pulmonis</i> ¹ (q)	MFIA	0/13
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (q)	Lesions/MFIA	0/39
PARASITES AND FUNGI		
Ectoparasites (q)	Direct Examination	0/39
Pinworms (q)	Direct Examination	0/39
Gastrointestinal protozoa (q)	Direct Examination	0/26
<i>Pneumocystis</i> spp. (q)	PCR	0/13

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency of animals: (q) quarterly, (a) annually

日本チャールス・リバー株式会社
代表取締役社長 小林 功

Remarks: 1: Serology on immunocompetent animals from each colony

HEALTH MONITORING REPORT (December 2015)

Species: MICE

Agents	Area	T23 Isolator
	Strains & Stocks	JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J C3H/HeNCrCrj (Sentinels)
	Test period Technique	December 2 - 24
VIRUSES		
Sendai Virus ¹ (q)	MFIA	0/12
Pneumonia Virus of Mice ¹ (q)	MFIA	0/12
Mouse Hepatitis Virus ¹ (q)	MFIA	0/12
Minute Virus of Mice ¹ (q)	MFIA	0/12
Mouse Parvovirus (1 or 2) ¹ (q)	MFIA	0/12
Murine Norovirus ¹ (q)	MFIA	0/12
Theiler's Murine Encephalomyelitis Virus ¹ (q)	MFIA	0/12
Reovirus ¹ (q)	MFIA	0/12
Epizootic Diarrhea of Infant Mice Virus ¹ (q)	MFIA	0/12
BACTERIA		
<i>Bordetella bronchiseptica</i> (q)	Culture	0/36
<i>Citrobacter rodentium</i> (q)	Culture	0/24
<i>Corynebacterium kutscheri</i> (q)	Culture	0/36
<i>Pasteurella pneumotropica</i> (q)	Culture	0/36
<i>Pseudomonas aeruginosa</i> (q)	Culture	0/36
<i>Salmonella</i> spp. (q)	Culture	0/36
<i>Staphylococcus aureus</i> (q)	Culture	0/36
<i>Streptococcus pneumoniae</i> (q)	Culture	0/36
<i>Mycoplasma pulmonis</i> ¹ (q)	MFIA	0/12
<i>Clostridium piliforme</i> (Tyzzer's Disease) ¹ (q)	Lesions/MFIA	0/36
PARASITES AND FUNGI		
Ectoparasites (q)	Direct Examination	0/36
Pinworms (q)	Direct Examination	0/36
Gastrointestinal protozoa (q)	Direct Examination	0/24
<i>Pneumocystis</i> spp. (q)	PCR	0/12

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency of animals: (q) quarterly, (a) annually

Remarks: 1: Serology on immunocompetent animals from each colony

Note: JAX[®] is a registered trademark of The Jackson Laboratory. All rights reserved.

日本チャールス・リバー株式会社
代表取締役社長 小林 功

HEALTH MONITORING REPORT (December 2015)

Printed date: December 25, 2015
Location: Tsukuba Breeding Center

Species: MICE (Fecal and Water Samples)

Agents	Area	T21 Isolator	T21 Isolator	T21 Isolator
	Strains & Stocks	JAX [®] Mice Strain NOD.Cg-Prkdc ^{scid} Il2rg ^{tm1Wjl} /SzJ C3H/HeNCrCrIj (Sentinels)	CrIj:SHO-Prkdc ^{scid} Hr ^{hr} C3H/HeNCrCrIj (Sentinels)	CB17.Cg-Prkdc ^{scid} Lyst ^{bg-J} /CrIcrIj C3H/HeNCrCrIj (Sentinels)
	Test period Technique	December 14 - 24	December 14 - 24	December 14 - 24
BACTERIA				
<i>Bordetella bronchiseptica</i>	Culture	0/13	0/4	0/6
<i>Citrobacter rodentium</i>	Culture	0/13	0/4	0/6
<i>Corynebacterium kutscheri</i>	Culture	0/13	0/4	0/6
<i>Pasteurella pneumotropica</i>	Culture	0/13	0/4	0/6
<i>Pseudomonas aeruginosa</i>	Culture	0/13	0/4	0/6
<i>Salmonella</i> spp.	Culture	0/13	0/4	0/6
<i>Staphylococcus aureus</i>	Culture	0/13	0/4	0/6
<i>Streptococcus pneumoniae</i>	Culture	0/13	0/4	0/6

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: Fecal and water samples of isolator-maintained animals are tested monthly.

HEALTH MONITORING REPORT (December 2015)

Species: MICE (Fecal and Water Samples)

Agents	Area	T22 Isolator
	Strains & Stocks	CB17/Icr-Prkdc ^{scid} /CrIcrlj C3H/HeNCrIcrlj (Sentinels)
	Test period Technique	December 14 - 24
BACTERIA		
<i>Bordetella bronchiseptica</i>	Culture	0/18
<i>Citrobacter rodentium</i>	Culture	0/18
<i>Corynebacterium kutscheri</i>	Culture	0/18
<i>Pasteurella pneumotropica</i>	Culture	0/18
<i>Pseudomonas aeruginosa</i>	Culture	0/18
<i>Salmonella</i> spp.	Culture	0/18
<i>Staphylococcus aureus</i>	Culture	0/18
<i>Streptococcus pneumoniae</i>	Culture	0/18

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: Fecal and water samples of isolator-maintained animals are tested monthly.

HEALTH MONITORING REPORT (December 2015)

Species: MICE (Fecal and Water Samples)

Agents	Area	T23 Isolator
	Strains & Stocks	JAX [®] Mice Strain NOD.CB17-Prkdc ^{scid} /J C3H/HeNCrIcrIj (Sentinels)
	Test period Technique	December 14 - 24
BACTERIA		
<i>Bordetella bronchiseptica</i>	Culture	0/16
<i>Citrobacter rodentium</i>	Culture	0/16
<i>Corynebacterium kutscheri</i>	Culture	0/16
<i>Pasteurella pneumotropica</i>	Culture	0/16
<i>Pseudomonas aeruginosa</i>	Culture	0/16
<i>Salmonella</i> spp.	Culture	0/16
<i>Staphylococcus aureus</i>	Culture	0/16
<i>Streptococcus pneumoniae</i>	Culture	0/16

Tested by Charles River Laboratories Japan, Inc.

Monitoring frequency: Fecal and water samples of isolator-maintained animals are tested monthly.