

2020年12月24日

お客様 各位

生産動物 微生物モニタリング結果報告書

(2020年12月度)

試験責任者：品質保証部
マネジャー 佐藤征直





Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
MVM ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
K ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
POLY ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
LDV ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>C. rodentium</i> ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
CAR Bacillus ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>H. bilis</i> ade	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>H. hepaticus</i> ade	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Helicobacter</i> sp. ade	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 282
<i>P. pneumotropica</i> ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>P. aeruginosa</i> ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Salmonella</i> sp. ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Staph. aureus</i> ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>S. moniliformis</i> ad	PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 90
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 282
<i>Pneumocystis</i> sp. ad	PCR	RADS JPN	04-Nov-2020	0 / 5	0 / 40
<i>C. bovis</i> ade	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
Pathology					
Gross Exam df	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
NU/NU CD1	NU/NU B/C
NU+ CD1	NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>H. bilis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 282
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>P. aeruginosa ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Staph. aureus ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>S. moniliformis ad</i>	PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 90
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 282
<i>Pneumocystis sp. ad</i>	PCR	RADS JPN	04-Nov-2020	0 / 5	0 / 40
<i>C. bovis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
 NU/NU B/C
 NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A13 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90

Parasitology

<i>Gross Exam df</i>	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90
----------------------	------	----------	-------------	--------	--------

Parasitology

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Atsugi A13 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J
C57BL/6N

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

Charles River Laboratories Yokohama

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90

Parasitology

<i>Gross Exam df</i>	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90
----------------------	------	----------	-------------	--------	--------

Parasitology

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Inbred
B6 ALBINO
CBA/J
NC/CRJ
SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

Charles River Laboratories Yokohama

Location

Atsugi A15 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90

Parasitology

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Atsugi A15 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 280
KRV ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
CAR Bacillus ad	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
P. pneumotropica ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	09-Nov-2020	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred				
	CD				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-Nov-2020	0 / 15	0 / 90
Parasitology					



Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
BALB/C	CDF-1
DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

Charles River Laboratories Yokohama

Location
Atsugi A24 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>PVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>MHV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 264
<i>MVM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>MPV ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>MNV ace</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 264
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>REO ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 246
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	02-Dec-2020	0 / 16	0 / 266
<i>C. bovis bde</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	04-Nov-2020	0 / 15	0 / 90

Parasitology

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	04-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	07-Dec-2020	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-Nov-2020	0 / 15	0 / 90

Parasitology

<i>Gross Exam df</i>	Exam	RADS JPN	09-Nov-2020	0 / 15	0 / 90
----------------------	------	----------	-------------	--------	--------

Parasitology



Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	09-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BALB/C
DBA/1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 280
KRV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
CAR Bacillus ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>H. bilis</i> ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus</i> ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp.</i> ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica</i> ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa</i> bd	Culture/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp.</i> ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis</i> ad	PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 282
<i>Pneumocystis sp.</i> ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>C. bovis</i> bde	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2020	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred WISTAR	Inbred F344 SHR WKY			

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location
Hino H12 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	11-Nov-2020	0 / 15	0 / 90

Parasitology

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6 OB
BKS DB
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H13 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 280
KRV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
CAR Bacillus ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
P. pneumotropica ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2020	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H13 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred L/E	Inbred BN LEWIS PCK ZDF FA/+ ZDF FA/FA			

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 280
KRV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
HANT ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
MAV ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
CAR Bacillus ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
H. bilis ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
H. hepaticus ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Helicobacter sp. ade	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
M. pulmonis ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
P. pneumotropica ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
P. aeruginosa bd	Culture/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
S. moniliformis ad	PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Pathology					
Gross Exam df	Exam	RADS JPN	11-Nov-2020	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Helminths ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 108
Enteric Protozoa ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
E. cuniculi ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred				
	CD				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 280
<i>MVM ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 280
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 108
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>H. bilis ade</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>H. hepaticus ade</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>S. moniliformis ad</i>	PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	09-Dec-2020	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	11-Nov-2020	0 / 15	0 / 90
Parasitology					



Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>Helminths</i> ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 108
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	26-Nov-2020	0 / 1	0 / 88
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	11-Nov-2020	0 / 15	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Inbred
C3H
C57BL/6N
DBA/2

Hybrid
B6C3F1
BDF-1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/NAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
PVM ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
MHV ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
MVM ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
MPV ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
MNV ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
TMEV (GDVII) ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
REO ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
EDIM ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
LCMV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
ECTRO a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
MAV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
MCMV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
K a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
POLY a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
HANT a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
MTLV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
LDV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256

Microbiology

<i>B. bronchiseptica</i> abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
<i>C. rodentium</i> abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
CAR Bacillus a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
<i>C. kutscheri</i> abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
<i>H. bilis</i> ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
<i>H. hepaticus</i> ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
<i>Helicobacter</i> sp. ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
<i>M. pulmonis</i> ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
<i>P. pneumotropica</i> abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
<i>P. aeruginosa</i> abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
<i>Salmonella</i> sp. abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
<i>Staph. aureus</i> abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
<i>S. moniliformis</i> a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
<i>Strep. pneumoniae</i> abc	Culture/PCR	RADS JPN	01-Dec-2020	0 / 65	0 / 1,225
Beta Strep. sp. a	Culture/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
<i>Pneumocystis</i> sp. ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466
<i>C. bovis</i> ac	PCR	RADS JPN	01-Dec-2020	0 / 23	0 / 466

Pathology

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ad	Exam	RADS JPN	01-Dec-2020	0 / 12	0 / 256
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
Helminths a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
Enteric Protozoa a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256
E. cuniculi a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 256

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains
Congenic
NSG

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/NAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
PVM ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
MHV ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
MVM ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
MPV ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
MNV ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
TMEV (GDVII) ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
REO ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
EDIM ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
LCMV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
ECTRO a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
MAV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
MCMV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
K a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
POLY a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
HANT a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
MTLV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
LDV a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
Microbiology					
B. bronchiseptica abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
C. rodentium abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
CAR Bacillus a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
C. kutscheri abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
H. bilis ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
H. hepaticus ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
Helicobacter sp. ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
M. pulmonis ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
P. pneumotropica abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
P. aeruginosa abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
Salmonella sp. abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
Staph. aureus abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
S. moniliformis a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
Strep. pneumoniae abc	Culture/PCR	RADS JPN	08-Dec-2020	0 / 45	0 / 1,026
Beta Strep. sp. a	Culture/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
CPIL (Tyzzer's Disease) ac	Exam/PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
Pneumocystis sp. ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
C. bovis ac	PCR	RADS JPN	08-Dec-2020	0 / 10	0 / 404
Pathology					



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ad	Exam	RADS JPN	01-Dec-2020	0 / 12	0 / 236
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
Helminths a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
Enteric Protozoa a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236
E. cuniculi a	PCR	RADS JPN	01-Dec-2020	0 / 12	0 / 236

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenit

CB17SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/NAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T23 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>PVM ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>MHV ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>MVM ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>MPV ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>MNV ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>TMEV (GDVII) ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>REO ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>EDIM ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>LCMV a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>ECTRO a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>MAV a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>MCMV a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>K a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>POLY a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>HANT a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>MTLV a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>LDV a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316

Microbiology

<i>B. bronchiseptica abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>C. rodentium abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>CAR Bacillus a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>C. kutscheri abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>H. bilis ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>H. hepaticus ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>Helicobacter sp. ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>M. pulmonis ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>P. pneumotropica abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>P. aeruginosa abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>Salmonella sp. abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>Staph. aureus abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>S. moniliformis a</i>	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>Strep. pneumoniae abc</i>	Culture/PCR	RADS JPN	15-Dec-2020	0 / 66	0 / 1,406
<i>Beta Strep. sp. a</i>	Culture/PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>Pneumocystis sp. ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549
<i>C. bovis ac</i>	PCR	RADS JPN	15-Dec-2020	0 / 15	0 / 549

Pathology

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T23 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
<i>Gross Exam</i> ad	Exam	RADS JPN	01-Dec-2020	0 / 16	0 / 316
Parasitology					
<i>Ectoparasites</i> a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>Helminths</i> a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>Enteric Protozoa</i> a	Exam/PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316
<i>E. cuniculi</i> a	PCR	RADS JPN	01-Dec-2020	0 / 16	0 / 316

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic

NOD SCID J

SCIDBEIGE

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings