

2021年3月26日

お客様 各位
生産動物 微生物モニタリング結果報告書

(2021年3月度)

試験責任者：品質保証部
マネジャー 佐藤征直





Immunodeficient Mouse SPF/NAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>C. rodentium</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
CAR <i>Bacillus</i> ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>H. bilis</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>H. hepaticus</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Helicobacter</i> sp. ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 282
<i>P. pneumotropica</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>P. aeruginosa</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Salmonella</i> sp. ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Staph. aureus</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>S. moniliformis</i> ad	PCR	RADS JPN	01-Feb-2021	0 / 15	0 / 90
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 282
<i>Pneumocystis</i> sp. ad	PCR	RADS JPN	01-Feb-2021	0 / 5	0 / 40
<i>C. bovis</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
Pathology					
Gross Exam df	Exam	RADS JPN	01-Feb-2021	0 / 15	0 / 90



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A11 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 92
<i>Helminths</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
NU/NU CD1	NU/NU B/C
NU+ CD1	NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/NAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
MHV ace	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
MVM ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
MPV ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
MNV ace	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
TMEV (GDVII) ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
EDIM ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
ECTRO ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
MCMV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
K ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
POLY ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
MTLV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
LDV ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>C. rodentium</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
CAR <i>Bacillus</i> ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>H. bilis</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>H. hepaticus</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Helicobacter</i> sp. ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 282
<i>P. pneumotropica</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>P. aeruginosa</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Salmonella</i> sp. ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Staph. aureus</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>S. moniliformis</i> ad	PCR	RADS JPN	01-Feb-2021	0 / 15	0 / 90
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 282
<i>Pneumocystis</i> sp. ad	PCR	RADS JPN	01-Feb-2021	0 / 5	0 / 40
<i>C. bovis</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
Pathology					
Gross Exam df	Exam	RADS JPN	01-Feb-2021	0 / 15	0 / 90



Immunodeficient Mouse SPF/VAF Report (Barrier)

Japan

Charles River Laboratories Yokohama

Location

Atsugi A12 Mice

Health Status

Immunodeficient

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites ade</i>	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 92
<i>Helminths ade</i>	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa ade</i>	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
NU/NU B/C
NU+ B/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

Charles River Laboratories Yokohama

Location

Atsugi A13 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
<i>MVM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. bilis ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis ad</i>	PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	01-Feb-2021	0 / 15	0 / 90

Parasitology

<i>Gross Exam df</i>	Exam	RADS JPN	01-Feb-2021	0 / 15	0 / 90
----------------------	------	----------	-------------	--------	--------

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Atsugi A13 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helminths</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J
C57BL/6N

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

Charles River Laboratories Yokohama

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
<i>MVM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. bilis ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis ad</i>	PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	01-Feb-2021	0 / 15	0 / 90

Parasitology

<i>Gross Exam df</i>	Exam	RADS JPN	01-Feb-2021	0 / 15	0 / 90
----------------------	------	----------	-------------	--------	--------

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Atsugi A14 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helminths</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Inbred
B6 ALBINO
CBA/J
NC/CRJ
SJL

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 279
KRV ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
CAR Bacillus ad	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. bilis</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp.</i> ade	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis</i> ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa</i> bd	Culture/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp.</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis</i> ad	PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae</i> ade	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 282
<i>Pneumocystis sp.</i> ac	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>C. bovis</i> bde	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	08-Feb-2021	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred				
	CD				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 279
<i>MVM ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 279
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. bilis ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis ad</i>	PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	08-Feb-2021	0 / 15	0 / 90

Parasitology

<i>Gross Exam df</i>	Exam	RADS JPN	08-Feb-2021	0 / 15	0 / 90
----------------------	------	----------	-------------	--------	--------

Parasitology



Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A23 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helminths</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
BALB/C	CDF-1
DBA/2	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

Charles River Laboratories Yokohama

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
<i>MVM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 279
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. bilis ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis ad</i>	PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	01-Mar-2021	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	01-Feb-2021	0 / 15	0 / 90

Parasitology

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Atsugi A24 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helminths</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	01-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 279
<i>MVM ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 279
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. bilis ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis ad</i>	PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	08-Feb-2021	0 / 15	0 / 90

Parasitology



Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Atsugi A25 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>Helminths</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	24-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	08-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BALB/C
DBA/1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 279
KRV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
CAR Bacillus ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
P. pneumotropica ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	09-Feb-2021	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H11 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred WISTAR	Inbred F344 SHR WKY			

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report Japan

Charles River Laboratories Yokohama

Location
Hino H12 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 279
<i>MVM ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 279
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 107
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>H. bilis ade</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-Feb-2021	0 / 15	0 / 90

Parasitology

<i>Gross Exam df</i>	Exam	RADS JPN	09-Feb-2021	0 / 15	0 / 90
----------------------	------	----------	-------------	--------	--------

Mouse SPF/VAF Report
Japan

Charles River Laboratories Yokohama

Location

Hino H12 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
B6 OB
BKS DB
C57BL/6J

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H13 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 279
KRV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
CAR Bacillus ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
P. pneumotropica ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	09-Feb-2021	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H13 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred L/E	Inbred BN LEWIS PCK ZDF FA/+ ZDF FA/FA			

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
PVM ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
SDAV ace	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 279
KRV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
H1 ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RPV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RMV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
REO ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
RTV ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
LCMV ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
HANT ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
MAV ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Microbiology					
B. bronchiseptica ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
CAR Bacillus ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
C. kutscheri ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
H. bilis ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
H. hepaticus ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Helicobacter sp. ade	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
M. pulmonis ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
P. pneumotropica ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
P. aeruginosa bd	Culture/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Salmonella sp. ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
S. moniliformis ad	PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Strep. pneumoniae ade	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
CPIL (Tyzzer's Disease) ac	Exam/MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 282
Pneumocystis sp. ac	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
C. bovis bde	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Pathology					
Gross Exam df	Exam	RADS JPN	09-Feb-2021	0 / 15	0 / 90
Parasitology					
Ectoparasites ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Helminths ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 107
Enteric Protozoa ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
E. cuniculi ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS



Rat SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H21 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
	Outbred				
	CD				

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>PVM ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>MHV ace</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 279
<i>MVM ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>MPV ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>MNV ace</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 279
<i>TMEV (GDVII) ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>REO ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>EDIM ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>LCMV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>ECTRO ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>MAV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>MCMV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>K ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>POLY ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>HANT ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>MTLV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>LDV ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
Microbiology					
<i>B. bronchiseptica ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>C. rodentium ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 107
<i>CAR Bacillus ad</i>	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>C. kutscheri ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>H. bilis ade</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>H. hepaticus ade</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>Helicobacter sp. ade</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>M. pulmonis ac</i>	MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 262
<i>P. pneumotropica ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>P. aeruginosa bd</i>	Culture/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>Salmonella sp. ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>S. moniliformis ad</i>	PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70
<i>Strep. pneumoniae ade</i>	Culture/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/MFIA/PCR	RADS JPN	10-Mar-2021	0 / 16	0 / 282
<i>C. bovis bde</i>	PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
Pathology					
<i>Gross Exam df</i>	Exam	RADS JPN	09-Feb-2021	0 / 15	0 / 90
Parasitology					



Mouse SPF/VAF Report

Japan

Charles River Laboratories Yokohama

Location

Hino H22 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>Helminths</i> ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 107
<i>Enteric Protozoa</i> ade	Exam/PCR	RADS JPN	25-Feb-2021	0 / 1	0 / 87
<i>E. cuniculi</i> ad	MFIA/PCR	RADS JPN	09-Feb-2021	0 / 10	0 / 70

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Inbred
C3H
C57BL/6N
DBA/2

Hybrid
B6C3F1
BDF-1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = no action

TESTING SCHEDULE: c = screened every month; d = screened quarterly; e = additional PCR is done every month by environmental swabs;

Other

f = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/NAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>PVM ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>MHV ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>MVM ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>MPV ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>MNV ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>TMEV (GDVII) ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>REO ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>EDIM ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>LCMV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>ECTRO a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>MAV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>MCMV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>K a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>POLY a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>HANT a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>MTLV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>LDV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
Microbiology					
<i>B. bronchiseptica abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>C. rodentium abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>CAR Bacillus a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>C. kutscheri abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>H. bilis ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>H. hepaticus ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>Helicobacter sp. ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>M. pulmonis ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>P. pneumotropica abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>P. aeruginosa abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>Salmonella sp. abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>Staph. aureus abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>S. moniliformis a</i>	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>Strep. pneumoniae abc</i>	Culture/PCR	RADS JPN	02-Mar-2021	0 / 48	0 / 1,219
<i>Beta Strep. sp. a</i>	Culture/PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>Pneumocystis sp. ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
<i>C. bovis ac</i>	PCR	RADS JPN	02-Mar-2021	0 / 9	0 / 472
Pathology					

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T21 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ad	Exam	RADS JPN	01-Mar-2021	0 / 20	0 / 268
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
Helminths a	Exam/PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
Enteric Protozoa a	Exam/PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268
E. cuniculi a	PCR	RADS JPN	01-Mar-2021	0 / 20	0 / 268

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SHO

Other Strains
Congenic
NSG

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>PVM ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>MHV ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>MVM ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>MPV ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>MNV ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>TMEV (GDVII) ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>REO ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>EDIM ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>LCMV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>ECTRO a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>MAV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>MCMV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>K a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>POLY a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>HANT a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>MTLV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>LDV a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
Microbiology					
<i>B. bronchiseptica abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>C. rodentium abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>CAR Bacillus a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>C. kutscheri abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>H. bilis ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>H. hepaticus ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>Helicobacter sp. ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>M. pulmonis ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>P. pneumotropica abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>P. aeruginosa abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>Salmonella sp. abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>Staph. aureus abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>S. moniliformis a</i>	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>Strep. pneumoniae abc</i>	Culture/PCR	RADS JPN	09-Mar-2021	0 / 45	0 / 1,026
<i>Beta Strep. sp. a</i>	Culture/PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>Pneumocystis sp. ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
<i>C. bovis ac</i>	PCR	RADS JPN	09-Mar-2021	0 / 10	0 / 399
Pathology					



Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T22 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ad	Exam	RADS JPN	01-Mar-2021	0 / 12	0 / 228
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
Helminths a	Exam/PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
Enteric Protozoa a	Exam/PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228
E. cuniculi a	PCR	RADS JPN	01-Mar-2021	0 / 12	0 / 228

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenit

CB17SCID

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings

Immunodeficient Mouse SPF/NAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T23 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
<i>SEND ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>PVM ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>MHV ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>MVM ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>MPV ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>MNV ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>TMEV (GDVII) ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>REO ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>EDIM ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>LCMV a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>ECTRO a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>MAV a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>MCMV a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>K a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>POLY a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>HANT a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>MTLV a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>LDV a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
Microbiology					
<i>B. bronchiseptica abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>C. rodentium abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>CAR Bacillus a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>C. kutscheri abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>H. bilis ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>H. hepaticus ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>Helicobacter sp. ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>M. pulmonis ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>P. pneumotropica abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>P. aeruginosa abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>Salmonella sp. abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>Staph. aureus abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>S. moniliformis a</i>	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>Strep. pneumoniae abc</i>	Culture/PCR	RADS JPN	16-Mar-2021	0 / 66	0 / 1,430
<i>Beta Strep. sp. a</i>	Culture/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
<i>CPIL (Tyzzer's Disease) ac</i>	Exam/PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>Pneumocystis sp. ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
<i>C. bovis ac</i>	PCR	RADS JPN	16-Mar-2021	0 / 15	0 / 555
Pathology					

Immunodeficient Mouse SPF/VAF Report (Isolator)

Japan

Charles River Laboratories Yokohama

Location

Tsukuba T23 Mice

Health Status

SPF Isolator

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ad	Exam	RADS JPN	08-Mar-2021	0 / 16	0 / 316
Parasitology					
Ectoparasites a	Exam/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
Helminths a	Exam/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
Enteric Protozoa a	Exam/PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316
E. cuniculi a	PCR	RADS JPN	08-Mar-2021	0 / 16	0 / 316

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains

Congenic

NOD SCID J

SCIDBEIGE

COLONY POLICY FOR POSITIVE RESULT: immediate termination

TESTING SCHEDULE: a = screened annually; b = environmental bacteriology is done 11 times a year; c = environmental PCR is done triannually

Other

d = results do not include incidental or strain related findings